M32 1317-87



PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS: DANGER. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Do not breathe vapor. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

PHYSICAL OR CHEMICAL HAZARDS: Because of high vapor pressure, iodophors should be used at temperatures not exceeding 120°F. Do not add to alkaline, chlorinated sanitizers as they will react and generate hazardous gases.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID) IF ON CLOTHING: Remove and wash contaminated clothing before reuse.

IF ON SKIN: Flush with large amounts of water for at least 15 minutes. If irritation persists seek medical attention.

IF SWALLOWED: Drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

IF IN EYES: In case of contact, flush immediately with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by the use, storage or disposal of this product. Store in a cool, dry place.

Container disposal: Triple rinse empty containers and offer for recycling or wrap in newspaper and discard in trash.

IODU #2 A Concentrated lodine Sanitizer FOR DAIRY EQUIPMENT **BACK-FLUSH SYSTEMS**

Υ

ACTIVE INGREDIENT

("from alpha - (p-Nonylphenyl) - omega Total 100.00% hydroxypoly (oxyethytene) - iodine complexit

KEEP OUT OF REACH OF CHILDREN DANGER

See side panels for additional precautionary statements.

E.P.A. Est. 1317-CA-1 E.P.A. Reg. No. 1317-87 **NET CONTENTS: ONE GALLON**

AN-FO MANUFACTURING COMPANY, OAKLAND, CA 94601

CHEMTEL EMERGENCY NUMBER 1-800-255-3924

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

IODU #2 provides 3.6% titratable iodine, equivalent to 43,000 ppm (weight/volume).

BACK-FLUSH FOR TEAT CUPS ON DAIRY FARMS:

To clean/sanitize milking machine teat cups between cows, rinse with clean water; then inject one ounce IODU #2 per 13 gallons of water for at least two minutes, flush and drain from the unit. DO NOT RE-USE SOLUTION.

SANITIZATION OF POULTRY DRINKING WATER:

For poultry drinking water treatment, use one ounce of IODU #2 for every 52 gallons of water, providing 6 ppm titratable iodine, contenuously proportioned in the water line.

SOLUTION STRENGTH:

For about 25 ppm titratable iodine, use one ounce IODU #2 to each 13 gallons water. Sanitizing activity is retained as long as its yellow-brown color is present.

DIRECTIONS FOR USE:

Dairy farms, dairies, food processing, meat and poultry plants, wineries: rinse and wash equipment in approved method.

Sanitize with IODU #2-use one ounce to 13 gallons of water, contact time not less than two minutes. Allow surface to drain and air drv.

U.S. Patent Nos. 2,931,777, 2,977,315 and 3,028,299.

