

[1325-52]



U.S.D.A. Reg. #1325-52

"FS" FOOD PROCESSOR'S INSECTICIDE

ACTIVE INGREDIENTS

Refined Odorless Oil
*Technical Piperonyl Butoxide
N-Octyl Bicycloheptene Dicarboximide
Pyrethrins
Methyl Salicylate

100% ✓
97.60 %
1.50 %
0.50 %
0.30 %
0.10 %

*Equivalent to 1.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.30 related compounds.

FS is a high kill, contact insecticide, to be used wherever food or food products are prepared, handled, stored, or transported. When used as directed FS will kill exposed weevils, roaches, water bugs, flour moths, silver fish, flies, gnats, wasps, and certain other insects on contact.

DIRECTIONS FOR USE

BEFORE SPRAYING: Thoroughly clean area to be sprayed by removing all accumulations of dust or flour from floors, equipment skids, machinery, racks, stacked sacks and cartons. Particular attention should be given to cleaning all cracks in floors and walls where flour dust may accumulate. Overhead pipes, conveyor ducts, beams, and girders should also be dusted.

WHERE TO SPRAY OR FOG: In bakeries stack new flour on clean skids that have been sprayed with FS. Spray or fog room well when new flour is received. In the fermentation room, remove dough troughs, and spray or fog room from floor to ceiling. It is best to saturate cracks in floors and walls with FS before spraying or fogging. Additional zones of infestation which should be treated are: storage rooms, returned paper cartons, delivery trucks, employees' locker, shower and wash rooms. Because of the rapid evaporation rate of FS, it is recommended as an aid in fly control in bakery sales rooms and stores.

WHEN TO FOG OR SPRAY: Fog once a week in cold weather, twice a week in mild weather, and every day in 70° or warmer weather. Spray or fog

one quart of FS to each 100,000 cu. ft. of room area. DO NOT SPRAY OR FOG WHILE FOOD PROCESSING PLANT IS IN OPERATION

HOW TO FOG OR SPRAY: If there is a draft in the building, begin treatment on the downwind side. Move across the building and toward the wind. Always move away from the spray or fog. All open flames or pilot lights MUST be extinguished before treatment.

CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED.

Avoid breathing of spray or fog. Avoid contact with skin. Wash hands and face with soap and water after fogging. Do not use on or around household pets or animals. Do not spray or fog near open flame. Although this insecticide has a high flash point it will burn when sprayed or fogged. Do not smoke while fogging. Foods should be removed or covered during treatment. Food processing surfaces should be covered or thoroughly cleaned after treatment. If prolonged fogging is required use a respirator.

NET CONTENTS ON CONTAINER

DAVIS-WEIL MFG. CO., INC.

INDUSTRIAL & DOMESTIC
SANITARY CHEMICALS

219 SCOTT ST.
MEMPHIS, TENN.

2714 35th ST.
TAMPA, FLA.

A DISINFECTANT
FOR EVERY NEED

ACCEPTED
10-3-69
1325-52