

[1325-74]

DIRECTIONS FOR USE

BEFORE SPRAYING: Thoroughly clean area to be sprayed by removing all accumulations of dust or flour from floors, equipment skids, machinery, racks, stacked sacks and cartons. Particular attention should be given to cleaning all cracks in floors and walls where flour dust may accumulate. Overhead pipes, conveyor ducts, beams, and girders should also be dusted. Remove pets, birds and cover aquariums.

WHERE TO SPRAY OR FOG: In bakeries stack new flour on clean skids that have been sprayed with MS. Spray or fog room well when new flour is received. In the fermentation room, remove dough troughs, and spray or fog room from floor to ceiling. It is best to saturate cracks in floors and walls with MS before spraying or fogging. Additional zones of infestation which should be treated are: storage rooms, returned paper cartons, delivery trucks, employees' locker, shower and wash rooms. Because of the rapid evaporation rate of MS, it is recommended as an aid in fly control in bakery sales rooms and stores.



MS MILL FOG

ACTIVE INGREDIENTS-100%

- Petroleum Distillate ----- 96.50%
- *Technical Piperonyl Butoxide ----- 0.50%
- N-Octyl Bicycloheptene Dicarboximide ----- 0.50%
- Pyrethrins ----- 0.50%

*Equivalent to 2.0% (Butylcarbityl Ether and 0.5% related compounds).

CAUTION: KEEP OUT OF REACH OF CHILDREN: HARMFUL IF SWALLOWED.

Avoid breathing of spray or fog. Avoid contact with skin. Wash hands and face with soap and water after fogging. Do not use on or around household pets or animals. Do not spray or fog near open flame. Although this insecticide has a high flash point it will burn when sprayed or fogged. Do not smoke while fogging. Foods should be removed or covered during treatment. Food processing surfaces should be covered or thoroughly cleaned after treatment. If prolonged fogging is required use a respirator.

CONTAINER DISPOSAL: Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

ACCEPTED

1325-74

SEP 21 1973

U.S. DEPT. OF AGRICULTURE
FUNGICIDE AND INSECTICIDE ADMINISTRATION
WASHINGTON, D.C. 20250
ED 010-1-1-0.50% SUBJ
TO ATTACHED COMMENTS
(6-Propylpiperonyl)

DIRECTIONS FOR USE

(cont.)

WHEN TO FOG OR SPRAY: Fog once a week in cold weather and every day in 70° or warmer weather. Spray or fog one quart of MS to each 100,000 cu. ft. of room area. DO NOT SPRAY OR FOG WHILE FOOD PROCESSING PLANT IS IN OPERATION. DO NOT REMAIN IN TREATED AREAS. VENTILATE AREA AFTER TREATING.

HOW TO FOG OR SPRAY: If there is a draft in the building begin treatment on the downwind side. Move across the building and toward the wind. Always move away from the spray or fog. All open flames or pilot lights MUST be extinguished before treatment.

MS is high kill, contact insecticide, to be used wherever food or food products are prepared, handled, stored, or transported. When used as directed it will kill exposed weevils, roaches, water bugs, flour moths, silver fish, flies, gnats, wasps.

NET CONTENTS — GALLONS
U.S.D.A. Reg. #1325-74

DAVIS-
WEIL MFG. CO., INC.

219 Scott St. Memphis Tenn 38112 • (901) 323-8504
2714 35th St. Tampa, Fla 33605 • (813) 248-3119
10 Messenger Dr. Warwick R.I. 02888 • 401 785-0795