

# PYRESECT

**PYRETHIN INSECTICIDE SPRAY**  
**For Indoor and Outdoor Use**

**ACTIVE INGREDIENTS:**

Pyrethins .....	10%
*Piperonyl butoxide, technical .....	20%
fN-octyl bicycloheptene dicarboximide .....	33%
Petroleum distillate .....	48%

**INERT INGREDIENTS** ..... 98.89%

100.00%

(\*) Equivalent to 0.16% (butylcarbityl)(6-propylpiperonyl) ether and 0.04% related compounds.

(†) MGK 264, Insecticide Synergist.

**CAUTION: KEEP OUT OF REACH OF CHILDREN!**

Read All Precautionary Statements and Directions Before Using

**FOR PROFESSIONAL USE ONLY**

MANUFACTURED BY WEIL CHEMICAL CO.  
E.P.A. Reg. No. 1325-93 E.P.A. Est. No. 1325-TN-1

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans and Domestic Animals**  
**CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

This product can be used around food, food products and utensils, according to directions, without danger of contamination, but should not be applied directly to uncovered food or foodstuffs. Cover or remove all food processing surfaces before use. After spraying in meat packing plants, bakeries and food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions given above.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

**PHYSICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS**  
It is a violation of Federal law to use this product in a manner inconsistent with directions.

**STORAGE AND DISPOSAL:** Store in a cool, dry place. Pesticide disposal: Pesticide or chemically processed should be disposed of properly. Do not contaminate water. Open dumping is prohibited. **CONTAINER DISPOSAL:** (A) Triple rinse container and offer for recycling or disposal. Triple rinse for equivalent conditioning or disposal in appropriate place. **GENERAL:** Consult Federal, State or approved alternative procedures.

**SPACE SPRAY TO KILL FLIES, MOSQUITOES AND OTHER PESTS:** Shake container gently. Mix with water. Pour in sprayer. Close doors and windows. Mist all parts of the room. Use 1 fluid ounce of spray per 1,000 cubic feet. Keep room closed for 15 minutes. Ventilate as necessary.

**NET CONTENTS**

**WEIL CHEMICAL**

219 SCOTT STREET  
MEMPHIS, TENN. 38112



DEC 2 1980

1325-93

BEST DOCUMENT AVAILABLE

# INSECT

## PESTICIDE SPRAY Indoor Use

.....	.10%
ical .....	.20%
carboximide .....	.33%
.....	.48%
.....	98.89%
.....	100.00%
Carbaryl (6-propylpiperonyl) ether and	

9-11.

**OUT OF REACH OF CHILDREN!**  
Read Instructions and Directions Before Using

**INDOOR USE ONLY**

BY WEIL CHEMICAL CO.  
E.P.A. Est. No. 1325-TN-1

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

This product can be used around food, food products and utensils, according to directions, without danger of contamination, but should not be applied directly to uncovered food or foodstuffs. Cover or remove all food processing surfaces before re-use. After spraying in meat packing plants, bakeries and food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions given above.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

#### PHYSICAL HAZARDS

Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry place. Keep container closed.

**PESTICIDE DISPOSAL:** Pesticide residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**CONTAINER DISPOSAL:** (A) Containers of 30 gallons or more: Reuse container and offer for reconditioning, or (B) All Containers: Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

**GENERAL:** Consult Federal, State or local disposal authorities for approved alternative procedures.

**SPACE SPRAY TO KILL FLIES, MOSQUITOES, GNATS AND FLYING MOTHS:** Shake container gently to be sure contents are uniformly mixed. Pour in sprayer. Close doors and windows and turn off ventilation equipment. Mist all parts of the room or area at a dosage of one fluid ounce of spray per 1,000 cubic feet of space. Vacate premises. Keep room closed for 15 minutes. Ventilate prior to re-entry. Repeat as necessary.

NET CONTENTS ON CONTAINER

# WEIL CHEMICAL

219 SCOTT STREET  
MEMPHIS, TENN. 38112



DEC 2 1980

U.S. DEPT. OF AGRICULTURE  
NATIONAL PESTICIDE ADMINISTRATION

1325-93

BEST DOCUMENT AVAILABLE