[326-24]. 3 pages FRONT PANEL

- -----

•

MARTIN'S

MILL SPRAY

For control of Insect Pests of stored grain and food products.

Martin's Mill Spray kills on contact the exposed (or accessible) stages of the Granary Weevil, Rice Weevil, Confused Flour Beetle, Rust Red Flour Beetle, Cadelle, Sawtoothed Grain Beetle, Spider Beetles, Angouncis Grain Moth, Mediterranean Flour Moth, Meal Worms, Cigarette Beetles, Drug Store Beetle, Cheese Skipper, Cheese Mites and Grain Mites.

Martin's Mill Spray is a finished insecticide, in ready-to-use form, for control of certain insect pests of stored grain, stored food and food products. It may be used on the surface as a contact spray in any standard or special equipment.

Active Ingredients:

0.32% Pyrethrins 0.64% Technical Piperonyl Butoxide* 0.11% N-octyl bicycloheptene dicarboximide 98.93% Refined mineral oil 100.00%

*Equivalent to 0.512% of (butylcarbityl) (6-propyloiperonyl) ether and 0.128% of related compounds.

(18 pt. type) CAUTION: Keep out of reach of children. Harmful if swallowed. See back panel for additional cautions. (12 pt. type)

NET CONTENTS

Waltham Chemical Ce.

ACCEPTED JULS 1 1988 14 132624: Star

[1326-24] BACK PANEL

Martin's Mill Spray is useful in mills, elevators, granaries, warehouses, food storages, and other situations where an effective, fast-acting insecticide is required. As a space or vapor spray, it gives rapid kills of flying and crawling stages. In cracks and crevices of floors, it is effective in the control of the grain insects.

Martin's Mill Spray can be used around grain, food, food products, utensils, containers, food handling and processing equipment, but should not be applied directly to grain, uncovered foodstuffs or food products. It is highly effective in small amounts against such flying insects as House Flies, Mosquitoes, Gnats, Wasps, Hornets and Skipper Flies.

DIRECTIONS

When the product is applied in food processing plants, food should be removed or covered during treatment.

For Treatment of Floors and Bins

Martin's Mill Spray gives rapid initial kill of the accessible stages of most stored grain and food product insect pests. Apply in a good machine, adjusted to deliver a coarse droplet spray, using approximately 1 gallon of material to each 750 square feet of surface. Repeat applications as needed.

In mills, elevators and granaries, spray floors, walls and other surfaces of bins, storage and handling areas thoroughly, with particular attention to cracks, crevices, and similar protected locations. Waste grain, dust, dirt, and debris should be removed and destroyed, and storage areas cleaned before spraying. Treat unloading, handling and processing areas, and apply the insecticide to conveying, processing and handling equipment, such as the inside of reel sifters, purifier conveyors, sifters, roll housings and hoppers, pick-up conveyors, etc. Spray thoroughly around the base of heavy machinery and equipment.

For in-transit protection and control, treat truck beds, box cars and ships' holds before loading. For extended protection and control in warehouses and food products storages, treat exposed surfaces as recommended above, and spray heavily cracks, crevices, recesses, hiding and breeding areas. Thoroughly treat walls, floors, shelves, and other exposed surfaces, and lightly spray each layer of cartons or containers as stacked.

As a Contact Spray

ŧ

•

Martin's Mill Spray is also very effective against flies, mosquitoes, gnats, wasps, hornets, skippers and other flying insects. In addition to immediate kills of these insects, the walls, ceiling, about lights, moldings, screens, door and window frames, beams and light cords are made unfavorable as resting or hiding places of these insects.

Wattham Chemical Cr

U.S.D.A. REG. NO. 1320-----

[1326-24]

BACK PANEL - Contid

Space Spray

• .

.

For rapid control, use Martin's Mill Spray in a good machine adjusted to deliver a fine mist. Whenever possible, keep doors and windows closed for 10 minutes after application. Against flying pests, direct the spray toward the upper portion of the enclosure, filling the room with a mist and using 1/2 ounce of material to each 1,000 cubic feet of space. In the control of active stages of the running and crawling pests as listed on front panel, direct the mist toward and into all places commonly inhabited by these insects, and use as space treatments. Stay outside treated building until aired.

CAUTION: Keep out of reach of children. Do not spray near or toward an open flame. After spraying in meat packing plants, wakeries and other food processing plants, wash with potable water all equipment, benches, shelving, etc. where exposed food will be handled. Do not apply while food processing is under way.

Manufactured by

WALTHAM CHEMICAL CO.

Waltham Chemical Co.

817 Moody Street

Phone 893-1810