

Fuller

PARATHION
INSECTICIDAL
SMOKE

No. 2M

For use on Greenhouse Ornamentals only

Active Ingredients Parathion * 4.7%
* O-O-diethyl O-p-nitrophenyl thiophosphate
Inert Ingredients 95.3%

Net Weight — 3.2 ounces

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

Can contains deadly poisonous material which ignited gives off poisonous smoke and vapors.

Do not use until after reading supplementary instruction sheet

See next panels for antidote and warnings.

Manufactured by

FULLER SYSTEM, INC. WOBURN, MASS U. S. A.



POISON



Do not take internally or get on skin or in eyes, feed or food products.

For skin contact, immediately wash off with soap and warm water. For eyes, flush with plenty of water immediately.

Do not enter smoke or active vapors without wearing a gas mask passed by the U. S. Dept. of Agriculture for use against PARATHION.

ANTIDOTE: Internal, give a tablespoonful of salt in a glass of warm water, repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

If after exposure to the smoke, vapors or contents of this can, a person should develop headache, nausea or tightness of the chest, he must be removed from the area and made to lie down and keep quiet. Call a doctor at once.

If the vision becomes distorted, give 1/120 of a grain of atropine sulfate, but only at the discretion of the attending physician.

NOTICE TO

For use against RED SPIDER in greenhouses. This unit is for igniting, light sparkler into top of contents. Since beyond the control guarantee expressed on its use.

Dispose of cans and caps. Spillage may be placed in can. Burn per SMOKE.

Ventilate thoroughly

KEEP THIS CAN

DRY AT ALL

● See Supplement Before

U. S. D. A. Reg.

ACCEPTED

4/9/69



POISON



Do not take internally or get on skin or in eyes, feed or food products.

For skin contact, immediately wash off with soap and warm water. For eyes, flush with plenty of water immediately.

Do not enter smoke or active vapors without wearing a gas mask passed by the U. S. Dept. of Agriculture for use against PARATHION.

ANTIDOTE: Internal, give a tablespoonful of salt in a glass of warm water, repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

If after exposure to the smoke, vapors or contents of this can, a person should develop headache, nausea or tightness of the chest, he must be removed from the area and made to lie down and keep quiet. Call a doctor at once.

If the vision becomes distorted, give 1/120 of a grain of atropine sulfate, but only at the discretion of the attending physician.

NOTICE TO PURCHASER

For use against RED SPIDERS, THRIPS and APHIDS in greenhouses. This unit will treat 2,000 cu. ft.

To ignite, light sparkler and insert lighted end into top of contents. Since the use of this product is beyond the control of the manufacturer, no guarantee expressed or implied is made concerning its use.

Dispose of cans and caps by burial or incineration. Spillage may be collected on paper and replaced in can. Burn paper—DO NOT BREATHE SMOKE.

Ventilate thoroughly before re-entry.

KEEP THIS CAN AND CONTENTS

DRY AT ALL TIMES

- See Supplementary Instructions ●
Before Using

U.S.D.A. Reg. No. 1327-13

