


Fuller SYSTEM, INC.



FUMIGATOR

This fumigator will fumigate 5,000 cu. ft.

Fuller System, Inc.
 ★ EXPORT A
 1000 E. 1st St. St. Paul, Minn.

NOTE

1. Do not use on

edible crops

except as follows:

Tomatoes: Allow 1 day

between treatment

and harvest.

Cucumbers: Allow 1 day

between treatment

and harvest.

Lettuce: Allow 5 days

between treatment

and harvest.

INSERT "A"----- SEE CAUTION ON REAR PANEL.

INSERT "B"-----

DIRECTIONS

Shake contents before using. Unscrew top cover of container as directed when ready to use.

Place fumigators in single row on the ground in a central walk space then evenly for proper distribution of smoke.

Close all ventilator doors and other openings. Starting with fumigator at the west end of greenhouse, walk toward east end, placing fumigator at 10-foot intervals and insert top cover of fumigator. The fumigator should be placed in the center of the row of plants.

Do not use on edible food crops except as follows:

CAUTION


Avoid contact with skin. Avoid inhalation of vapors. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans.

Do not remain in greenhouse during fumigation without wearing full face mask of a type passed by the U.S. Department of Agriculture for Lindane protection. Protective clothing to minimize the danger of absorption of the vapors should be worn through the fumigation. Wash immediately with soap and water.

FROM WAREHOUSE

This product is sold without warrant. It is not intended for use on humans or household pets. It is not intended for use on food crops except as follows:

INSERT B*



CAUTION
 DO NOT USE ON EDIBLE FOOD CROPS EXCEPT AS FOLLOWS:
TOMATOES: Allow 1 day between treatment and harvest.
CUCUMBERS: Allow 1 day between treatment and harvest.
LETTUCE: Allow 5 days between treatment and harvest.

1327-1
 6-24-67
 A C

ACCEPTED WITH COMMENTS