

1581

11 APR 1984

Mr. Arthur Fuller  
Fuller Systems, Inc.  
226 Washington Street  
Woburn, MA 01801

301 | 128183  
17 | 2

Dear Mr. Fuller:

Subject: Amendments - Update labels per Lindane PD-4  
Fulex Aphid Smoke Fumigator  
EPA Registration No. 1327-15  
Fulex Aphid Smoke Fumigator No. 2M  
EPA Registration No. 1327-16  
Fulex Aphid Smoke Fumigator No. 10M  
EPA Registration No. 1327-27  
Fulex Aphid Smoke Fumigator No. 20M  
EPA Registration No. 1327-28  
Your submission dated August 16, 1984

The updated labels for EPA Registration Numbers 1327-15, 1327-27, and 1327-28, submitted in connection with registrations under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable provided that the following revision is made to each of these labels prior to release for shipment:

- 1) The product signal word must appear on the front panel directly beneath the child hazard precaution KEEP OUT OF REACH OF CHILDREN .

Please submit 5 copies of the revised label for each product prior to release of product for shipment.

Regarding EPA Registration Number 1327-16, since you indicate that your company is not planning to manufacture this product due to lack of demand and therefore you did not submit revised labels, you should submit a request for voluntary cancellation of this particular product

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

**CAUTION**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Avoid contact with skin and eyes. Wash hands and face thoroughly after handling and before eating or smoking. Avoid inhalation of vapors and contamination of feed and feedstuffs.

Do not remain in greenhouse during fumigation without wearing a full-face mask of a type jointly approved by MSHA (Mine Safety and Health Administration) and by NIOSH (National Institute for Occupational Safety and Health) under the provisions of 30 CFR Part 11 for 12-hour protection.

Do not use on household pets or humans.

**STORAGE AND DISPOSAL**

Store this product in a dry place. Igniters may pick up moisture in a damp place.

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Do not contaminate water, food, or feed by storage or disposal.

If a container has been used or damaged so that a leak occurs, wrap container in several layers of newspaper securely and place in trash.



**FUMIGATOR**

This can fumigates 5,000 cu. ft.

Read Supplementary Instructions before using for use in agricultural greenhouses only.

Active ingredient:

\*Gamma Isomer of Benzene Hexachloride 5.4%

Inert ingredients 94.6%

\*From Lindane

Net weight 2.65 oz

**KEEP OUT OF REACH OF CHILDREN  
STATEMENT OF PRACTICAL TREATMENT**

- If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin: Remove contaminated clothing and wash affected area with soap and water.
- If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

For use against greenhouse aphids, grasshoppers, adult white flies and adult leaf miners.

Manufactured by  
**FULFERSYSTEM, INC. WOBURN, MASS., U.S.A.**

EPA Reg. No. 1327-15  
EPA No. 012702-A-1

*claim vegetable*

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake contents before using. Unscrew top cover tighter as directed when ready to use.

Place fumigators in single row on the ground in a walk. Space them evenly for proper distribution. Close all ventilators, doors and other openings, with fumigator at farthest end of greenhouse and exit light sparkler at handle end and insert into lock of contents. Proceed to next fumigator, etc., until fumigator is ignited, then leave greenhouse which remain closed for at least four hours. Do not remain in greenhouse until thoroughly ventilated. Cut wire blooms before fumigating.

Ventilate gradually, preferably within eight hours, particularly when crops are in bloom or when ground is unusually soft.

Cloudy day, late afternoon or night fumigation is recommended, at temperatures between 60°-80°F. Fumigating when windy or in the presence of moisture.

Repeat fumigation when necessary if reinfestation occurs.

**NON-WARRANTY**

Seller's guarantee shall be limited to the terms of label and subject thereto the buyer assumes any risk to crops or property arising out of use or handling and use of product on these conditions.

**CAUTION**

**DO NOT USE ON EDIBLE FOOD CROPS EXCEPT AS FOLLOWS:**

- TOMATOES:** Allow 1 day between treatment and harvest.
- CUCUMBERS:** Allow 1 day between treatment and harvest.
- LETTUCE:** Allow 5 days between treatment and harvest.

ACCEPTED  
W. J. ...  
H. L. ...

OCT 1 1984

...icide,  
...ate Act  
...nde  
... No.

1327-15

*Bottom - 1. box*