COTTON STATES X-TERM 50 CHLORDAILE 452 ENULSIFIABLE

TYARAS No STREET

April 1971 (1974) April 2015 (1974) April 1974 (

Second INCREDIONS

Keep Out Of Reach Of Children

CAUTION

INFRUNCKLDIENTS

EPA Fetablishment No 1359 LA 1 MANUFACTURED BY



WEST MONROE, LOUISIANA Made in U.S.A.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING: vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artifical respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with . plenty of water. Get medical attention immediately.

See other precautions on the side panels.

FEB 2 3 1983

PRECAUTIONARY STATEMENTS

HAZARDS TO MUMANS AND DOMESTIC ANIMAL

CAUTICH

Harmful if swallowed. Do not breat or spray mist. Do not get in eyes, on s clothing. Avoid contamination of feed a foodstuffs. Wash thoroughly with soap a after handling and before eating or smok. Clean clothing should be used daily.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Keep out of lakes, streams and Do not contaminate water by cleaning of : or disposal of wastes. Apply this produg specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near hea

GALLONS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTICH

llarmful if swallowed. Do not breathe vapor
or spray mist. Do not get in eyes, on skin or clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used daily.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE It is a violation of federal law to use this product in a manner inconsistent with its labeling. TERMITE CONTROL IN EXISTING STRUCTURES Buildings with Basements or Crawl-Spaces

To prepare a 1% anulaion, mix 1 gallon Cotton States X-Term 50 Chlordane 45% Emulsifiable per 50 gallons of water. Apply as follows: First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the tranch about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion (or solution) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised proches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of emulsion (or solution) into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use antisiphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or? ponds should not be treated if it is water saturated, subject / to excessive asturation due to an accumulation of water or if; ... the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or ... domestic water contamination, treated, allowed to stand undistarbed for two to four hours then returned to the trench which has been. lined with 4 mil. plantic sheeting. Be careful not to puncture ... the plastic sheeting when returning soil to the trench. Do not' treat structurés that contain cisterns or wells.

DISPOSAL

DO NOT REUSE EMPTY CONTAINER (BOTTLE, CAN, BUCKET). CONTAINER AND PUT IN TRASH COLLECTION.

1

763