

NET
WT.

Cotton States 7 $\frac{1}{2}$ % Sevin Dust

GENERAL DIRECTIONS

Cotton States 7 $\frac{1}{2}$ % Sevin Dust is formulated for control of many insects attacking cotton, beans and potatoes. It can be applied in conventional hand or power dusters or by airplane. Uniform, thorough coverage is necessary for efficient control.

SUGGESTIONS FOR USE

ON COTTON: For control of fleahoppers and Thrips, apply 7 to 13 lbs. per acre.

For control of Boll Weevils, Cotton Bollworms, Pink Bollworms, Cotton Leafworms, Lygus Bugs and Cotton Leaf Perforator, apply Cotton States 7 $\frac{1}{2}$ % Sevin Dust at the rate of 20 to 33 lbs. per acre depending on rankness of foliage and degree of insect infestation.

Begin all applications when insects appear and repeat every 5 to 7 days until insects are under control. When used on a regular schedule at above rates Cotton Aphids will be suppressed. Do not graze treated fields or feed trash to livestock.

ON BEANS AND POTATOES: For control of Mexican Bean Beetle on beans and the Colorado Potato Beetle on potatoes, apply at the rate of 13 lbs. per acre.

For control of Leafhoppers on beans and Leafhoppers and Flea Beetles on potatoes, apply at the rate of 13 to 20 lbs. per acre depending on the degree of infestation and rankness of foliage.

For control of Lygus Bugs on beans and potatoes, apply 7 $\frac{1}{2}$ % Sevin Dust at the rate of 26 lbs. per acre.

For control of the above insects on beans and potatoes, begin applications when insects appear, and repeat at 7 to 10 day intervals until insects are controlled. Thorough, uniform foliage coverage is essential to efficient insect control.

Do not graze treated fields or feed treated vines to dairy animals or animals being finished for slaughter.

U S D A Reg No 1339 137

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate) 7.5%

INERT INGREDIENTS 92.5%

TOTAL 100.0%

® Trademark of Union Carbide Corp. for Carbaryl
1-Naphthyl N-methylcarbamate.

CAUTION

Harmful if swallowed or inhaled. Do not breathe dust. Do not take internally. Avoid prolonged or repeated breathing of dust. **SKIN CONTACT MAY BE HARMFUL.** Avoid unnecessary contact. Wash hands before eating. Take shower or bath after work. **WEAR REGULAR LONG SLEEVED WORK CLOTHING.** Change to clean clothing daily. Avoid prolonged or repeated contact with the skin, wash thoroughly after using. Avoid storage near feed or food products. **NOTE FOR PHYSICIAN:** (Carbaryl is a moderate, reversible, cholinesterase inhibitor.) Atropine is Antidotal.

For protection of bees, avoid use, if possible, during periods when honey bees are visiting the crops. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

Keep Out of Reach of Children

Seller's only guarantee, warranty, claim or representation is that this material conforms in content to that specified on the label. Climatic, soil and other conditions beyond Seller's control, necessarily affect results. Therefore, since this product will be used without knowledge or control of Seller, Seller shall not be responsible or liable for injuries to crops, persons, or property which arise from use or handling of this product, whether used in accordance with directions or not. Buyers accept and use this product under these conditions.

Manufactured by



®

MONROE, LOUISIANA

