

NET  
WT.

# Cotton States 7½% Sevin Dust

R

U. S. D. A. Reg. No. 1339-137

## GENERAL DIRECTIONS

Cotton States 7½% Sevin Dust is formulated for control of many insects attacking cotton, beans and potatoes. It can be applied in conventional hand or power dusters or by airplane. Uniform, thorough coverage is necessary for efficient control.

## SUGGESTIONS FOR USE

**ON COTTON:** For control of flea hoppers and Thrips, apply 7 to 13 lbs. per acre.

For control of Boll Weevils, Cotton Bollworms, Pink Bollworms, Cotton Leafworms, Lygus Bugs and Cotton Leaf Perforator, apply Cotton States 7½% Sevin Dust at the rate of 20 to 33 lbs. per acre depending on rankness of foliage and degree of insect infestation.

Begin all applications when insects appear and repeat every 5 to 7 days until insects are under control. When used on a regular schedule at above rates Cotton Aphids will be suppressed. Do not graze treated fields or feed trash to livestock.

**ON BEANS AND POTATOES:** For control of Mexican Flea Beetle on beans and the Colorado Potato Beetle on potatoes, apply at the rate of 13 lbs. per acre.

For control of Leafhoppers on beans and Leafhoppers and Flea Beetles on potatoes, apply at the rate of 13 to 20 lbs. per acre depending on the degree of infestation and rankness of foliage.

For control of Lygus Bugs on beans and potatoes, apply 7½% Sevin Dust at the rate of 26 lbs. per acre.

For control of the above insects on beans and potatoes, begin applications when insects appear, and repeat at 7 to 10 day intervals until insects are controlled. Thorough, uniform foliage coverage is essential to efficient insect control.

Do not graze treated fields or feed treated vines to dairy animals or animals being finished for slaughter.

## CAUTION

Harmful if swallowed or inhaled. Do not breathe dust. Do not take internally. Avoid prolonged or repeated breathing of dust. **SKIN CONTACT MAY BE HARMFUL.** Avoid unnecessary contact. Wash hands before eating. Take shower or bath after work. **WEAR REGULAR LONG SLEEVED WORK CLOTHING.** Change to clean clothing daily. Avoid prolonged or repeated contact with the skin, wash thoroughly after using. Avoid storage near feed or food products. **NOTE FOR PHYSICIAN:** (Carbaryl is a moderate, reversible, cholinesterase inhibitor.) Atropine is Antidotal.

For protection of bees, avoid use, if possible, during periods when honey bees are visiting the crops. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

## Keep Out of Reach of Children

Seller's only guarantee, warranty, claim or representation is that this material conforms in content to that specified on the label. Climatic, soil and other conditions beyond Seller's control, necessarily affect results. Therefore, since this product will be used without knowledge or control of Seller, Seller shall not be responsible or liable for injuries to crops, persons, or property which arise from use or handling of this product, whether used in accordance with directions or not. Buyers accept and use this product under these conditions.

### ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate) 7.5%

### INERT INGREDIENTS

92.5%

### TOTAL

100.0%

® Trademark of Union Carbide Corp. for Carbaryl—


1-Naphthyl N-methylcarbamate.

Manufactured by



®

MONROE, LOUISIANA



TO ATTACHED COMMENTS. 141

# Cotton States 4 Lb. Methyl Parathion

Contains 4 LBS. METHYL PARATHION PER GALLON

### ACTIVE INGREDIENTS:

O, O-Dimethyl O-p-Nitrophenyl Thiophosphate*	44.00%
Aromatic Petroleum Distillates	50.00%

INERT INGREDIENTS:	6.00%
TOTAL	100.00%

\*O, O-dimethyl O-p-Nitrophenyl Thiophosphate is otherwise known as Methyl Parathion

### DIRECTIONS FOR USE

On cotton: this material has been used successfully for control of boll weevils, leafworms, spider mites, thrips, and aphids (lice). Mix 1/4 pint to 1 pint (.25 lbs. technical to .50 lbs. technical Methyl Parathion), depending on density of foliage and extent of infestation, in enough water to cover one acre. Repeat application every 4 to 5 days until insects are brought under control. For best results thorough coverage of plants is necessary. For extremely heavy infestations late in season it may be necessary to reduce interval of application to 3 days. DO NOT APPLY TO COTTON LATER THAN 7 DAYS BEFORE HAND PICKING OR HARVEST.

## DANGER

Methyl Parathion is rapidly absorbed through the skin.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Keep containers closed when not in use.

Do not re-use containers for other purposes.

Destroy all containers when empty.

Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Parathion protection. Use natural rubber protective gloves, protective clothing and goggles.

Workers entering treated field within 24 hours after application should wear protective clothing.

## DANGER

### Keep Out of The Reach of Children

Do not get in eyes, on skin, or on clothing. Remove from skin immediately by washing with soap and water. Change to clean clothing daily and wash used clothing thoroughly before wearing. Wash hands, arms and face thoroughly with soap and water before eating or smoking. This product is extremely hazardous if swallowed, inhaled or absorbed through the skin. If headache, dizziness or nausea develops during use, get out of contaminated area at once. Call a physician immediately.

Keep all persons or animals out of the area where there may be danger of drift. Do not re-enter areas until all dust or mist has settled and vapors dissipated.

Do Not contaminate feed and foodstuffs.

Avoid drift on areas grazed by livestock.



### Antidote For Parathion

INTERNAL: Give a tablespoonful of salt in a glass of warm water; repeat until vomit fluid is clear. Have patient lie down and keep quiet.

EXTERNAL: If skin is contaminated, wash thoroughly with soap and warm water.

CALL A PHYSICIAN IMMEDIATELY

### PHYSICIAN'S NOTE

Compound exerts muscarine-like effects—i. e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant, such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of Parathion poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine.


This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

EPA Reg. No. 1339-140

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

MANUFACTURED BY



®

MONROE, LOUISIANA