

ACC
MAY 17 1957
1339-162

This panel red
ink on white
background

DIRECTIONS FOR USE

Fogs or Mists: To control flies, ants, wasps, small flying insects, mosquitoes, silverfish, gnats, cockroaches, spiders, flying moths infesting indoor premises listed below.

Industrial processing plants, theatres, industrial plants, warehouses

Use a 1% to 3% oil solution (see mixing table) and apply as a fog or fine mist. Apply with fogging or misting equipment at the rate of one gallon of the diluted product (1% 3% DDVP) per 50,000 cubic feet of indoor space. Occupants must vacate before indoor treatments and should not reoccupy the premises until after ventilation. Do not contaminate food and food handling equipment. See warning statement.

Outdoors: For outdoor fogging as for control of mosquitoes, gnats, or in use in dumps, use a 1% oil solution (see mixing table) and fog at the rate of 5 quarts per acre or equivalent.

Indoor Spot Treatment with oil solution: For control of the above named insects in homes, restaurants, theatres, food processing plants, industrial plants, and warehouses, use a 1% oil solution (see mixing table) and apply as a coarse water spray to infested areas around baseboards, cracks, walls, door and window frames, and localized areas of infestation according to standard PCO procedures. Do not apply to areas which will be frequently contacted by children and do not use in treated areas until surfaces are dry. Do not use on wet surfaces. Do not use on surfaces which are wet. Do not use on surfaces which are wet.

COTTON STATES VAPONA



DANGER

Keep Out of Reach of Children

2-OS

USDA REG. NO. 1339-162

insecticide oil soluble concentrate for PCO professional use only.

Contains 2 lbs. of Vapona* per gal.

PHYSICIANS NOTE
Atr. pine is antidotal.

Seller's only guarantee warranty claim or representation is that this material conforms in content to that specified on the label. Climatic, soil and other conditions beyond Seller's control, necessarily affect results. Therefore, since this product will be

used without knowledge or control of Seller, Seller shall not be responsible or liable for injuries to crops, persons or property which arise from use or handling of this product, whether used in accordance with directions or not. Buyers accept and use this product under these conditions.

ACTIVE INGREDIENTS:

O,O-Dimethyl 2,2-Dichlorovinyl Phosphate	22.1%
Related Compounds	1.7%
Petroleum Hydrocarbons	76.2%
TOTAL	100.0%

*Trademark of Shell Chemical Co.



IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician IMMEDIATELY.

IF ON SKIN: In case of contact remove contaminated clothing and immediately wash skin with soap and water.

WARNING

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. Wear natural rubber gloves, protective clothing and goggles.

Do Not get on skin or in eyes. In case of contact remove clothing, wash thoroughly with soap and water, for eyes flush with plenty of water and get prompt medical attention.

DO NOT breathe spray mist or vapors. Wear a mask or respirator of a type passed by U. S. Dept. of Agriculture for DDVP (Vapona insecticide). Keep all unprotected persons and animals out of operational area.

DO NOT contaminate feed and food stuffs. DESTROY all containers when empty.

WEAR clean clothing daily. Wash all contaminated clothing with soap and hot water before re-use.

Wash hands, arms and face thoroughly with soap and water before eating or smoking.

MIXING TABLE

Amount of Vapona*	Amount of Water	Amount of Oil
1 gallon	100 gallons	1 quart
1 quart	25 gallons	1/4 quart
1 pint	12.5 gallons	1/8 quart
1 cup	6.25 gallons	1/16 quart