

Cotton States 6lb. Methyl Parathion

U. S. D. A. Reg. No. 1339-184

DANGER

Keep Out of Reach of Children

Poisonous if swallowed, inhaled, or absorbed through skin. Methyl Parathion is rapidly absorbed through the skin. Keep containers closed when not in use. Wear a mask respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Use natural rubber protective gloves, protective clothing and goggles. Use this product only for recommended purposes and at recommended rates. Do not get in eyes, on skin or on clothing. Remove from skin immediately by washing with soap and water. Change to clean clothing daily and wash used clothing thoroughly before wearing. Wash hands, arms and face thoroughly with soap and water before eating or smoking. This product is extremely hazardous if swallowed, inhaled or absorbed through the skin. If headache, dizziness or nausea develops during use, get out of contaminated area at once. Call a physician immediately. Keep all persons or animals out of the area where there may be danger of drift. Do not re enter areas until all dust or mist has settled and vapors dissipated.

Do Not contaminate feed and foodstuffs.

Avoid drift on areas grazed by livestock. This product is toxic to wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not reuse empty drum. Return to drum re conditioner or destroy by perforating or crushing and burying in a safe place.

Not for use or storage in or around the home

Contains 6 lbs. Methyl Parathion per gallon.

ACTIVE INGREDIENTS:

O,O-dimethyl O-p-nitrophenyl thiophosphate*	62.7%
Aromatic Petroleum Distillates	30.3%
INERT INGREDIENTS	7.0%
TOTAL	100.0%

*O,O-dimethyl O-p-nitrophenyl thiophosphate is otherwise known as Methyl Parathion.

This is extremely poisonous. Use with caution. Follow label directions carefully.

Read and understand the precautionary statements on label before using, handling or storing.


Net Contents _____ Gal.

DIRECTIONS FOR USE

This product may be applied by air or ground equipment at the recommended rate in 3 to 10 gal. or more water per acre. Three gallons of spray mix per acre is accepted as the minimum quantity needed for airplane application.

ON COTTON: To control boll weevils, leaf worms, thrips, spider mites, and aphids (lice), apply this product at the rate of 1 gallon to 24 acres (.25 lbs. technical Methyl Parathion) to 1 gallon to 12 acres (.50 lbs. technical Methyl Parathion). Repeat application every 3 or 4 days until insects are brought under control. As an aid in the control of severe infestations of bollworms, apply this product at the rate of 1 gallon to 6 acres (1 lb. Methyl Parathion per acre). Caution, do not apply within five days of hand picking. (Workers entering fields within 24 hours after application should wear protective clothing).

Manufactured By



MONROE, LOUISIANA

DIRECTIONS FOR USE

ON SOYBEANS: To control armyworm, bean leaf beetle, blister beetle, corn earworm (cotton bollworm), grasshopper, green cloverworm, stink bug, velvet bean caterpillar, and webworm, use this product at the rate of 1 gallon to 6 acres (1 lb. Methyl Parathion per acre). Repeat as necessary. Caution, do not use on soybeans within 20 days of harvest.



POISON



Antidote for Parathion


INTERNAL: Give a tablespoonful of salt in a glass of warm water; repeat until vomit fluid is clear. Have patient lie down and keep quiet.

EXTERNAL: If skin is contaminated, wash thoroughly with soap and warm water. CALL A PHYSICIAN IMMEDIATELY.

PHYSICIAN'S NOTE

Compound exerts muscarine-like effects—i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant, such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patient's suspected of Parathion poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



Cotton States 6lb. Methyl Parathion

contains 6 lbs. Methyl Parathion per gallon

ACTIVE INGREDIENTS	
O,O-dimethyl O-p-nitrophenyl thiophosphate*	52.7%
Aromatic Petroleum Distillates	30.3%
INERT INGREDIENTS	70%
TOTAL	100%

*O,O-dimethyl O-p-nitrophenyl thiophosphate is otherwise known as Methyl Parathion.

This is extremely poisonous. Use with caution. Follow label directions carefully. Read and understand the precautionary statements on label before using, handling or storing.

Net Contents Gal

DIRECTIONS FOR USE

This product may be applied by air or ground equipment at the recommended rate in 3 to 10 gal or more water per acre. Three gallons of spray mix per acre is accepted as the minimum quantity needed for airplane application.

ON COTTON. To control boll weevils, leaf worms, thrips, spider mites, and aphids, lice, apply this product at the rate of 1 gallon to 24 acres, 25 lbs. technical Methyl Parathion to 1 gallon to 12 acres, 50 lbs. technical Methyl Parathion. Repeat application every 3 or 4 days until insects are brought under control. As an aid in the control of severe infestations of bollworms, apply this product at the rate of 1 gallon to 6 acres, 1 lb. Methyl Parathion per acre. Caution: do not apply within five days of hand picking. Workers entering fields within 24 hours after application should wear protective clothing.


Manufactured By



MONROE, LOUISIANA

DIRECTIONS FOR USE

ON SOYBEANS. To control armyworm, beet leaf beetle, blister beetle, corn earworm, cotton bollworm, grasshopper, green cloverworm, stink bug, velvet bean caterpillar, and web worm, use this product at the rate of 1 gallon to 6 acres, 1 lb. Methyl Parathion per acre. Repeat as necessary. Caution: do not use on soybeans within 30 days of harvest.



PHYSICIAN'S NOTE

Compound exerts muscarine-like effects, i.e., stimulation of the parasympathetic nervous system. Repeated use of a parasympathetic depressant, such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patient's suspected of Parathion poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine.