

## RESTRICTED USE PESTICIDE

For sa.. ... and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

# Cotton States 6lb. Methyl Parathion

## DANGER

# Keep Out of Reach of Children

Poisonous if swallowed, inhaled, or absorbed through skin. Methyl Parathion is rapidly absorbed through the skin. Keep containers closed when not in use. Wear a mask respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Use natural rubber protective gloves, protective clothing and goggles. Use this product only for recommended purposes and at recommended rates. Do not get in eyes, on skin or on clothing. Remove from skin immediately by washing with soap and water. Change to clean clothing daily and wash used clothing thoroughly before wearing. Wash hands, arms and face thoroughly with soap and water before eating or smoking. This product is extremently hazardous if awallowed, inhaled or absorbed through the skin. If headache, dizziness or nausea develops during use, get out of contam-inated area at once. Call a physician immediately. Keep all persons or animals out of the area where there may be danger of drift. Do not re-nter areas until all dust or mist has settled spore dissipated.

Dank to the work that the same of

As the many product of the Things of the state of the sta

DO NOT THE LANGE TO SEE A MER HYAT A LONG THE MET MA

Positive and the state of the

But for the historian some of the bore

EPA Reg. No. 1339-184

Contains 6 lbs. Methyl Parathion per gallon. ACTIVE INGREDIENTS:

O.O-dimethyl O-p-nitrophenyl thiophosphate\* \$2.7%
Aromatic Petroleum Distillates 30.3%
INERT INGREDIENTS 7.0%
TOTAL 160.0%
\*O.O-dimethyl O-p-nitrophenyl thiophosphate is otherwise known as Methyl Parathlos.

This is extremely poisonous. Use with caution. Follow label directions carefully.

Read and understand the precautionary statements on label before using, handling or storing.

Net Contente\_\_\_\_Gal.

#### DIRECTIONS FOR USE

This product may be applied by air or ground equipment at the recommended rate in 3 to 10 qal. or more water per acre. Three gallons of spray mix per acre is accepted as the minimum quantity needed for airplane application.

ON COTTON: To control boll weevils, leaf-worms, thrips, spider mites, and aphida (lice), apply this product at the rate of 1 gallon to 24 acres (.25 lbs. technical Methyl Parathion to 1 gallon to 12 acres (.50 lbs. technical Methyl Parathion). Repeat application every 3 or 4 days until insects are brought under control. As an aid in the control of severe infestations of bollworms, apply this product at the rate of 1 gallon to 6 acres (1 lb. Methyl Parathion per acre). Caution, do not apply within five days of hand picking. (Workers entering fields within 24 hours after application should wear protective clothing).

Manufactured By



MONROE, LOUISIANA

#### DIRECTIONS FOR USE

ON SOYBEANS: To control armyworm, bean lest beetle, blister beetle, come extend (cotton below). Crasshopper, grient of dereworm, state bud, volvet bean caterpillar, and web-corm, use this product at the rate of I gallon to 6 acros the by Mathya Perathion for acro). Repeat as weekestery. Cartien, do not use on expeans within 20 days of bayest.

Under the Ferri Intercucion, fundicide, on the care, intercucion, fundicide, on the care intercucion,

as americaed, it is periode of sprace 1339 184



#### Antidote for Parathion

INTERNAL Divide that appoint it of east in a glass of warra water repeat until voicit fluid to ries. Have put in the fown and keep quiet EXTERNAL. If usely, it contamined it, wash throughly will respect toward, water CALL

### PHYSICIAN'S NOTE

A PHYSICIAN IMMEDIATELY

Compound exerts muscarine-like effects—i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant, such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patient's suspected of Parathion polsoning. 2-PAM is also antidotal and may be administered in conjunction with stropine.

Seller warrants that the product conforms to its chemical description and is reasonably lit for the purcose stated on the sabol when used in accordance with directions under normal conditions of use b traiter this warranty nor any other warranty of i erchantal little colliness for a particular ramper, ip eas or implied, extends to the use of this product contrary to label instructions, or under sharmal conditions, or under conditions not reasonably (presemble to seller, and buyer assumes the risk of any such use.

EP7 ISTABUSHMENT NO. 1335-LA-I)