Terrachlor

EMULSIFIABLE CONCENTRATE

Controls certain soil-borne diseases of

COTTON .

ACTIVE INGREDIENTS:

Pentachioronitrobenzene

23.4° o

INERT INGREDIENTS:

76.6°

CK! HOKEDIEM!

100.0%

Total

Contains 2 lbs. of Pentachloronitrobenzene per U. S. gallon at 70°F.

WARNING

May be talal it swallowed. DO NOT breathe spray mist. Do Not get on skin, in eyes or on clothing. Wash thoroughly. Do Not contaminate tood or feedctufts. Keep away from children and domestic animals. Do Not pasture dairy animals or animals being lattened for slaughter in treated fields. Do Not apply nor allow to drift where livestock are grazing. To protect fish and wildlife, do not contaminate streams, lakes or pends with this material. Do not store or landle near open flame. Keep container tightly closed when not in use. Use only on recommended crops and at recommended dosages. This of street is poisonous to fish and wildlife. Keep out of any body it water.

KEEP OUT OF REACH OF CHILDREN ANTIDOTE

WEINAL Case one to two tablespoons of salt in glass of warm water, and repeat until vomit fluid is clear. Call a physician immediately.

YIERNAL Wash with soap and water

Selects only quarantee, warranty, claim or representation is that this material conforms in content to that specified on the label. Climatic, soil and other conditions beyond Seller's coutrol, necessarily affect results. Therefore since this product will be used without knowledge or control to Seller Seller shall not be responsible or liable for injuries to crops, persons or property which arise from use or handling of this product, whether swd in a ordance with directions or not. Supers accept and use the product under these conditions.

DIRECTIONS EOR USE

Contains 2 lbs. of Pentachloronitrobenzene per U. S. gallor at 70°F.

WARNING

May be tatal it swallowed. DO NOT breathe spray mist. Do Not get on skin in eyes or on clothing. Wash thoroughly. Do Not contaminate food or feedstuits. Keep away from children and domestic animals. Do Not pasture dairy animals or animals being oftened for slaughter in treated fields. Do Not apply nor allow to drift there hivestock are grazing. To protect fish and wildlife, do not constitute streams, lakes or pends with this material. Do not store or an ile near oper, flame. Keep container tightly closed when not in the first only on recommended crops and at recommended dosages.

KEEP OUT OF REACH OF CHILDREN ANTIDOTE

Water, and repeat until vomit fluid is clear. Call a physician immediately.

Fig. 1922AL Wash with soap and water

Seller's only quarantee, warranty, claim or representation is that this material conforms in content to that specified on the label. Climatic, soil and other conditions beyond Seller's control, necessarily affect results, therefore since this product will be used without knowledge or control of Seller. Seller shall not be responsible or liable for injuries to crops, persons or property which arise from use or handling of this product, a hether used in accordance with directions or not. Buyers accept and use the product under these conditions.

DIRECTIONS FOR USE

Furrew-fee with 10 to 15 gallons of water and apply this mixture to one acre as an in-furrew spray. See 2 messles per rew. Direct one messle to spray the open furrew. (seed sens) Position the second messle to spray from the seed zens to the surface. The second messle should spray the soil from the seed some to the surface as the soil is being directed into the furrew by the covering dises or shoes.

USOA ESG. NO. 1339-

MET CONTENTS:

GALLON'.

Many la thred Ex

Cotton States Chemical Co. Inc.

OWNERS TOUSING

FOR -- 1334-187