


DANGER — POISON — PRECAUTIONS



POISONOUS IF SWALLOWED
—This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT—Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED—Breathing vapors, spray mist or dust may be fatal.

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or they may die. Do not contaminate feed and foodstuffs. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. **APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.** CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a face mask or respirator of a type passed by the U. S. Bureau of Mines for toxaphene and methyl parathion.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instruction included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers. Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning. (Keep out of smoke.)

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

STOP—READ LABEL BEFORE USING

POISON



DANGER

See Side Panels
for Antidote &
Precautions

CAN KILL YOU

Keep Out of
Reach of
Children



IF SWALLOWED: Give a teaspoon of fluid if clear. Have victim

IF ON SKIN: In case of contact with soap and water.

Parathion exerts muscarinic system. Repeated use of a high tolerance, is indicated to give morphine to patients with system stimulation which should be given only if colic

PARATOX

EPA Reg. No. 1339-191

Toxicants per gallon: 6 lbs. toxaphene,
2 lbs. parathion, 1 lb. methyl parathion.

ACTIVE INGREDIENTS:

Toxaphene	52.4%
Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)	17.4%
O, O-dimethyl O-p-nitrophenyl phosphorothioate	8.7%
Xylene range Aromatic Solvent	17.5%
INERT INGREDIENTS	4.0%
	100.0%

Technical chlorinated Camphene (Chlorine content 67% to 69%)
Methyl Parathion

KEEP OUT OF REACH OF CHILDREN

Not for Use or Storage in or Around the Home

See Antidote Statement and Warning Statement on Side Panel

Net Contents

Manufactured by

Cotton States Chemical Co., Inc.

Monroe, Louisiana 71201

Directions For Use

Early Season Program: For hoppers, use 2 pints PARATOX

Mid-Season Insects: Overwintered insects controlled with 2 to 3 pints PARATOX if insect counts indicate they

Late Season Control: Use 1 to 2 pints PARATOX. Repeat applications at 5 to 7 days.

CAUTION: Do not handpick or slaughter animals being finished for slaughter within 24 hours after application of PARATOX.

Directions For Use

Apply 1 to 3 quarts PARATOX per acre to control earworms, grasshoppers, etc. suitably diluted with water. Do not make more than one application per acre. Do not make more than one application per acre.

CAUTION: Avoid spray drift onto plants or ensilage made from treated plants for slaughter. Do not feed treated fields. Wildlife in treated areas should be avoided.

STOP-READ LABEL BEFORE USING



POISON



POISON



DANGER

See Side Panels
for Antidote &
Precautions

Keep Out of
Reach of
Children

CAN KILL YOU

39-141
PARATOX

EPA Reg. No. 1339-191

Toxicants per gallon: 6 lbs. toxaphene,
2 lbs. parathion, 1 lb. methyl parathion.

ACTIVE INGREDIENTS:

Toxaphene	52.4%
Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)	17.4%
O-dimethyl O-p-nitrophenyl phosphorothioate	8.7%
Xylene range Aromatic Solvent	17.5%
INERT INGREDIENTS	4.0%
	100.0%

Technical chlorinated Camphene (Chlorine content 67% to 69%)
Methyl Parathion

KEEP OUT OF REACH OF CHILDREN

Not for Use or Storage in or Around the Home

See Antidote Statement and Warning Statement on Side Panel

Contents

Manufactured by

Cotton States Chemical Co., Inc.

Monroe, Louisiana 71201

ANTIDOTE FOR PARATHION

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician IMMEDIATELY.

IF ON SKIN: In case of contact remove contaminated clothing and immediately wash skin with soap and water.

PHYSICIAN'S NOTE

Parathion exerts muscarine-like effects, i. e., stimulations of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant, such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patient suspected of parathion poisoning. Toxaphene produces central nervous system stimulation which ordinarily responds to the barbituric acid derivatives, but this drug should be given only if complete atropinization fails to relieve symptoms.

GENERAL DIRECTIONS

PARATOX may be applied by either ground equipment or aircraft. For ground equipment, dilute in sufficient water (4 to 6 gallons) to give adequate coverage. For aerial applications, dilute in 3 to 4 gallons of water per acre.

Prepare a spray mixture as follows:

1. Add about half the total amount of water to be used to the spray tank.
2. Start agitator or pump bypass and add proper amount of PARATOX.
3. Continue mixing and add remaining water.

Directions For Use on COTTON

Early Season Program: For general early season control, including thrips, plant bugs, and flea hoppers, use 2 pints PARATOX per acre. If cutworms are present, use 3 pints PARATOX per acre.

Mid-Season Insects: Overwintering boll weevils, plant bugs, aphids, and cotton leafworms are controlled with 2 to 3 pints PARATOX per acre. Make repeat treatments at 7 day intervals as insect counts indicate they are necessary.

Late Season Control: Use 1-1 3 quarts per acre to control boll weevils, bollworms and aphids. Repeat applications at 5 to 7 day intervals as counts indicate they are necessary.

CAUTION: Do not handpick or harvest within 7 days of application. (Workers entering fields within 24 hours after application should wear protective clothing.) Do not graze dairy animals or animals being finished for slaughter in treated fields.

Directions For Use On SOYBEANS:

Apply 1-1 3 quarts PARATOX per acre to control aphids, armyworms, bean leaf beetles, corn earworms, grasshoppers, green cloverworms, stink bugs, and velvetbean caterpillars. Apply suitably diluted with water. For aerial applications apply diluted insecticide at 3 to 4 gallons per acre. Do not make more than two applications per growing season.

CAUTION: Avoid spray drift. Do not apply within 3 weeks of harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry. Do not graze treated fields. Wildlife in treated areas may be killed.