

COTTON STATES NO. 42 Tox-MP

USDA Reg. No. 1339-207

DANGER

Keep Out of Reach of Children

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. Rapidly absorbed through skin. Wear natural rubber gloves, protective clothing and goggles.

Do Not get in eyes, on skin, or on clothing. In case of contact remove clothing, wash thoroughly with soap and water, for eyes flush with plenty of water and get prompt medical attention.

DO NOT breathe spray mist or vapors. Wear a mask or respirator of a type passed by U. S. Dept. of Agriculture for Methyl Parathion protection.

KEEP all unprotected persons and animals out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting spray mist and volatile residues have dissipated. If headache, dizziness or nausea develops during or after use, get out of contaminated area at once. Get medical attention.

WEAR clean clothing daily, wash all contaminated clothing with soap and hot water before re-use.

Wash hands, arms and face thoroughly with soap and water before eating or smoking.

DO NOT contaminate feed and foodstuffs. This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label.

Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not feed treated forage to dairy animals or animals being finished for slaughter.

Do not apply when weather conditions favor drift of spray or dust from areas treated.

DESTROY all containers when empty, by punching holes in them and burying with wastes. Do not burn.

Rinse equipment and containers and dispose of wastes by burying in noncrop lands away from water supplies.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

NOT for use or storage in or around the home.

CAUTION: Do not apply within 5 days of hand picking. (Workers entering fields within 24 hours after application should wear protective clothing.) Do not graze dairy animals or animals being finished for slaughter in treated fields.

ACTIVE INGREDIENTS:	
*Toxaphene	39.8%
**O,O-dimethyl O-p-nitrophenyl thiophosphate	19.9%
Xylene (Aromatic Petroleum Distillate)	36.4%
INERT INGREDIENTS 3.9%	
TOTAL	100.0%

*Technical chlorinated Camphene (Chlorine Content 67% to 69%)
**Methyl Parathion

Each gallon of Cotton States No. 42 Tox-MP contains 4 lbs. Toxaphene plus 2 lbs. Methyl Parathion. Used as directed will control the following insects: Plant bugs, Fleahoppers, Boll Weevils, Cotton Leafworms, Aphids, and Corn earworm.



POISON



ANTIDOTE FOR METHYL PARATHION


IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quite. Call a physician IMMEDIATELY.

IF ON SKIN: In case of contact remove contaminated clothing and immediately wash skin with soap and water.

PHYSICIAN'S NOTE

Compound exerts muscarine-like effects—i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant, such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patient's suspected of Parathion poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Manufactured By



MONSANTO, MISSISSIPPI

GENERAL DIRECTIONS

Prepare a spray mixture of Cotton States No. 42 Tox-MP as follows:

1. Add about half the total amount of water to be used to the spray tank.
2. Start agitator or pump bypass and add proper amount of Cotton States No. 42 Tox-MP.
3. Continue mixing and add remaining water.

Directions for Use on COTTON


Cotton States No. 42-Tox-MP may be applied by either ground equipment or aircraft. For ground equipment, dilute in sufficient water to give adequate coverage. For aerial applications, dilute in 3 to 4 gallons of water per acre.

Early Season Program: For general early season control of plant bugs and fleahoppers, use 1 to 1.25 pints Cotton States No. 42 Tox-MP per acre. Make two or three applications at 7 day intervals starting at the two-leaf stage. For thrip control, use .75 to 1 pint per acre and for cutworms use 1.5 to 2 pints per acre.

Mid Season Insects: Overwintering boll weevils, plant bugs, aphids, and cotton leafworms are controlled with 1.5 to 2 pints Cotton States No. 42 Tox-MP per acre. Make repeat treatment at 7 day intervals as insect counts indicate they are necessary.

Late Season Control: Use 4 pints per acre to control boll weevils, bollworms and aphids. Repeat applications at 5 to 7 day intervals as insects counts indicate they are necessary.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



25% PARATHION

CONTAINS TWO POUNDS ^{PARATHION} ~~ACTIVE INGREDIENT~~ PER GALLON

25% PARATHION forms an emulsion when diluted with water to any desired strength. It will not clog fine orifices and is suitable for use in all power operated sprayers and aircraft sprayers.

ACTIVE INGREDIENTS

Parathion (O, O-diethyl, O-p-nitrophenyl thiophosphate)	25.0%
Aromatic Petroleum Hydrocarbon	67.0%
INERT INGREDIENTS	8.0%

TOTAL 100.0%

U.S.D.A. Registration No. _____

DANGER

● Keep Out of Reach of Children. →

 **POISON** 

SEE Antidote Statement and Other Required Warning Statements on the Back Panel

Control No.

NET CONTENTS

GALLONS