


DANGER — POISON — PRECAUTIONS



POISONOUS IF SWALLOWED
—This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT—Poisonous if touched by hands or spilled or splashed on skin in eyes or on clothing; liquid goes through clothes.



POISONOUS IF BREATHED—Breathing vapors, spray mist or dust may be fatal.

DANGER


Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or they may die. Do not contaminate feed and foodstuffs. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**



POISONOUS TO FISH AND WILDLIFE



This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. **APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.** CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING



Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber over shoes and safety goggles when handling, mixing or applying this product. Wear a face mask or respirator of a type passed by the U. S. Bureau of Mines for toxaphene and methyl parathion.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given see First Aid Treatment Section and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instruction included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers. Decontaminate empty container by rinsing with a solution prepared by mixing 1 gallon of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning. (Keep out of smoke.)

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

STOP—READ LABEL BEFORE USING

POISON

See Side Panels
for Antidote &
Precautions



KETOKIL NO. 6/1.5

EPA Reg. No. 1339-218

Contains 6 lbs. Toxaphene plus 1.5 lbs. Methyl Parathion per gallon.

ACTIVE INGREDIENTS:

*Toxaphene	55.7%
**O,O dimethyl O-p-nitrophenyl thiophosphate	13.9%
Xylene range aromatic petroleum derivative solvent	26.1%
INERT INGREDIENTS	4.3%
TOTAL	100.0%

- *Technical chlorinated Camphene (Chlorine Content 67% to 69%)
- **Methyl Parathion

Net Contents

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Manufactured by

Cotton States Chemical Co., Inc.

Manufacturing No. 71201



IF SWALLOWED: Give fluid is clear. Have
IF ON SKIN: In case soap and water.

Methyl Parathion exerts system. Repeated use tolerance, is indicated morphine to patient's administered in conjunction, which ordinarily given only if complete

DO NOT USE IN ANY READ PRECAUTION Consult State Agricultural and rate of application Dilute this product for aerial application, diluting circulating the mixture a uniform milky emulsion milky emulsion with

CROP INSECTS

Cotton
Aphids, boll weevils, bollworms, cotton leafworms, cutworms, fall armyworms, fleahoppers, grasshoppers, plant bugs, thrips

Soybeans
Armyworms, bean leaf beetles, corn ear worms, grasshoppers, green cloverworms, stink bugs, velvet bean caterpillars.

Wheat, Armyworms, oats, rice

STOP—READ LABEL BEFORE USING

POISON



KEEP OUT OF REACH OF CHILDREN

Keep Out of Reach of Children

Keep Out of Reach of Children

Keep Out of Reach of Children

See Side Panels for Antidote & Precautions

KETOKIL NO. 6/1.5

EPA Reg. No. 1339 218

Contains 6 lbs. Toxaphene plus 1.5 lbs Methyl Parathion per gallon.

ACTIVE INGREDIENTS:

Toxaphene	55.7%
O,O dimethyl O-p-nitrophenyl thiophosphate	13.9%
Xylene range aromatic petroleum derivative solvent	26.1%
INERT INGREDIENTS	4.3%

TOTAL 100.0%

Technical chlorinated Camphene Chlorine Content 67% to 69%

Methyl Parathion

Net Contents:

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Manufactured by

Cotton States Chemical Co., Inc.

Moore Foundation 71201



ANTIDOTE



ANTIDOTE FOR METHYL PARATHION

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quite. Call a physician IMMEDIATELY.

IF ON SKIN: In case of contact remove contaminated clothing and immediately wash skin with soap and water.

PHYSICIAN'S NOTE

Methyl Parathion exerts muscarine-like effects—i. e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant, such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patient's suspected of Parathion poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine. Toxaphene produces central nervous system stimulation which ordinarily responds to the barbituric acid derivatives, but this drug should be given only if complete atropinization fails to relieve symptoms.

DIRECTIONS FOR USE

DO NOT USE IN ANY MANNER NOT SPECIFIED ON THIS LABEL.

READ PRECAUTION STATEMENT CAREFULLY BEFORE USING.

Consult State Agricultural Experiment Stations for additional information as the timing, number and rate of applications needed may vary with local conditions.

Dilute this product with sufficient amount of water to allow uniform coverage of foliage. For aerial application, dilute with 1 to 5 gallons of water per acre. Mix with water by agitation or by circulating the mixture through the spray pump and back into the tank. Agitate before use until a uniform milky emulsion is formed. A proper water mixture will have the appearance of a milky emulsion with no free oil on the surface.

CROP INSECTS	RATE PER ACRE	LIMITATIONS
<u>Cotton</u> Aphids, boll weevils, bollworms, cotton leafworms, cutworms fall armyworms, flea-hoppers, grasshoppers, plant bugs, thrips	<u>Early Season Program</u> —Use 1 gal. to 7 acres, make 2 or 3 applications at 7 day intervals starting at the 2 leaf stage. For cutworms, use 1 gal. to 3 acres. If bollworms are a problem, see Mid and Late Season recommendations. <u>Mid and Late Season</u> Use 1 gal. to 1.5 to 3 acres. Use the higher rate for bollworm outbreak. Repeat applications at 5 to 7 day intervals as insect counts indicate they are necessary.	CAUTION: Do not handpick or harvest within 7 days of application. (Workers entering fields within 24 hours after application should wear protective clothing.) Do not graze dairy animals or animals being finished for slaughter in treated fields. Do not feed treated forage to dairy animals or animals being finished for slaughter.
Soybeans Armyworms, bean leaf beetles, corn ear worms, grasshoppers, green cloverworms, stink bugs, velvet bean caterpillars	Use 1 gal. to 3 acres	CAUTION: Avoid spray drift. Do not apply within 3 weeks of harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry. Do not graze treated fields. Birds feeding on treated areas may be killed. Do not apply more than twice per growing season.
Wheat, Armyworms, oats, rice	1 gal. to 3 acres	Do not apply within 15 days of harvest. Do not feed treated forage to dairy animals or animals being finished for slaughter.