

Cook-Waite®

1 FLUID QUART



**READY-FOR-USE
DISINFECTANT**

AQUEOUS SOLUTION 1:500

Active ingredients:

3,4-dichlorobenzyl-N-dodecyl-N,
N-dimethyl ammonium chloride 0.1%
Alkyl*dimethylbenzylammonium
chlorides 0.1%

Inert ingredients 99.8%

Water, sodium nitrite, urea and coloring.

*C₁₂, C₁₄, C₁₆ and other related alkyl groups from C₈ to C₁₈

*See accompanying circular for directions
and indications for use.*

USDA Reg. No. 1343-2

**TO BE USED ONLY FOR THE DISINFECTION
OF PREVIOUSLY CLEANED INSTRUMENTS**

CAUTION: Keep out of reach of Children

CONTROL NO.



Manufactured exclusively for
COOK-WAITE LABORATORIES, INC.
NEW YORK, N. Y.

MADE IN U.S.A.

CO 350-671

Cook-Waite®

1 FLUID QUART



**READY-FOR-USE
DISINFECTANT**

AQUEOUS SOLUTION 1:500

Active ingredients:

3,4-dichlorobenzyl-N-dodecyl-N,
N-dimethyl ammonium chloride 0.1%
Alkyl*dimethylbenzylammonium
chlorides 0.1%

Inert ingredients 99.8%

Water, sodium nitrite, urea and coloring.

*C₁₂, C₁₄, C₁₆ and other related alkyl groups from C₈ to C₁₈

See accompanying circular for directions
and indications for use.

USDA Reg. No. 1343-2

**TO BE USED ONLY FOR THE DISINFECTION
OF PREVIOUSLY CLEANED INSTRUMENTS**

CAUTION: Keep out of reach of Children

CONTROL NO.



Manufactured exclusively for
COOK-WAITE LABORATORIES, INC.
NEW YORK, N. Y.

MADE IN U.S.A.

CO 350 (671)



Dynalton[®]

RESISTANT

to acids, alkalis, oils, greases, etc.

and all other corrosive materials.

See Dynalton Resistant
Paints and Enamels

for complete details.

See Dynalton Resistant
Paints and Enamels

for complete details.

INSTRUMENT DISINFECTION

...in other articles must first be grasped and then interpreted in computerized systems. The first part of the study was that of the disinfection of instruments that were used with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient.

...the study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient.

STERILIZATION OF STERILIZED INSTRUMENTS

...the study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient.

...the study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient.

ORTHODONTIC AND ORTHODONTIC GENERAL APPLIANCES

...the study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient.

COOK-WAITE

...the study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient.

...the study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient.



...the study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient. The study was done with a patient who was treated with a patient.

Dynalton[®]
DISINFECTANT

*Dependable
Surgical
Antisepsis
in
Dentistry*