

ACCEPTED
 3-8-71
 1348-58
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND MITICIDE ACT
 FOR ECONOMIC CONTROL OF
 PESTS UNDER NATIONAL DEFENSE
 TO ATTACHED COMMISSION

RECOMMENDATIONS

SOIL INSECT CONTROL

White Grubs: Potatoes, and Strawberries: Apply 3 to 5 pts. in sufficient water to cover 1 acre as a pre-plant treatment to soil surface. Disc into top 3 to 4 inches of soil.

WIREWORMS: Beans, Beets, Cauliflower, Onions, Potatoes, Sweet Potatoes, and Turnips: Make pre-plant treatment to soil surface applying 3 to 5 pts. in sufficient water to cover 1 acre. Disc into top 4 to 6 inches of soil.

SOIL INSECTS IN GARDEN AND LAWNS: **White Grubs, Ants and Sod Webworms:** Apply 2 ozs. to 3 gals. water to thoroughly cover 1000 sq. ft. of lawn. Immediately after application the chemical should be washed into soil. For control of Ants along driveways, sidewalks and foundations around homes liberally treat the ant hills and areas over which ants travel repeating application as needed. For Cabbage Maggot and Cutworms in gardens apply 1 oz. to 3 gals. of water and spray soil around ~~CABBAGE~~ and tomato plants.

The treatment for control of Cabbage Maggot and Cutworms for cabbage and tomatoes should be limited to planting or transplanting time.

NOTE: Keep children and pets off treated areas until chemical is watered into the soil and area is thoroughly dry.

NOTE: Do not reuse empty container. Destroy by breaking or perforating and burying in non-crop lands away from water supplies.

SEDO

CHLORDANE

EMULSIFIABLE 73%

USDA REG. NO. 1348-58

ACTIVE INGREDIENTS:	
Chlordane* Technical	73.05
Aromatic Petroleum derivative Solvent	22.19
INERT INGREDIENTS	3.76
TOTAL	100.00

*Equivalent to 43.8% of Octachloro 4-7- Methanotetrahydroindane and 29.2 of related compounds.

WARNING: Keep out of reach of children!

See side panel for additional warnings.

NET CONTENTS GALLONS

TERMITES:
 (1 qt. to 25 gal.)
 in a trench at
 and porches
 dosage should
 buildings with
 chemical solu-
 ches. Half the
 to the refill
NOTE: Do not
 Bury or disc

HARMFUL:
 TACT WITH
 TACT WITH
 TAMIATIO
 or dairy bar
 finished for
 tain fish. Do
 tect from te
 flame.

Do not use on

BIRDS AND

NOTICE: Buy
 when not in a

ACCOUNTED
 3-8-71
 1348-58
 UNDER THE FEDERAL INSECTICIDE ACT
 UNDER NO. 1348-58
 ATTACHED COMMENTS

SECO

CHLORDANE

EMULSIFIABLE 73%

USDA REG. NO. 1348-58

ACTIVE INGREDIENTS:	
Chlordane* Technical	73.05
Aromatic Petroleum derivative Solvent	23.19
INERT INGREDIENTS	3.76
TOTAL	100.00

*Equivalent to 43.3% of Octachloro 4-7- Methanotetrahydroindane and 29.2 of related compounds.

WARNING: Keep out of reach of children!

See side panel for additional warnings.

NET CONTENTS GALLONS

PERMITES: Apply the product diluted as a one percent Chlordane solution (1 qt. to 25 gallons of water) at the rate of two gallons per five linear feet in a trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15 inches deep. Half the dosage should be applied to bottom of trench and half to the refill dirt. For buildings with deep foundations a trench 30 inches deep should be dug. Apply chemical solution at the rate of four gallons per five linear feet to these trenches. Half the dosage should be applied to the bottom of the trench and half to the refill dirt. Inspect areas yearly to determine possible reinfestation.
NOTE: Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in safe place.

CAUTION

HARMFUL IF SWALLOWED. AVOID BREATHING SPRAY MIST. CONTACT WITH SKIN CAN CAUSE TOXIC SYMPTOMS. IN CASE OF CONTACT WITH SKIN, WASH WITH SOAP AND WATER. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. Do not use on dairy animals or dairy barns, forage crops to be fed to dairy animals or animals being finished for slaughter. Do not contaminate water or streams which contain fish. Do not apply to food crops after edible parts start to form. Protect from temperatures below 0°F. Do not use or store near heat or open flame.

Do not use on livestock.

BIRDS AND OTHER WILDLIFE IN TREATED AREAS MAY BE KILLED.

NOTICE: Buyer assumes all risk of use, storage or handling of this product when not in strict accordance with directions given herewith.

Formulated by

Seico Supply Co.
Seico

DIRECTIONS FOR USE

ORNAMENTAL TURF and HOME LAWNS: Ants, Chinch Bugs, Webworms, White Grubs (June Beetle Larvae). For Ants, Chinch Bugs and Webworms use 10-12½ lbs. per acre (4-5 ozs. per 1000 sq. ft.) in enough water for uniform coverage at first sign of infestation. Repeat in 14 days if needed. For White Grubs use 25 lbs. per acre (10 ozs. per 1000 sq. ft.) in sufficient water for coverage to infested areas and areas to be protected. Do not allow children or pets on treated lawn until insecticide is washed off grass into soil and grass is completely dry.

DWELLINGS (OUTSIDE): Earwigs — Use 1 lb. to 10 gallons of water (4 ozs. to 2½ gal. water) to spray infested areas along walls, foundations of buildings, fences, ornamental trees and shrubs. Repeat treatment as necessary.

SOIL APPLICATION — Pre-planting Soil application or at time of planting or transplanting: Cutworms, Mole Crickets, Wireworms; Beans, Broccoli, Cabbage, Cauliflower, Eggplant, Lettuce, Strawberry, Peppers, Potatoes, Tomatoes — For Cutworms and Mole Crickets use 3¾ lbs. per 100 gallons of water per acre (1½ oz. to 2½ gal. water per 1000 sq. ft.). For wireworms use 10-12 lbs. per 100 gallons of water per acre (5-5½ ozs. to 2½ gals. of water to 1000 sq. ft.). Apply broadcast and disk or rake into top 2-3 inches of soil.

FORMULATED BY



Chlordane W40

WETTABLE POWDER

ACTIVE INGREDIENTS:

*Technical Chlordane	40.00
INERT INGREDIENTS	60.00
TOTAL	100.00

(*Equivalent to 24% Octachloro-4,7-methanotetrahydroindane and 16% related compounds.)

Caution: Keep out of reach of children!

See side panel for additional warnings.

Harmful breathing apply to or animal

CAUTION areas m off is ll or dispo NOTE: and bury

NOTICE duct wh

8-10-71
1347-215