

DIRECTIONS

Grain Elevators—Feed Storage—Farm Buildings—Food Processing Plants—Industrial Uses

For Surface Spraying, dilute 1 to 9 with water and spray all surfaces where insects crawl or rest, on walls, in cracks and crevices, niches, partitions, on shelves, under equipment, and to all areas where insects harbor. Apply as a coarse wetting spray. Do not apply on surfaces which could be stained by water. For Space Treatment to kill the accessible exposed adults of stored grain insects such as granary weevil, rice weevil, confused flour beetle, cadelle, saw toothd grain beetle, angoumois grain moth and grain mites, fog with Aerosol Generator using 1 pint of Undiluted Concentrate to 40,000 cubic feet.
Flour Beetles, Grain Weevils, Rice Weevils, Caddises, Grain Beetles,

Carpet Beetles, Grain Moths, (Accessible or Exposed Stages)

Before attempting to spray clean thoroughly interior and exterior of all handling equipment and completely remove all accumulations of dust, grain, and other infested food products from bins and storage areas. Dilute 1 to 9 with water and apply at the rate of 1 gallon diluted emulsion per 750 sq. feet of wall, ceiling, floor, partition or equipment surfaces. Spray thoroughly all surfaces where insects may rest or harbor. Repeat cleaning operations and spray treatments as needed.

Cockroaches, Waterbugs, Ants, Silverfish, Cheese Mites, and Certain Spiders: Dilute 1 to 9 with water and apply diluted emulsion at the rate of 1 gallon per 750 square feet of surface to be sprayed. Spray thoroughly into all hiding places, entrances and trails of these insects, into cracks in floors, partitions and walls, and under and behind equipment, shelves, cabinets and counters. Repeat treatments at regular intervals or as often as necessary to keep insects under control.

Net Contents 1 gallon

SELCO

PYRENONE

EMULSIFIABLE CONCENTRATE

EPA Reg. No. 1348-84

ACTIVE INGREDIENTS:	
Technical Piperonyl Butoxide**	10.0%
Pyrethrin	1.0%
Petroleum Solvents	82.0%
INERT INGREDIENTS	7.0%
TOTAL 100.0%	

**Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related Compounds.

*Registered trademark of U. S. Industrial Chemicals, Inc.

CAUTION: HARMFUL IF SWALLOWED!
Keep Out of Reach of Children

1348-84

1/26/1973

Page 1 of 3

Livestock Uses: Lice on Horses, Cattle, Goats, Hogs and Sheep: Dilute 1 to 100 with water. Apply as a thorough covering spray or by dipping to wet all parts of body. Usually 1½ to 3 gallons is required for horses or cattle and 2 to 4 qts. for sheep, goats, and hogs. Repeat as needed. **Sheep Ticks:** Dilute 1 to 49 with water. Apply as a spray or by dipping to wet all portions of body. Repeat as needed.

Chicken Mites and Bedbugs in Poultry Houses: For chicken mites dilute 1 to 19. Apply liberally and thoroughly as a driving spray with particular attention to perch poles, nests and cracks in floors and walls. Spray litter thoroughly. Repeat treatment when needed. For bedbug control dilute 1 to 9 parts of water.

CATTLE - HORSES:
Horse Flies, Stable Flies and Deer Flies: Dilute 1 to 9 with water. Apply as a spray at the rate of about 1 qt. per animal to wet over entire body. Spray each animal completely with particular attention to the legs and underline. Spray applications on animals to be protected should be made routinely every 3 days.

CATTLE - HORSES:
Horn Flies and Mosquitoes: Dilute 1 to 19 with water. Apply as a spray at the rate of about 1 qt. per animal to wet hair over entire body. Spray each animal completely with particular attention to the legs and underline. Spray applications on cattle to be protected should be made on a once a week schedule.

NOTICE: Buyer assumes all risk of use, storage or handling of this product when not in strict accordance with directions given herewith.

Do not re-use container. Destroy when empty.

Formulated By
SELCO SUPPLY COMPANY
Eaton, Colorado 80615

223

ACCEPTED
JAN 26 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED. UNDER NO. *1948-8* SUBJECT
TO ATTACHED COMMENTS.

1973
JAN 26

373