

48  
13-146



#### DIRECTIONS FOR USE

For best results processing equipment and storage areas should be thoroughly cleaned before spraying. Waste grain, dust, dirt and debris should be removed and destroyed so the spray will come into direct contact with as many insects as possible.

This product does not replace fumigation, therefore, infested stored food products should be fumigated or treated by other effective methods using an approved product intended for the purpose.

**SURFACE TREATMENT**—Apply in a good machine adjusted to deliver a coarse droplet spray, using 1 gallon of this product to each 750 square feet of surface. Repeat application as needed. In Mills, Elevators and Granaries, spray floors, walls, legs, boots, tunnels, pits, and other surfaces of bins, storage and handling areas thoroughly, with particular attention to cracks, crevices and similar protected locations. Treat unloading and conveying equipment as well as hoppers, sifters and heavy machinery by spraying directly on and around the base where insects hide and walk over them.

For extended protection and control in warehouses and food product storages, spray heavily cracks, crevices, recesses and hiding and breeding areas as well as walls, floors, shelves and between stacked cartons or containers.

**SPACE SPRAY**—For control of flying, running and crawling stages of insects listed on front panel apply this product in a good machine adjusted to deliver a fine mist. If possible, keep doors and windows closed for 30 minutes after application. Against flying insects, direct the spray toward the upper portions of the enclosures, filling the room with mist and using 2 to 4 ounces of material to each 1000 cubic feet of space. In the control of active stages of running and crawling pests, direct the mist into all places commonly inhabited by these insects and spray liberally all protected hiding and breeding places.

**CAUTION:** Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Do not remain in treated areas. Ventilate the area after treatment is completed.

# MILL SPRAY

A READY TO USE SPRAY FOR

**Mills, Elevators, Terminals, Farm Storage,  
Flat Storage, Warehouses, Feed & Seed  
Stores and Food Plants**

#### ACTIVE INGREDIENTS:

Piperonyl butoxide technical*	1.50%
Pyrethrins	0.15%
Petroleum distillate	98.35%
<b>TOTAL</b>	<b>100.00%</b>

\* Equivalent to 1.20% (butylcarbityl) 6-propylpiperonyl ether and .30% of Related Compounds.

EPA Reg. No. 1348-146 — CO — 1

A ready to use spray for the control of certain insect pests of stored grain, stored food and food products. It kills on contact the exposed (or accessible) stages of the Granary Weevil, Rice Weevil, Confused Flour Beetle, Cadelle, Saw Toothed Grain Beetle, Indian Meal Moth, Angoumois Grain Moth, Mediterranean Flour Moth and Grain Mites.

**CAUTION**

*Keep out of reach of children!*

*See side panel for additional cautions!*

Net Contents 1 Gallon

**VAPOR SPRAY**—This product is especially applicable for use as a fog or vapor treatment, in special electric, steam or compressed air equipment. Use in accordance with the manufacturers' directions for the type of applicator selected. Most commonly used applicators are designed to give best results when the material is used at 1 pint to each 8000-15,000 cubic feet of space. In all cases, dosage should be sufficient to fill enclosure with fog or vapor.

**GRAIN SURFACE TREATMENT**—As a Grain Surface Spray, level the grain surface and spray at the rate of 1 gallon to 750 square feet. Application can be made before and after fumigation in the event fumigation is required. Repeat every 4 to 6 weeks or as infestation reappears. Apply with a good hand or electric sprayer for uniform distribution.

To get adequate insect kills with Surface Sprays, results depend entirely on the amount of insecticide deposited on areas with which insects will come into contact.

#### CAUTION

Harmful if swallowed. For external use only.

**COMBUSTIBLE MIXTURE!** Do not store, spray or otherwise expose toward or near open flame.

Do not re-use container. Destroy when empty.

**NOTICE:** Buyer assumes all risk of use, storage or handling of this product when not in strict accordance with directions given herewith.

Formulated by

*Agricultural Chemicals*