## DIRECTIONS FOR USE

BROCCOLI, CABBAGE, CAULIFLOWER—Cabbage Looper, imported cabbage worm, flea beetle, Harlequin bug and stink bug: Apply at the rate of 1½ qts. (.75 lb.) per acre in sufficient water for thorough coverage. Begin application when insects first appear and repeat treatment as necessary. Do not apply after edible parts begin to form.

PEPPERS—Aphids, flea beetles: Apply at the rate of 1 qt. (.5 lb.) per acre in sufficient water for thorough coverage. Repeat treatment as needed. Do not apply within 1 day of harvest.

POTATOES, TOMATOES—Western area. Flea beetle, Colorado potato beetle, leafhopper, Aphids: Apply at the rate of 1 to 2 qts. (.5 to 1.0 lb.) per acre in sufficient water for thorough coverage to potatoes. It is important to keep the Aphid and leafhopper population down to prevent certain virus diseases such as leafroll. Apply first spray as soon as insects are noticed and repeat application often enough to keep the foliage free from insects. Application to potatoes can be made up to harvest. For tomatoes apply at the same rate as for potatoes but do not apply within 7 days of harvest. If the 1 qt. (.5 lb.) rate is used, it can be applied within 1 day of harvest. If treating tomatoes in greenhouse wear mask or respirator of type passed by U.S.D.A. for Thiodan protection.

DO NOT plant root crops other than carrots, potatoes, and sweet potatoes as follow-up crops.

NOTICE: Fuyer assumes all risk of use storage or handling of this product when not in strict accordance with dire icns given herewith.

USDA REG. NO. 1348-159

NET CONTENTS 5 GALLONS



## **Emulsifiable**

**ACTIVE INGREDIENTS:** 

\*\*Endoculfan (Hexachlorohexahydromethano-2,4,3-benzodioxathienin oxide)

benzodłoxathiepin	oxide)	24.0%
Xylene	······································	69.00%
	TOTAL.	100 (10)

\*Contains 2 lbs. actual Thiodan per gallor..

\*\*Thiodan is a registered trade mark of Canadian Hoechst Limited U. S. Patient No. 2,799,685

## WARNING: Keep out of reach of children! See side panel for additional Warnings ANTIDOTE:

NOTE TO PHYSIC'AN: Active Ingredient is a central nervous system stimulant and may cause convulsions. There is no specific antidote. Barbituric acid derivatives may be used in treatment.

WARNING—Hazardous if swallowed, inhaled, or absorbed through skin! Do not breathe spray mist. Do not get in eyes, on skin or on clothing. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water! For eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. During commercial or prolonged exposure in spray-mixing and loading operations wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U. S. Department of Agriculture for Thiodan protection. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

Workers entering treated areas the day of application should wear protective clothing.

## WARNING

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on the label.

This product is toxic to bees. It should not be applied when bees are actively visiting the field.

Rinse equipment and containers and dispose of wastes by burying in non-crep lands away from water supplies. Containers should be dispose by punching holes in them and burying wastes, or by burning. (Keep out of smoke.)

WARNING! FLAMMABLE! Keep away from heat and open flame. Keep container closed. Leaking packages should be removed to a safe place. Do not store at temperatures below 0 F. Do not use in undiluted form.

Formulated by

SELCO SUPPLY COMPAN

