DIRECTIONS FOR USE

RAT CONTROL: Place 4 to 6 ounces of bait in dry containers next to burrows, in runways, or where rats are accustomed to feed. Assure an uninterrupted supply of bait for a period of not less than 15 days and continue baiting until all signs of feeding have stopped. Replace stale, damp or moldy baits with fresh bait.

NOTE: Place baits in locations not accessible to children, pets, wildlife, and domestic animals or in tamperproof bait boxes.

MOUSE CONTROL: Place tablespoonful amounts of bait in shallow containers where mice or signs of mice have been seen. Bait stations at intervals of 8 to 12 feet are recommended. Assure an uninterrupted supply of bait for a period of not less than 15 days. Pr

Prolin is for a rode Paterts N

| SELCO | Rat & | Mouse | Rait | Pr ba pe the are |
|--|---|--|------------------------|------------------------------|
| | | | Duit | ov |
| ACTIVE INGRED | Proved Warfarin IENTS: 1-acetonylbenzyl)-4- | | | Th ch |
| wariarin (3-(3 | | | | |
| h ydroxy coun N'- (2-Quiroxali | narin) nyl) Sulfanilamide | 0.025 | <i>'</i> 0 | |
| h ydrox ycoun N'-(2-Quiroxali | narin) nyl) Sulfanilamide (aline) ENTS | 0.0239 0.0259 0.0259 99.9509 | 70 10 | an in |
| h ydroxy coun N'-(2-Quiroxali | narin) nyl) Sulfanilamide (aline) ENTS ark of the Wiscons nufactured under lie | 0.0259 0.0259 99.9509 Sotal 100.009 in Alumni Research | % % h Foundation | ar |

See side panel for additional cautions.

USDA REG. NO. 1348-179

NET CONTENTS 4 POUNDO

SELCO

dry

þro

-10

15

ing

pits

hil-

er-

ints

of of

her-

15

Prolin® Rat & Mouse Bait

New Improved Warfarin Rodenticide

ACTIVE INGREDIENTS: Warfarin (3-(a-acetonylbenzyl)-4 hydroxycoumarin) 0.025% N'-(2-Quiroxalinyl) Sulfanilamide (salfaquinoxaline) 0.025% iNERT INGREDIENTS 99.950% Total ----- 106.00%

Prolin is a registered trademark of the Wisconsin Alumni Research Foundation for a rodenticide which is manufactured under license from the Foundation, U. S. Paterts No. 2,427,578 and No. 3,113,071.

(AUTION! Keep out of reach of children!

See side panel for additional cautions.

USDA REG. NO. 1348-179

NET CONTENTS 4 POULDE

CAUTION

Protect children, pets and domestic animals from bait. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, tranfusions are indicated as in the case of hemorrhage caused by overdoses of Bishydroxycoumarin.

This Rodenticide contains Warfarin, an anticoagulant chemical that reduces the clotting ability of the blood and upon repeated feedings, causes fatal hemorrhage in rats and mice. It also contains an antibacterial agent which inhibits bacteria that produce vitamin K, an antidote for Warfarin.

NOTICE: Buyer assumes all risk of use, storage or handling of this product when not in strict accordance with directions given herewith.

Formulated By

· ----

SELCO SUPPLY COMPANY EATON, COLORADO 20015