

ACCEPTED

APR 26, 1973

SELCO

Du Pont AMMATE*

(WEED & BRUSH KILLER)

ACTIVE INGREDIENT:	Ammonium Sulfamate	85%
INERT INGREDIENTS		5%
TOTAL		100%

* Registered trademark of E. I. Du Pont de Nemours & Co. (Inc.)

EPA Reg. No. 1348-202

CAUTION: Keep out of reach of children!

AVOID contact of skin with strong solutions of this material. In case of contact, wash off with plenty of water.

Equipment and Containers: Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Do not re-use container. Destroy when empty.

Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE

Buyer assumes all risk of use, storage or handling of this product when not in strict accordance with directions given herewith.

NET WEIGHT 2 POUNDS

is highly effective for contact spray for control of soil may be in this condition usually

weeds are difficult to regrowth occurs.

is non-flammable. It can. Direct sprays injury. Coarse sprays do not apply to, or of vegetation

use to remove all X absorbs moisture

DIRECTIONS

For control of woody plants, such as poison ivy, poison oak, poison sumac, tree sprouts, brambles and other brush, use 1 lb. per gallon of water. Apply as a drenching spray after foliage is well developed. Wet foliage thoroughly. For best results, spray during periods of high humidity. For foliage difficult to wet, add 1/4 teaspoonful of Spreader-Sticker per gallon. Respray if any recovery is noted. The areas to be treated as mentioned above are on locations such as, roadside, fence lines, pastures, range lands, drainage ditches and vacant lots. The amount of "Ammate" X to use should not exceed 1 lb. per 40 sq. ft. and the recommended amount is 1 lb. to 1 gal. of water per 40 sq. ft. For the Control of Woody Plants on Rangelands and pastures use 100 lbs./100 gals. of water per acre. Wet foliage thoroughly. Apply after brush reaches full leaf stage until leaves change color in fall.

TO KILL VEGETATION in driveways, walks, tennis courts and similar locations, use 1 lb. of "Ammate" X per gallon of water for 40 sq. ft. apply uniformly with a sprinkling can or sprayer. The degree of control and duration of effect will vary with weed species, rainfall, temperature and other conditions.

TO PREVENT SPROUTING OF TREE STUMPS: Apply dry "Ammate" X liberally on freshly cut stump surface especially around the outer edge or spray surface thoroughly with solution of 4 lbs. of "Ammate" X per gallon of water.

TO KILL UNDESIRABLE TREE Make a continuous cut or "frill" around the base of the tree with downward axe strokes, cutting into the sapwood. Apply dry "Ammate" X as a continuous band in the frill, or saturate frill with solution of 4 lbs. of "Ammate" X per gallon of water.

NOTE: 1 lb. is equivalent to 1 1/2 cupsfuls.

PACKAGED AND DISTRIBUTED BY

SELCO SUPPLY COMPANY
EATON, COLORADO 80615