




VAPONA

INSECTICIDE FOGGING SOLUTION

ACTIVE INGREDIENTS:	% BY WEIGHT
2,2-Dichloro-Vinyl Dimethyl Phosphate	16.5%
Related Compounds	2.5%
Petroleum Hydrocarbons	50.0%
Total	100%

*Equivalent to 50% w of VAPONA Insecticide

 **POISON** 

DANGER: *Keep out of reach of Children!*
See side panel for additional Warnings!

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE is the emergency antidote for VAPONA insecticide poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine. Consult your physician about obtaining an adequate supply of 1-100-grain atropine tablets, or 2-PAM for emergency use. Call a PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1-100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (See WARNING SYMPTOMS below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

DIRECTIONS FOR USE

This product is a specially prepared solution for use in fogging devices and conventional application equipment.

FOR FEED LOTS, STOCKYARDS, HOLDING PENS, CORRALS: Apply this product as a 0.5% spray to control flies, gnats and mosquitoes.

To prepare a 0.5% spray dilute 1 pint of this product with 15 gallons of diesel oil. Apply with a mist blower or other suitable equipment as an over-all application at the rate of 0.2 lbs. of technical VAPONA per acre (approximately 5 gallons of 0.5% spray). Particular attention should be given to areas where flies congregate such as fences, spillage areas, around feed bunks, and walls of buildings. Animals may be present during treatment. Avoid direct application to exposed feed and water.

AGRICULTURAL PREMISES: Animal Shelters, Barns, Dairy Barns, Feed Lots, Milk Sheds, Pig Parlors, Poultry Houses, Stables and other Farm Buildings.

Apply this product as a 1.0% fog to control flies and gnats. To prepare a 1.0% fogging solution, dilute 1 pint to 7.5 gallon of diesel oil. Apply as a fog or mist inside building at the rate of 1 pint per 8,000 cu. ft. Do not contaminate feed, drinking water, milk or milking equipment. Do not apply in areas where animals have received direct application of Vapona within 8 hours.

FISH, WILDLIFE AND ENVIRONMENTAL PRECAUTIONS: Highly toxic to Fish and Wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PRECAUTIONS IN USING

This product and the diluted solution are poisonous. Therefore, precautions must be observed when handling them. See antidote and warnings statement. Store the concentrated solution in a safe place. Children or animals must not be able to reach or handle the concentrate or diluted solution. It is recommended that only the amount of diluted solution that will be used immediately be prepared from the concentrate.

Mix the concentrate into diesel oil or No. 2 fuel oil outdoors or in a well ventilated room. Wash off the outside of the container of concentrate in running water before storing away. Do not contaminate any body of water nor apply to any area not specified on label.

Do not contaminate feed, water or foodstuffs, milk or milking utensils.

Warning: Not for use or storage in or around the home.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include chest tightness in chest, blurred vision, increased pupils, salivation, sweating, nausea, vomiting and abdominal cramps.

TREATMENT: Atropine is the specific the agent of choice against parasympathetic action. If there are signs of parasympathetic atropine sulfate should be injected at 10 minute doses of 1 to 2 milligrams until complete relief has occurred.

Morphine is contraindicated. Clear chest by age. Repeated exposure to cholinesterase without warning, cause prolonged susceptible small doses of any cholinesterase inhibitor. At exposure until time for cholinesterase regeneration as determined by blood test.

DANGER

VAPONA Insecticide Concentrated Solution if swallowed, inhaled or absorbed through skin, not get on skin or eyes. Do not breathe fumes. Prolonged exposure to fumes. Wear clean rubber protective clothing and goggles when handling the prepare solutions. Wear a mask or respirator as required by the U.S. Department of Agriculture (VAPONA Insecticide) protection. Keep all users out of operational area.

In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before smoking. Wash all contaminated clothing with water before reuse.

DECONTAMINATE AND DESTROY USED

Decontaminate containers by washing thoroughly with strong solution of alkali and detergent and water. Destroy containers by crushing them. Destroy rinsings in a way as not to be a hazard, or contaminate water supplies.

NOTICE: Buyer assumes all risk of use, storage of this product when not in strict accordance given herewith.

USDA REG. No. 1348-21

NET CONTENTS GALLONS

Formulated By



VAPONA®

INSECTICIDE FOGGING SOLUTION

ACTIVE INGREDIENTS:	% BY WEIGHT
2,2-Dichloro-Vinyl Dimethyl Phosphate	46.5%
Related Compounds	3.5%
Petroleum Hydrocarbons	50.0%
Total	100%

*Equivalent to 50% w of VAPONA Insecticide

☠ POISON ☠

DANGER: *Keep out of reach of Children!*
See side panel for additional Warnings!

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE is the emergency antidote for VAPON® Insecticide poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets, or 2-PAM for emergency use. Call a PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below). Keep patient warm and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred.

Morphine is contraindicated. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

DANGER

VAPONA Insecticide Concentrated Solution is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid prolonged exposure to fumes. Wear clean rubber gloves, protective clothing and goggles when handling the concentrate to prepare solutions. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for DDVP (VAPONA Insecticide) protection. Keep all unprotected persons out of operational area.

In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before reuse.

DECONTAMINATE AND DESTROY USED CONTAINERS.

Decontaminate containers by washing thoroughly with a strong solution of alkali and detergent and rinsing with water. Destroy containers by crushing or puncturing; then bury. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies.

NOTICE: Buyer assumes all risk of use, storage or handling of this product when not in strict accordance with directions given herewith.

USDA REG. No. 1348-211

NET CONTENTS

GALLONS

Formulated By