

# EVERSHIELD®

## T SEED PROTECTANT

CONTENTS:  
 29.52% (disulfide)  
 70.48%  
 2.90 lbs./gal.

2-15-AA  
 628-TN-1  
 113,399

Manufactured by  
 Chemical Products Division  
 Agricultural Products Dept.  
 Cargill, Incorporated  
 Box 9300  
 Minneapolis, Minnesota 55440

Trademark of Cargill, Inc.

61

<b>KEEP OUT OF REACH OF CHILDREN</b>
<b>PRECAUTIONARY STATEMENTS</b>
<b>HAZARD TO HUMANS AND DOMESTIC ANIMALS</b>
<b>CAUTION</b>
<b>Statement of Practical Treatment</b>
Swallowed: Harmful if swallowed, get medical attention.
Inhaled: May be harmful if inhaled, get medical attention. Avoid inhalation by using a respirator.
Skin: Avoid contact with skin or clothing. Wash thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking.
Eyes: Avoid contact with eyes. In case of contact with eyes, flush immediately with running water and get medical attention. Consumption of alcoholic beverages increases the possibility of harm.
<b>ENVIRONMENTAL HAZARDS</b>
This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

•••••

### ••••• DIRECTIONS FOR USE

Keep product away from food or food products. Bags containing treated seed should be labeled "Treated seed, do not use for feed, food or oil purposes."

Evershield T Seed Protectant when used as directed will usually increase stands and yields by reducing losses from seed decay, damping-off and seedling blights caused by many seed and soil-borne organisms.

Apply with commercial seed treating equipment such as a slurry treater.

Dilute Evershield T as shown in the table below. Add Evershield Liquid Dye\* in color and amount desired. Mix thoroughly before use. Apply as shown in the table below.

Seed	Fl. oz. of Evershield T per Cwt of seed	Gallons Water	Gallons Evershield T	cc of dilution per Cwt of seed
Corn	2.07	5	1	370
Sweet Corn	4.06	3	1	480
Rice	2.07	5	1	370
Wheat	2.54	3	1	300
Barley	3.20	3	1	380
Flax	3.89	3	1	460
Rye	2.70	3	1	320
Cantaloupe	3.53	3	1	420
Cucumber	3.53	3	1	420
Pumpkin	3.53	3	1	420
Squash	3.53	3	1	420
Watermelon	3.53	3	1	420
Cotton	2.37-3.31**	4	1	351-490**
Soybeans	2.00	3	1	238
Sorghum	4.28	3	1	508
Peas, Beans (Limas)	3.86	3	1	457
Beans (Snap & Dry)	2.76	3	1	326

\*\*Use high rate on pathologically infested seed or for soils such as in California.

\*21CFR Chapter 1 Section 3.13 requires grain seed treated with poisonous substances in excess of recognized tolerances be suitably colored to prevent their subsequent inadvertent use as a food for man or feed for animals.

62

CPA (9X31)