

NOTICE:

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combinations with other materials.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FLO PRO Seed Protectant Concentrate is for use by professional seed treaters only. Observe all cautions and limitations on labeling of products used in mixtures.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to federal, state and local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) and offer for recycling, reuse, conditioning, or dispose of in a sanitary landfill or by incineration if permitted by state and local authorities.

GENERAL

Consult federal, state or local disposal authorities for approved, alternative procedures such as limited open burning.

STORAGE

Store in a cool, dry place.

Contents: U.S. 5 Gallons

Flo-Pro

C

SEED PROTECTANT

ACTIVE INGREDIENTS:

Captan* 28.37%

Related derivatives 1.63%

INERT INGREDIENTS 70.0%

*N-Trichloromethylthio-4-cyclohexene-1, 2-dicarboximide

Pounds of Active Ingredient Per Gallon of FLO-PRO C Seed Protectant.

Captan 2.94 lbs./gal.



Manufactured by
Chemical Products Division
Agricultural Products Dept.
Cargill, Incorporated
P.O. Box 9300
Minneapolis, Minnesota 55440

EPA REG NO. 1352-18
EPA EST. NO. 36626-TN-1

KEEP OUT OF REACH
OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Harmful if swallowed, get medical attention.

If inhaled: May be harmful if inhaled, get medical attention. Avoid inhalation by using a respirator.

Skin: Avoid contact with skin or clothing. Wear rubber gloves. Wash affected area thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

Eyes: Avoid contact with eyes. Wear protective eye covering. In case of contact with eyes, flush immediately with running water for 15 minutes and get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Flo-Pro is a Trademark of Cargill, Inc.

Flo-Pro C Seed Protectant is for use by professional seed treaters only.

Flo-Pro

OCT 20 1981

C PROTECTANT

KEEP OUT OF REACH
OF CHILDREN

DANGER

..... 28.37%
..... 1.63%
..... 70.0%

4-cyclohexene-1,

cient Per Gallon of
stant.

..... 2.94 lbs./gal.

ured by
Products Division
al Products Dept.
corporated
3300
lis, Minnesota 55440

REG NO. 1352-18
ST. NO. 36626-TN-1

Flo-Pro is a Trademark of Cargill, Inc.
Protectant is for use by professional seed treaters only

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS STATEMENT OF PRACTICAL TREATMENT

If swallowed: Harmful if swallowed get medical attention

If inhaled: May be harmful if inhaled get medical attention. Avoid inhalation by using a respirator

Skin: Avoid contact with skin or clothing. Wear rubber gloves. Wash affected area thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking

Eyes: Avoid contact with eyes. Wear protective eye covering. In case of contact with eyes flush immediately with running water for 15 minutes and get medical attention if irritation persists

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Treated seed must not be used for human consumption or as animal feed. Bags containing treated seed should be labeled **TREATED SEED - DO NOT USE FOR FEED, FOOD OR OIL PURPOSES**

Primarily designed for the protection of seed from soil borne fungi causing seed seedling and root rots

Store in a cool dry place

Apply with commercial seed treating equipment such as a drum treater

1. Add 1 gallon of FLO-PRO Seed Protectant concentrate to 5 gallons of tap water and mix thoroughly for 15 minutes to prepare the FLO-PRO dilution

2. Add 7 oz. of CARGILL Seed Protectant Liquid Dye** to each 6 gallons of the FLO-PRO dilution and mix for an additional 10 minutes

Seed Application Rates
(Cubic Centimeters of Diluted Product Per 100 lbs. of Seed)

Corn Field	270
Sweet	570
Wheat*	270
Oats*	420
Barley*	320
Flax	530
Peas	370
Cucumber, Cattle, Cattle, Tomato	420
Squash, Pumpkin, Watermelon, Muskmelon	280
Cotton Acid Delinted	420
Reginned	630
Cabbage, Cauliflower, Broccoli, Brussels	
Sprouts, Collards, Kale, Mustard	210
Turnip	420
Peppers (Cattle, Water)	420
Cowpeas	480
Rice	570
Rye*	270
Crucifer	270

*For Seed & Seedling; Not for Root Rot Smut

1. Add 1 gallon of FLO-PRO Seed Protectant concentrate to 3 gallons of cool tap water and mix thoroughly for 15 minutes to prepare the FLO-PRO dilution

2. Add 7 oz. of CARGILL Seed Protectant Liquid Dye** to each 4 gallons of the FLO-PRO dilution and mix for an additional 10 minutes

Seed Application Rates
(Cubic Centimeters of Diluted Product Per 100 lbs. of Seed)

Bears (except baby limas)	250
Soybeans	240
Sorghum - hulled (Kernel Smut)	420
Sugar Beets - West	570
Spinach	570

1. Add 1 gallon of FLO-PRO Seed Protectant concentrate to 2 gallons of cool tap water and mix thoroughly for 15 minutes to prepare the FLO-PRO dilution

2. Add 7 oz. of CARGILL Seed Protectant Liquid Dye** to each 3 gallons of the FLO-PRO dilution and mix for an additional 10 minutes

Seed Application Rates
(Cubic Centimeters of Diluted Product Per 100 lbs. of Seed)

Clover, Alfalfa, Lespedeza, Trefoil	580
Beets, Swiss Chard, Sugar Beets	
East	850
Blue Grass, Grasses	580

1. Use Undiluted Concentrate and add 12 CARGILL Seed Protectant Liquid Dye** to each gallon of the FLO-PRO Concentrate. Mix for an additional 10 minutes

Seed Application Rates
(Cubic Centimeters of Product Per 100 lbs. of Seed)

Onions (pelleting)

**21 CFR Chapter 1 Subchapter B, Part 163.11 (a) (1) grain seed treated with poisonous substances in excess of 100 grains should be suitably colored to prevent their subsequent inadvertent use as food for man or feed for animals