

evershield®

V seed protectant

INFORMATION

EVERSHIELD SEED PROTECTANT concentrate is for use by professional seed treaters only. EVERSHIELD acts to bind the active protectant firmly to the seed in a dustfree, water permeable film, that dries quickly without the need of additional heat, improves seed appearance, and eliminates buildup in planter plates. EVERSHIELD SEED PROTECTANT fungicides and insecticides are compatible with one another. Observe all cautions and limitations on labeling of all products used in mixtures. Bags containing treated seed should be labeled "Treated seed - do not use for feed, food or oil purposes. Do not graze or feed livestock on treated areas for six weeks after planting". Add appropriate information for any other chemical treatments.

NOTICE: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established label practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

5 GALLONS U.S.

ACTIVE INGREDIENTS:

Carboxin (5,6-dihydro-2-methyl-1,4-oxathiin-3-carboxanilide) 29.52%

INERT INGREDIENTS 70.48%

Vitavax (Carboxin)..... 2.9 lbs/gal.

U.S. PATENT NO. 3,113,399
E.P.A. REG. NO.
E.P.A. EST. NO. 1352-TN02

CARGILL, INCORPORATED
Minneapolis, Minnesota
55402

*Evershield is a registered trademark of Cargill, Inc.

DANGER

KEEP OUT OF REACH OF CHILDREN

Do not get in eyes.
Causes severe eye damage.
Wear goggles when handling.
In case of contact with eyes,
flush immediately with running
water and get medical attention.

Harmful if swallowed. Avoid
inhaling spray. Wash hands and
face thoroughly with soap and
water after use and before eating
or smoking. Care must be exercised
in the handling of treated seed.
Keep away from food or food products.

This product is toxic to fish.
Keep out of lakes, streams, or
ponds. Do not contaminate water
by cleaning of equipment or dis-
posal of wastes. Apply this
product only as specified on this
label.

Burn or bury container 18 inches
below soil surface at safe disposal
site. Never reuse for food or
water. If disposal is by burning,
keep out of smoke.

DIRECTIONS

DO NOT FREEZE.
STORE IN COOL DRY PLACE.

1. Add, at concentrations given in Table below, EVERSHIELD SEED PROTECTANT concentrate to combine and mix thoroughly for 15 minutes before use.
2. Add 7 oz of EVERSHIELD SEED PROTECTANT Liquid Dye† to each batch of EVERSHIELD dilution and mix for an additional 10 minutes.

Seed	Gallons of Water	Gallons of EVERSHIELD concentrate		
		Captan ¹	Thiram ²	Vitavax
Cotton	5	0.7		1
	6		1	1
	6	0.5	0.5	1
Barley	6			1
	6		1	1
Oats	4			1
	4		0.5	0.5
Wheat	6	1		1
	6		1	1

† 21CFR Chapter 1 Section 3.13 requires grain poisonous substances in excess of recognize suitably colored to prevent their subsequent use as food for man or feed for animals.

1. EVERSHIELD C SEED PROTECTANT OR EVERSHIELD T SEED PROTECTANT
2. EVERSHIELD T SEED PROTECTANT
3. EVERSHIELD V SEED PROTECTANT
4. Combination treatments provide control of diseases.

A

UN
FUI
FO
ED

evershield®

V seed protectant

5 GALLONS U.S. ACTIVE INGREDIENTS:

Carboxin (5,6-dihydro-2-methyl-1,
4-oxathiin-3-carboxanilide) 29.52%

INERT INGREDIENTS 70.48%

Vitavax (Carboxin)..... 2.9 lbs/gal.

U.S. PATENT NO. 3,113,399
E.P.A. REG. NO.
E.P.A. EST. NO. 1352-TN02

CARGILL, INCORPORATED
Minneapolis, Minnesota
55402

*Evershield is a registered trademark of Cargill, Inc.

DANGER

KEEP OUT OF REACH OF CHILDREN

Do not get in eyes.
Causes severe eye damage.
Wear goggles when handling.
In case of contact with eyes,
flush immediately with running
water and get medical attention.

Harmful if swallowed. Avoid
inhaling spray. Wash hands and
face thoroughly with soap and
water after use and before eating
or smoking. Care must be exercised
in the handling of treated seed.
Keep away from food or food products.

This product is toxic to fish.
Keep out of lakes, streams, or
ponds. Do not contaminate water
by cleaning of equipment or dis-
posal of wastes. Apply this
product only as specified on this
label.

Burn or bury container 18 inches
below soil surface at safe disposal
site. Never reuse for food or
water. If disposal is by burning,
keep out of smoke.

DIRECTIONS

DO NOT FREEZE.
STORE IN COOL DRY PLACE.

1. Add, at concentrations given in the
Table below, EVERSCHILD SEED PRO-
TECTANT concentrate to cool tap water
and mix thoroughly for 15 minutes to
prepare the EVERSCHILD dilution.
2. Add 7 oz of EVERSCHILD SEED PROTECTANT
Liquid Dye† to each batch of the
EVERSCHILD dilution and mix for an
additional 10 minutes.

Seed	Gallons of Water	Gallons of EVERSCHILD concentrate			Application rates (Cubic centimeters of diluted product per 100 lbs of seed)	Diseases Controlled†
		Captan ¹	Thiram ²	Vitavax ³		
Cotton	5	0.7		1	665	Rhizoctonia wilt
	6		1	1	785	
	6	0.5	0.5	1	785	
Barley	6			1	335	Loose smut, covered smut
	6		1	1	335	
Oats	4			1	635	Loose smut, covered smut
	4		0.5	0.5	635	
Wheat	6	1		1	325	Loose smut, common bunt
	6		1	1	325	

† 21CFR Chapter 1 Section 3.13 requires grain seed treated with
poisonous substances in excess of recognized tolerances be
suitably colored to prevent their subsequent inadvertent use
as food for man or feed for animals.

1. EVERSCHILD C SEED PROTECTANT OR EVERSCHILD C-M SEED PROTECTANT
2. EVERSCHILD T SEED PROTECTANT
3. EVERSCHILD V SEED PROTECTANT
4. Combination treatments provide control of seed and seedling
diseases.

ACCEPTED

MAR 25 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED 01000 1352-20