

## NOTICE:

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage, resulting from its misuse, such, or in combinations with other materials.

## DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FLO PRO Seed Protectant Concentrate is for use by professional seed treaters only. Observe all cautions and limitations on labeling of products used in mixtures.

## STORAGE AND DISPOSAL

### PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

### PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used or chemical reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

### CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

### GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

### STORAGE

Store in a cool dry place.

Contents: U.S. 5 Gallons

# Flo-Pro

## D SEED PROTECTANT

### ACTIVE INGREDIENTS

Chloroneb (1,4-dichloro-2,5-dimethoxybenzene) . . . . . 35.5%

INERT INGREDIENTS . . . . . 64.5%

Chloroneb (Demosan®) . . . . . 3.3 lbs./gal.

U.S. Patent No. 3, 113, 399

EPA REG NO. 1352-29

EPA EST. NO. 36626-TN-1



Manufactured by  
Chemical Products Division  
Agricultural Products Dept.  
Cargill, Incorporated  
P.O. Box 9300  
Minneapolis, Minnesota 55440

FLO PRO is a Trademark of Cargill, Inc.

KEEP OUT OF REACH OF CHILDREN

## CAUTION

### PRECAUTIONARY STATEMENTS

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS

Swallowed: Harmful if swallowed, medical attention.

Inhaled: May be harmful if inhaled, medical attention. Avoid inhalation using a respirator.

Skin: Avoid contact with skin or clothing. Wash thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

Eyes: Avoid contact with eyes. In case contact with eyes, flush immediately with running water and get medical attention if irritation persists.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

BEST DOCUMENT AVAILABLE

# Flo-Pro

## D

### ED PROTECTANT

#### EDIENTS

-dichloro-2,5-  
zene) ..... 35.5%

DIENTS ..... 64.5%

imosan\*) ..... 3.3 lbs./gal.

No. 3, 113, 399

O. 1352-29

O. 36626-TN-1

Manufactured by  
Chemical Products Division  
Agricultural Products Dept.  
Cargill, Incorporated  
P.O. Box 9300  
Minneapolis, Minnesota 55440

Trademark of Cargill, Inc.

KEEP OUT OF REACH OF CHILDREN

### CAUTION

#### PRECAUTIONARY STATEMENTS

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS

Swallowed. Harmful if swallowed. Get medical attention.

Inhaled. May be harmful if inhaled. Get medical attention. Avoid inhalation by using a respirator.

Skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

Eyes. Avoid contact with eyes. In case of contact with eyes, flush immediately with running water and get medical attention if irritation persists.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

## DIRECTIONS

Keep product away from food or food products. Bags containing treated seed should be labeled "Treated seed - do not use for feed, food or oil purposes."

Apply with commercial seed treating equipment such as a slurry treater.

1. Use at Flo Pro concentrate ratios given in the table below. Add Flo Pro Seed Protectant concentrate to cool tap water and mix thoroughly for 15 minutes to prepare the Flo Pro dilution.
2. Add Cargill Seed Protectant Liquid dye\*\* to each batch of Flo Pro dilution and mix for an additional 10 minutes.

#### Fluid Ounces of Concentrate per 100 pounds of seed

Seed	Flo Pro Captar	Flo Pro Thiram	Flo Pro Demosan*	Disease Controlled
Cotton	2.34		4.8-10.2	
	1.65	3.32 1.65	4.8-10.2 4.8-10.2	1, 2, 3, 4
Beans and Soybeans	1.65		1.45-4.15	
	1.6	1.65 1.6	1.45-4.15 1.45-4.15	1, 2, 4
Sugar beets	3.36		2.18-6.22	
	1.65	2.49 1.65	2.18-6.22 2.18-6.22	1, 2, 4

1. Rhizoctonia solani, 2. Pythium Spp., 3. Sclerotium rolfsii, 4. Seed & seedling diseases.

\*Use high rate on pathologically infested seed or for soils such as in California.

\*\*21CFR Chapter 1 Section 3.13 requires grain seed treated with poisonous substances in excess of recognized tolerances be suitably colored to prevent their subsequent inadvertent use as food for man or feed for animals.