

Flo Pro

ACCEPTED

OCT 29 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 18562-29

PROTECTANT

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Swallowed: Harmful if swallowed. If swallowed, drink one or two glasses of water, then induce vomiting by placing finger in back of throat. Get medical attention. Never give anything by mouth to an unconscious person.

Inhaled: May be harmful if inhaled. Get medical attention. Avoid inhalation by using a respirator.

Skin: Avoid contact with skin or clothing. Wash thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

Eyes: Avoid contact with eyes. In case of contact with eyes, flush immediately with running water and get medical attention.

DIRECTIONS

Keep product away from food or food products. Bags containing treated seed should be labeled "Treated seed - do not use for feed, food or oil purposes."

DO NOT GRAZE TREATED BEANS OR SOYBEANS WITHIN 45 DAYS AFTER PLANTING.

Apply with commercial seed treating equipment such as a slurry treater.

1. Use at Flo Pro concentrate ratios given in the table below. Add Flo Pro Seed Protectant concentrate to cool tap water and mix thoroughly for 15 minutes to prepare the Flo Pro dilution.

2. Add Captan Seed Protectant Liquid dye** to each batch of Flo Pro dilution and mix for an additional 10 minutes.

Fluid Ounces of Concentrate
per 100 pounds of seed

Seed	Flo Pro Captan	Flo Pro Thiram	Flo Pro Demosan*	Disease Controlled
Cotton	2.34		4.8-10.2	
	1.65	3.32	4.8-10.2	1, 2, 3, 4
		1.65	4.8-10.2	
Beans and Soybeans	1.65		1.45-4.15	
	1.6	1.65	1.45-4.15	1, 2, 4
		1.6	1.45-4.15	
Sugar beets	3.36		2.18-6.22	
	1.65	2.49	2.18-6.22	1, 2, 4
		1.65	2.18-6.22	

1. Rhizoctonia solani, 2. Pythium Spp., 3. Sclerotium rolfsii, 4. Seed & seedling diseases.

*Use high rate on pathologically infested seed or for soils such as in California.

**21CFR Chapter 1 Section 3.13 requires grain seed treated with poisonous substances in excess of recognized allowances, be suitably colored to prevent their subsequent inadvertent use as food for man or feed for animals.

BEST DOCUMENT AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: ☐ REGISTRATION ☒ REREISTRATION <i>Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended.</i>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; font-size: x-small;">EPA REGISTRATION NO.</td> <td style="width: 50%; font-size: x-small;">DATE OF ISSUANCE</td> </tr> <tr> <td style="height: 20px;"></td> <td style="text-align: center;">4</td> </tr> <tr> <td colspan="2" style="font-size: x-small;">TERM OF ISSUANCE</td> </tr> <tr> <td colspan="2" style="font-size: x-small;">NAME OF PESTICIDE PRODUCT</td> </tr> </table>	EPA REGISTRATION NO.	DATE OF ISSUANCE		4	TERM OF ISSUANCE		NAME OF PESTICIDE PRODUCT	
EPA REGISTRATION NO.	DATE OF ISSUANCE								
	4								
TERM OF ISSUANCE									
NAME OF PESTICIDE PRODUCT									
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) ┌ └ 656 18 86811 3									
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.									
☐ ATTACHMENT IS APPLICABLE									
SIGNATURE OF APPROVING OFFICIAL	DATE								

FLO PRO

ACCEPTED

D

OCT 29 1982

Under the Federal Insecticide,
Fungicide, and Fumigant Act
as amended, this product is
registered under the
EPA Reg. No. 1352-29

SEED PROTECTANT

ACTIVE INGREDIENT

Chloroneb (1,4-dichloro-2,5-
dimethoxybenzene) 35.5%

INERT INGREDIENTS 64.5%

Chloroneb (Demosan®) 3.3 lbs./gal.

U.S. Patent No. 3,113,399

EPA REG NO. 1352-29

EPA EST NO. 36626-TN-1



Manufactured by
Chemical Products Division
Agricultural Products Dept.
Cargill, Incorporated
P.O. Box 9300
Minneapolis, Minnesota 55440

FLO PRO is a Trademark of Cargill, Inc.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply
directly to water. Do not contaminate water by
cleaning of equipment or disposal of wastes.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Swallowed: Harmful if swallowed. If swallow-
ed, drink one or two glasses of water and in-
duce vomiting by placing finger in back of
throat. Get medical attention. Never give
anything by mouth to an unconscious person.

Inhaled: May be harmful if inhaled, get medical
attention. Avoid inhalation by using a
respirator.

Skin: Avoid contact with skin or clothing. Wash
thoroughly with soap and water. Wash hands
and face thoroughly with soap and water after
use and before eating or smoking.

Eyes: Avoid contact with eyes. In case of con-
tact with eyes, flush immediately with running
water and get medical attention.

AVAILABLE

BEST DOCUMENT AVAILABLE

Flo Pro

ACCEPTED

OCT 29 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this product is registered under EPA Reg. No. 1452-29

PROTECTANT

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Swallowed: Harmful if swallowed. If swallowed, drink one or two glasses of water and induce vomiting by placing finger in back of throat. Get medical attention. Never give anything by mouth to an unconscious person.

Inhaled: May be harmful if inhaled, get medical attention. Avoid inhalation by using a respirator.

Skin: Avoid contact with skin or clothing. Wash thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

Eyes: Avoid contact with eyes. In case of contact with eyes, flush immediately with running water and get medical attention.

DIRECTIONS

Keep product away from food or food products. Bags containing treated seed should be labeled "Treated seed - do not use for feed, food or oil purposes."

DO NOT GRAZE TREATED BEANS OR SOYBEANS WITHIN 45 DAYS AFTER PLANTING.

Apply with commercial seed treating equipment such as a slurry treater.

1. Use at Flo Pro concentrate ratios given in the table below. Add Flo Pro Seed Protectant concentrate to cool tap water and mix thoroughly for 15 minutes to prepare the Flo Pro dilution.
2. Add Cargill Seed Protectant Liquid dye** to each batch of Flo Pro dilution and mix for an additional 10 minutes.

Fluid Ounces of Concentrate
per 100 pounds of seed

Seed	Flo Pro Captan	Flo Pro Thiram	Flo Pro Demosan*	Disease Controlled
Cotton	2.34		4.8-10.2	
		3.32	4.8-10.2	1, 2, 3, 4
	1.65	1.65	4.8-10.2	
Beans and Soybeans	1.65		1.45-4.15	
		1.65	1.45-4.15	1, 2, 4
	1.6	1.6	1.45-4.15	
Sugar beets	3.36		2.18-6.22	
		2.49	2.18-6.22	1, 2, 4
	1.65	1.65	2.18-6.22	

1. Rhizoctonia solani, 2. Pythium Spp., 3. Sclerotium rolfsii, 4. Seed & seedling diseases.

*Use high rate on pathologically infested seed or for soils such as in California.

**21CFR Chapter 1 Section 3.13 requires grain seed to be with poisonous substances in excess of recognized allowances be suitably colored to prevent their subsequent inadvertent use as food for man or feed for animals.

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE