

NOTICE:

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combinations with other materials.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FLO PRO Seed Protectant Concentrate is for use by professional seed treaters only. Observe all cautions and limitations on labeling of products used in mixtures.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or at other approved site and local authorities by labeling. If burned, stay out of flames.

GENERAL

Consult federal, state, or local disposal authorities for approved alternative procedures, such as limited open burning.

STORAGE

Store in a cool, dry place.

Contents: U.S. 5 Gallons

FLO-PRO

SEP 16 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA REG. NO. 1352-29

D

SEED PROTECTANT

ACTIVE INGREDIENT:

Chloroneb (1,4-dichloro-2,5-
dimethoxybenzene) 35.5%

INERT INGREDIENTS 64.5%

Chloroneb (Demosan®) 3.3 lbs/gal.

U.S. Patent No. 3, 113, 399

EPA REG NO. 1352-29

EPA EST. NO. 36626-TN-1



Manufactured by
Chemical Products Division
Agricultural Products Dept.
Cargill, Incorporated
P.O. Box 9300
Minneapolis, Minnesota 55440

FLO PRO is a Trademark of Cargill, Inc.

ENVIRONMENTAL HAZARDS

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Swallowed: Harmful if swallowed. If swallowed, drink one or two glasses of water and induce vomiting by placing finger in back of throat. Get medical attention. Never give anything by mouth to an unconscious person.

Inhaled: May be harmful if inhaled, get medical attention. Avoid inhalation by using respirator.

Skin: Avoid contact with skin or clothing. Wash thoroughly with soap and water. Wash hands thoroughly with soap and water before use and before eating or smoking.

Eyes: Avoid contact with eyes. In case of contact with eyes, flush immediately with running water and get medical attention.

Flo-Pro

EP 1 B 1983

Federal Insecticide,
and Rodenticide Act,
1. for the pesticide
under
No. 1352-29

D SEED PROTECTANT

INGREDIENT:

1,4-dichloro-2,5-
xybenzene) 35.5%

INGREDIENTS 64.5%

1,4-dichloro-2,5-
xybenzene (Demosan®) 3.3 lbs./gal.

Patent No. 3, 113, 399

REG NO. 1352-29

ST. NO. 36626-TN-1

Manufactured by
Chemical Products Division
Agricultural Products Dept.
Cargill, Incorporated
P.O. Box 9300
Minneapolis, Minnesota 55440

© is a Trademark of Cargill, Inc.

ENVIRONMENTAL HAZARDS

Do not use in or near water. Do not apply
to water. Do not contaminate water.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Swallowed: Harmful if swallowed. If swallow-
ed, drink one or two glasses of water and in-
duce vomiting by placing finger in back of
throat. Get medical attention. Never give
anything by mouth to an unconscious person.

Inhaled: May be harmful if inhaled, get medical
attention. Avoid inhalation by using a
respirator.

Skin: Avoid contact with skin or clothing. Wash
thoroughly with soap and water. Wash hands
and face thoroughly with soap and water after
use and before eating or smoking.

Eyes: Avoid contact with eyes. In case of con-
tact with eyes, flush immediately with running
water and get medical attention.

DIRECTIONS

Keep product away from food or food products. Bags con-
taining treated seed should be labeled "Treated seed" do
not use for feed, food or oil purposes.

DO NOT GRAZE TREATED BEANS OR SOYBEANS WITHIN
45 DAYS AFTER PLANTING

Apply with commercial seed treating equipment such as
a slurry treater.

1 Use at Flo Pro concentrate ratios given in the table
below. Add Flo Pro Seed Protectant concentrate to
cool tap water and mix thoroughly for 15 minutes to
prepare the Flo Pro dilution.

2 Add Cargill Seed Protectant Liquid dye** to each batch
of Flo Pro dilution and mix for an additional 10 minutes.

Fluid Ounces of Concentrate per 100 pounds of seed

Seed	Flo Pro Captan	Flo Pro Thiram	Flo Pro Demosan*	Disease Controlled
Cotton	2.34		4.8 10.2	
		3.32	4.8 10.2	1, 2, 3, 4
	1.65	1.65	4.8 10.2	
Beans and Soybeans	1.65		1.45 4.15	
		1.65	1.45 4.15	1, 2, 4
	1.6	1.6	1.45 4.15	
Sugar beets	3.36		2.18 6.22	
		2.49	2.18 6.22	1, 2, 4
	1.65	1.65	2.18 6.22	

1 Rhizoctonia solani, 2 Pythium Spp., 3 Sclerotium
rolfsii, 4 Seed & seedling diseases.

*Use high rate on pathologically infected seed.

**21CFR Chapter 1 Section 3.13 requires grain seed treated
with poisonous substances in excess of recognized toler-
ances be suitably colored to prevent their subsequent
inadvertent use as food for man or feed for animals.