

evershield

C

captan seed protectant

AC
Under
Fungicid
as amer
registrat
EPA-Reg

INFORMATION

Evershield acts to bind the active protectant firmly to the seed in a dustfree, water permeable film that dries quickly without the need of additional heat. Improves seed appearance, and eliminates buildup in planter plates. It is designed for the protection of seed from soil borne fungi which can cause seed, seedling and root rots.

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combinations with other materials.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Evershield Seed Protectant Concentrate is for use by professional seed treaters only. Observe all cautions and limitations on labeling of products used in mixtures.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to federal, state and local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if permitted by state and local authorities.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

STORAGE

Store in a cool dry place.

Contents: U.S. 5 Gallons

ACTIVE INGREDIENT:

Captan* 28.37%

Related derivatives 1.63%

INERT INGREDIENTS 70.0%

*N-Trichloromethylthio-4-cyclohexene-1, 2-dicarboximide


ACTIVE INGREDIENT PER GALLON:

Captan 2.94 lb./gal.

U.S. PATENT NO. 3,113,399

E.P.A. REG. NO. 1352-41

E.P.A. EST. NO. 36626-TN-1



Manufactured by
Chemical Products Division
Agricultural Products Dept.
Cargill, Incorporated
P.O. Box 9300
Minneapolis, Minnesota 55440

Evershield is a registered trademark of Cargill, Inc.

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Statement of Practical Treatment

Swallowed: Harmful if swallowed. If swallowed, drink one or two glasses of water and vomit by placing finger in back of throat. Get medical attention. Never give anything by mouth to an unconscious person.

Inhaled: May be harmful if inhaled, get medical attention. Avoid inhalation by using a respirator.

Skin: Avoid contact with skin or clothing. Wash thoroughly with soap and water. Wash hands and face thoroughly with soap and water before eating or smoking.

Eyes: Avoid contact with eyes. In case of contact with eyes, flush immediately with water and get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Evershield C

ptan seed protectant

ACCEPTED
SEP 20 1982
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1252-171

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Statement of Practical Treatment
 Swallowed: Harmful if swallowed. If swallowed, drink one or two glasses of water and induce vomiting by placing finger in back of throat. Get medical attention. Never give anything by mouth to an unconscious person.
 Inhaled: May be harmful if inhaled, get medical attention. Avoid inhalation by using a respirator.
 Skin: Avoid contact with skin or clothing. Wash thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking.
 Eyes: Avoid contact with eyes. In case of contact with eyes, flush immediately with running water and get medical attention.

ENVIRONMENTAL HAZARDS
 • This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

Apply Evershield C to seeds in the liquid form a manner inconsistent with its use as a seed protectant.

Do not use Evershield C on seeds for use as animal feed. Bags containing Evershield C should be clearly labeled.

Evershield C is not for use on seeds for use as animal feed purposes.

Evershield C is not for use on seeds for use as animal feed purposes.

Evershield C is not for use on seeds for use as animal feed purposes.

Apply with commercial seed treating equipment such as a slurry treater.

21CFR Chapter 1 Section 172 requires grain seed treated with poisonous substances in excess of recognized tolerances to be suitably colored to prevent their subsequent inadvertent use as food for man or feed for animals.

Add CARGILL Seed Protectant Liquid Dye to the Evershield dilution and mix for an additional 10 minutes.

Fl. Oz. Evershield C per 100 lbs. Seed

SEED	RANGE
Adzuki	6.5 fl. oz./100 lbs.
Broad Bean (dry)	2.1 fl. oz./100 lbs.
Broad Bean (wet)	9.6 fl. oz./100 lbs.
Buckwheat	
Corn (grain) (for feed and evergreen crops not for plant material)	
Barley (dry)	1.8 fl. oz./100 lbs.
Barley (wet)	2.3 fl. oz./100 lbs.
Wheat	1.5 fl. oz./100 lbs.
Wheat (dry)	
Wheat (wet)	
Wheat (dry) (Buckwheat)	1.2 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	1.5 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	3.2 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	
Wheat (dry) (Buckwheat)	2.3 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	3.5 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	2.3 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	1.2 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	3.0 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	6.5 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	5.4 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	4.1 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	2.1 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	2.3 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	2.7 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	3.5 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	2.0 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	4.8 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	1.6 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	1.6 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	4.8 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	9.6 fl. oz./100 lbs.
Wheat (dry) (Buckwheat)	2.7 fl. oz./100 lbs.
Wheat (wet) (Buckwheat)	9.6 fl. oz./100 lbs.

.....28.37%
1.63%
70.0%

4-cyclohexene-1,

PER GALLON:

.....2.94 lb./gal

113,399

62-41

26-TN-1

Manufactured by
 Chemical Products Division
 Natural Products Dept.
 Incorporated
 9300
 Minneapolis, Minnesota 55440

is a trademark of Cargill, Inc.

EPA 151