

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

### WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Causes skin and eye irritation. Do not get in eyes, on skin, or on clothing. Avoid contamination of feed and foodstuffs. During exposure in seed treatment and loading operation, wear goggles, clean synthetic rubber gloves and protective clothing. Wash face, hands, and arms thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash work clothes with soap and hot water before reuse.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seed by burial away from bodies of water.

### STORAGE AND DISPOSAL

#### Prohibitions:

Do not contaminate water, food or feed by storage or disposal.

#### Pesticide Disposal:

Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to federal, state and local procedures under the Resource Conservation and Recovery Act.

#### Container Disposal:

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other approved state or local procedures.

**NET  
CONTENTS**

BEST DOCUMENT AVAILABLE

# RTU - PCNB/LINDANE seed protectant

**Active Ingredients:**

Pentachloronitrobenzene . . . . . 17.68%  
 Lindane (gamma isomer of benzenehexachloride) . . . . . 10.53%  
 Inert ingredients . . . . . 71.79%  
 Total . . . . . 100.00%

ACCEPTED  
 WITH COMMENTS  
 BY EPA FIELD OFFICE

This product contains 1.68 lbs. of PCNB per gallon

This product contains 1.00 lbs. of Lindane per gallon

1352-12

**KEEP OUT OF REACH OF CHILDREN  
 WARNING**

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed:** Call a physician or poison control center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.  
**If Inhaled:** Remove victim to fresh air. Apply respiration if indicated.  
**If on Skin:** Wash the affected area with soap and warm water.  
**If in Eyes:** Immediately flush eyes with plenty of running water. Call a physician.

**See side panel for additional precautionary statements.**



Manufactured by  
 Chemical Products Division  
 Agricultural Products Dept.  
 Cargill, Incorporated  
 P.O. Box 9528

EPA Reg. No. 1352-  
 EPA Est. No. 17583A-AR-01  
 RTU is a Trademark of Cargill, Inc.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Using suitable liquid or slurry seed treating equipment such as Panogen or Mist-O-Matic, apply ~~RTU-PCNB~~ at rates shown below.

Seed should be sound, well cured and cleaned prior to treatment. Use only the recommended rates of product per 100 pounds of seed.

<u>Planting Seeds</u>	<u>Application Rates per 100 pounds of seed</u>	<u>Seedling Diseases Complex</u>
Wheat	4.0 fl oz (118 cc)	Common smut or bunt and damping off caused by Rhizoctonia
Barley	8.0 fl oz (237 cc)	Covered smut

RTU-PCNB/Lindane will also protect seeds and seedlings from wire worms and seed corn maggots.

### BEST DOCUMENT AVAILABLE

At the recommended rates, apply ~~RTU-PCNB~~ undiluted directly from the drum to the seed. If desired, add one part water to five parts ~~RTU-PCNB~~ and recalibrate equipment so that recommended rates will still be applied. Slight agitation may be required to mix the material. Keep container tightly closed when not in use.

Treated seed should not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with this product must be labeled in accordance to all applicable requirements of the Federal Seed Act.

Labels attached to treated seed must read:

TREATED SEEDS MUST NOT BE USED FOR OR MIXED WITH FOOD OR ANIMAL FEED OR PROCESSED FOR OIL. EXPOSED TREATED SEEDS MAY BE HAZARDOUS TO BIRDS AND OTHER WILDLIFE. DISPOSE OF ALL EXCESS TREATED SEED AND SEED PACKAGING BY BURIAL AWAY FROM BODIES OF WATER.

### MIX CONTENTS THOROUGHLY BEFORE USE

#### NOTICE TO BUYER

This product conforms to its chemical description and is fit for its use intended when used in accordance with label directions. Cargill will not be responsible for special, consequential or contingent damages arising from injury to persons or property.