

Reg. # 1542330
PM 15
P 1/4

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 1552-92	DATE OF ISSUANCE NOV 17 1986
	TERM OF ISSUANCE Indefinite	
	NAME OF PESTICIDE PRODUCT ...	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

...
 ...
 ...
 ...
 ...

160, 168455
181

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

- a. ...
- b. ...
- c. The certification of limits for sales is ...
 limit of 1.00 and a lower limit of 1.95X. The label claim cannot be higher than the lower certified limit. ...
 necessary corrections.
- d. Change "Keep out of hands of children, or people" to "Do not apply directly to water."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE 11/17/86

10/4

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

2/4

Nutrena

FIVE STAR 16:16 MINERAL WITH RABON, ORAL LARVICIDE (FOR CATTLE ONLY)

To prevent the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	1.727%
INERT INGREDIENTS**	98.273%
TOTAL	100.000%

*Each pound contains 7.84 grams Rabon
**Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS

Calcium (Ca)	Min. 16.0%	Max. 18.0%	%
Phosphorus (P)		Min. 16.00	%
Salt (NaCl)	Min. 4.0%	Max. 5.0	%
Selenium (Se)		Min. 0.0005%	
Vitamin A		Min. 300,000 IU. lb.	
Vitamin D ₃		Min. 75,000 IU. lb.	
Vitamin E		Min. 50 IU. lb.	

FEED INGREDIENTS. Dicalcium Phosphate, Monocalcium Phosphate, Calcium Carbonate, Yeast Culture, Salt, and trace minerals Manganous Oxide, Ferrous Sulfate, Copper Oxide, Magnesium Oxide, Zinc Oxide, Ethylenediamine Dihydrochloride, Cobalt Carbonate, and Potassium Chloride, Iron Oxide, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Sodium Selenite, Natural and Artificial Flavors added, Processed Grain By-Products.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before smoking or eating. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Storage: Store in a dry place in original container. Container Disposal: Completely empty bag into feeder equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

REGISTERED
PATENT OFFICE
MARRA Lester D...

NOV 17 1995

1352-53

IMPORTANT TO FOLLOW FEEDING DIRECTIONS ON REVERSE SIDE

EPA Reg. No. _____ Net Weight 50 Lbs. or Bulk EPA Est. No. _____



**NUTRENA
FEED
DIVISION**
GENERAL OFFICE
MINNEAPOLIS, MINN. 55440

16 5236 RR



p 4/4

**Nutrena,
FIVE STAR
16:16 MINERAL
WITH RABON. ORAL LARVICIDE**

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION
(FOR CATTLE ONLY)**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Mix or blend Nutrena Five Star 16:16 Mineral into the daily roughage and grain ration. Each ounce of Nutrena Five Star 16:16 Mineral contains 490 mg of Rabon Oral Larvicide. Feed at a rate to provide an average daily intake of 70 mg of Rabon Oral Larvicide per 100 lbs. body weight. Use the following feeding table as a guide.

Body Weight of Animal lbs.	Ounces per head Nutrena Five Star 16:16 Mineral to feed daily
1000	1.4
1100	1.6
1200	1.7
1300	1.8
1400	2.0

Do not feed other minerals after this program is started.

Start feeding Nutrena Five Star 16:16 Mineral early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

Nutrena Five Star 16:16 Mineral may be fed up to slaughter and to lactating dairy cows.

Nutrena Five Star 16:16 Mineral prevents the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle but it is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other methods to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and buildings to control house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Nutrena Five Star 16:16 Mineral should be used in conjunction with other good management and sanitation practices.

Rabon is the registered trademark of Shell Oil Company