

Reg # 1552-54 / 11/15 P 1/3

<b>US ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF PESTICIDES PROGRAMS</b> <b>REGISTRATION DIVISION (TS-767)</b> <b>WASHINGTON, DC 20460</b>	<b>EPA REGISTRATION NO.</b> 1352-54	<b>DATE OF ISSUANCE</b> NOV 19 1986
	<b>TERM OF ISSUANCE</b> Until Registered	
	<b>NAME OF PESTICIDE PRODUCT</b> Beacon Hi-Mag Min-Ade ROL	
	<b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	

<b>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</b>	
The Beacon Milling Company Cargill, Inc. Box 3300, Department 14 Minneapolis, MN 55440	

260 / 18  
172 408 / 1

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.


On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling change listed below before you release the product for shipment.
  - a. Add the phrase "EPA Registration No. 1352-54."
  - b. Revise Pesticide Disposal paragraph to read: "Wastes resulting from use of this pesticide may be disposed of on site or at an approved waste facility."
  - c. Change "Keep out of lakes, streams and ponds" to "Do not apply directly to water."
3. Please provide the requested information for the following items:
  - a. Certification of Limits - upper and lower limits of each active and individually added inert component, together with a brief discussion of how these limits were established - by analysis

<input type="checkbox"/> ATTACHMENT IS APPLICABLE	
<b>SIGNATURE OF APPROVING OFFICIAL</b> 	<b>DATE</b> 11/17/86

or by calculation. Active ingredients are normally determined by analysis, and inerts by calculation from weighings during the formulation process. Please note the lower limit for the active ingredient must not fall below the label claim.

- b. Storage Stability - the formulated product must be analyzed for its active ingredient at time zero and during a year of storage.
- c. Revise the certified limits for the active ingredient. The limits provided will not meet the label claims. The lower limit must not fall below the label claim.
- d. Immediately beneath Feeding Directions add, "It is a violation of Federal law to use this product in a manner inconsistent with its labeling."

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

# GENERAL DESCRIPTION

When fed to cattle, BEACON RABON ORAL LARVICIDE passes through the digestive system into the animal's manure where it kills fly larvae or contact shortly after the eggs hatch. By preventing larval development, BEACON RABON ORAL LARVICIDE helps to control horn flies and face flies on pasture and house flies and stable flies in and around cattle lots.

## GUARANTEED ANALYSIS\*

Calcium, minimum	13.00%
Calcium, maximum	15.00%
Phosphorus, minimum	7.00%
Salt, minimum	3.00%
Salt, maximum	4.00%
Magnesium, minimum	13.00%
Potassium, minimum	1.50%
Vitamin A, minimum	240,000 IU/lb
Vitamin D, minimum	120,000 IU/lb
Vitamin E, minimum	240 IU/lb
Selenium (Sel)	0.005%

\*The analysis of this feed is guaranteed only under sampling assay procedures, and permitted analytical variation recognized by the feed control office in the state in which this product is sold.

## INGREDIENTS

Calcium Phosphate, Calcium Carbonate, Potassium Sulfate, Magnesium Oxide, Salt, Manganese Oxide, Iron Sulfate, Iron Carbonate, Copper Sulfate, Copper Oxide, Calcium Iodate, Cobalt Carbonate, Zinc Oxide, Vitamin A Acetate, Improved Stabilizer, Vitamin D Supplement, Vitamin E Supplement, Ethoxyquin — a preservative, Sodium Selenite, Magnesium Sulfate.

NOV 19 1986

1352-54

— Distributed by —

**BEACON FEEDS**  
THE BEACON MILLING CO., INC.  
General Offices  
Minneapolis, MN

EPA Reg. No.  
583

EPA Est. No. 06850-NY-01



# BEACON HI-MAG MIN-ADE ROL (Contains RABON<sup>®</sup> Oral Larvicide)

To prevent the development of  
**HORN FLIES, FACE FLIES, HOUSE FLIES**  
and **STABLE FLIES** in the manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2,4,5-Trichlorophenyl) vinyl dimethyl phosphite*	1.8%
INERT INGREDIENTS**	98.2%
<b>TOTAL</b>	<b>100.00%</b>

\*Each pound contains 8.2g RABON

\*\*Refers only to ingredients which are not larvicidal

<sup>†</sup>Rabon is the registered Trade Mark of Shell Oil Company

Keep Out Of Reach Of Children  
**CAUTION**

Net Weight 50 Pounds.

Cattle should consume 0.5 lb of weight. This will supply BEACON RABON ORAL should be fed prior to Start feeding BEACON RABON ORAL beginning to appear and con Start feeding BEACON RABON ORAL flies begin to appear and the fall until cold weather BEACON RABON ORAL lactating dairy cows with after treatment BEACON RABON ORAL face flies, house flies, and effective against existing in some cases, suppress around cattle lots and can can breed only in the shade of the premises. In order to achieve best results should be used in conjunction with other practices.

## Precautions Hazards to Humans Caution

Keep out of reach of children and pets. Avoid breathing dust and contact with eyes. Wash hands before eating or drinking. If swallowed, do not induce vomiting. Seek medical attention.

## Environmental Precautions

This product is toxic to aquatic life. Do not contaminate water bodies.

## Storage and Handling

Do not contaminate water. Store in a dry place.

**Pesticide Disposal:** Pesticide that cannot be disposed of according to label directions.

**Container Disposal:** Completely empty bag, crushing particles. Empty bag in a sanitary land fill or incinerator.

## Warranty and Limitations

Supplier warrants that this product is suitable for the use and directions on the label. No other warranty, including implied warranty of merchantability, is made. This product is sold "as is" and without any express or implied warranty.