135 Ell (M +: 1: 18')

3145,140 388

SEP 2 3 1987

Mr. Randy Sample
The Beacon Milling Company
Cargill, Inc.
Box 9300, Department 14
Minneapolis, MN 55440

Dear Mr. Sample:

Subject: Response to Conditional Registration Dated November 19, 1986

and Updated Labels
BEACON Hi-Mag Min-Ade ROL
EPA Registration No. 1352-54

Your Letter Dated December 19, 1986

A revised Confidential Statement of Formula (CSF) should be submitted, which include the upper and lower certified limits of the individually added inerts.

Enclosed for your information is a revised CSF form.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Pungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

86561: I/P: Heyward: LR-11: KENCO: 7/8/87: 8/16/87: SONJA: SJH: VO: EK: SONJA

CONCURRENCES								
SYMBOL	PRIGIONATOR							
SUMN E							,	
DATE	· · · · · · · · · · · · · · · · · · ·		,	******				

BEACON HI-MAG MIN-ADE ROL

(Contains RABON® Oral Larvicide)

To prevent the development of HORN FLIES, FACE FLIES, HOUSE FLIES and STABLE FLIES in the manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2,4,5-trichlorophenyl)	
vinyl dimethyl phosphate*	1.8%
INERT INGREDIENTS**	98.2%
TOT	AL 100.00%

*Each pound contains 8.2g RABON Rêters only to incredients which are not larvicidal. RABON is the registered Trade Mark of Shell Oil Company

Keep Out Of Reach Of Children

CAUTION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Net Weight 50 Pounds.

GENERAL DESCRIPTION

When fed to cattle, BEACON HI-MAG MIN-ADE ROL passes through the digestive system into the animal's manule where it kills fly larvae on contact shortly after fly eggs hatch By preventing larval development BEACON HI MAG MIN-ADE ROL netps to control horn fires and face flies on pasture and house files and stable flies in and around cattle lots.

GUARANTEED ANALYSIS

13 00%
15 00%
7 00%
3.00%
4 00%
13 00%
150%
240,000 KU16
120,000 HJ16
240 IU-ID
0005*4

INGREDIENTS

Calcium Phosphate, Calcium Carbonate, Potassium Sulfate, Magnesium Oxide, Salt Manganous Oxide, Iron Sulfate Iron Carbonate, Cooper Su. Vit. Copper Oxide, Calcium Iodate, Cobalt Carbonate, Zinc Oxide, Vitamin A. Acetate (improved stability), Vitamin D. Supplement. Vitamin D. Supplement. Vitamin D. Supplement. Ethosydum—a preservative, Sodium Selentie, Magnesium Sulfate.

FEEDING DIRECTIONS

It is a violation with its labeling

detail law to use this product in a manner inconsistent

Cattle should consume one (1) ounce of this mineral per 650 pounds of body veight. This will supply the recommended average daily intake of 70 mg. RABON per hundred pounds body weight. This should be force fed or top dressed only Do not feed this mineral free choice. Start feeding BEACON HI-MAG MIN ADE ROL early in the spring before flies begin to appear and continue throughout the summer and into the fall until cold weather restricts fly activity.

BEACON HI MAG MIN-ADE ROL may be fed up to staughter to lactating dairy cows without withholding the milk from market during or after treatment.

BEACON HI-MAG MIN-ADE ROL prevents the development of horn flies, face flies house flies and stable flies in the manure of treated cattle but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and barns to control adult house flies and stable flies which can breed not only in cattle manure but other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control BEACON HI-MAG MIN-ADE ROL should be used in conjunction with other good management and sanitation practices.

Precautionary Statements Hazards to Humans Caution

Keep out of reach of children. Harmful if swallowed Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal

Storage

Store in dry place.

Pesticide Disposal

Wastes resulting from use of this pesticide may be disposed of on site or at an approved waste facility.

Container Disposal

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mixing equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and Local authorities.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any preach of warranty exceed the purchase pince of the material as to which a claim is made.

-Manufactured by-

BEACON FEEDS

THE BEACON MILLING CO., INC.
General Offices
Cayuga, New York 13034

EPA Reg. No. 1352-54

EPA Est. No. 06850-NY-01

1-87

ACCEPTED with COMMENTS in EPA Letter Dates.

SEP2 3 1987

