

PM15
 1352-55-174
 11/20/87
 17

Mr. Randy Sample
 Division Quality Control and Regulatory Manager
 The Beacon Milling Company
 Cargill, Inc.
 P.O. Box 9300, Department 14
 Minneapolis, MN 55440

Dear Mr. Sample:

Subject: Revised Confidential Statement of Formula
 and Labeling
 Beacon Mineral ADE ROI,
 EPA Registration No. 1352-55
 Your Submission Dated November 30, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. In the Environmental Hazards section, change the statement concerning water contamination to read as follows:

Do not contaminate water when disposing of equipment washwaters.

- ~~2. Revise the storage and disposal statements you now have on your label to comply with PR Notice 83-3 (March 29, 1983).~~

2 In regard to the Confidential Statement of Formula (CSF), the following must be submitted before we can accept it.

- a. Provide upper and lower certified limits of the individually added inerts.
- b. The product being used to formulate your product (EPA Registration No. 50534-94) has been transferred to another company. Please provide the new registration number if different from the number given in the CSP. If there are no changes, state so.

11024:I:Heyward:LR-8:KENCO:4/21/88:5/31/88:rw:WB:VO:PSR:Am: _____
 CONCURRENCES

SYMBOL	ORIGINATOR						
							10/6/4
SURNAME							
DATE							

2

-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

2 of 4

BEACON MINERAL ADE ROL.

3

(Contains RABON* Oral Larvicide)

To prevent the development of HORN FLIES, FACE FLIES, HOUSE FLIES, and STABLE FLIES in the manure of treated cattle

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2,4,5-trichlorophenyl)-vinyl dimethyl phosphate	1.76%
INERT INGREDIENTS**	98.24%
TOTAL	100.00%

*Each pound contains 7.9g Rabon

**Refers only to ingredients which are not larvicidal

*Rabon is the registered Trade Mark of Shell Oil Company

GENERAL DESCRIPTION

When fed to cattle BEACON MINERAL ADE ROL passes through the digestive system into the animal's manure where it kills the larvae on contact shortly after the eggs hatch. By preventing larval development BEACON MINERAL ADE ROL helps to control horn flies and face flies on pasture and house flies and stable flies in and around cattle lots.

GUARANTEED ANALYSIS

Calcium	Min 17.00
Calcium	Max 29.00
Phosphorous	Min 9.00
Salt	Min 2.50
Salt	Max 3.50
Iodine	Min .01
Iron	Min 4.00
Copper	Min .08
Cobalt	Min .00
Magnesium	Min 3.00
Manganese	Min .30
Zinc	Min .60
Sulfur	Min 3.00
Potassium	Min 2.40
Vitamin A	Min 300,000 USP Units/lb
Vitamin D	Min 150,000 USP Units/lb
Vitamin E	Min 300 USP Units/lb
Selenium (Se)	Min .001%

INGREDIENTS

Dicalcium and Monocalcium Phosphate, Calcium Carbonate, Potassium Sulfate, Magnesium Sulfate, Magnesium Oxide, Salt, Manganese Oxide, Iron Sulfate, Iron Carbonate, Copper Sulfate, Copper Oxide, Calcium Iodate, Cobalt Carbonate, Zinc Oxide, Vitamin A Acetate (improved stability), Vitamin D Supplement, Vitamin E Supplement, Ethoxyquin—a preservative, Sodium Selenite.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Net Weight 50 Pounds.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 07 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

1352-55

30/4

BEACON MINERAL ADE ROL DIRECTIONS FOR USE

4

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cattle should consume one (1) ounce of this mineral per 550 pounds of body weight. This will supply the recommended average daily intake of 70 mg BEACON MINERAL ADE ROL per hundred pounds body weight. This should be force fed or top dressed only. Do not feed this mineral as a choice. Start feeding BEACON MINERAL ADE ROL early in the spring before flies begin to appear and continue throughout the summer and into the fall.

Start feeding BEACON MINERAL ADE ROL early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

BEACON MINERAL ADE ROL may be fed to pregnant and lactating dairy cows without withholding the milk from a suckling calf after treatment.

BEACON MINERAL ADE ROL prevents the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle but it is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and barns to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying organic matter or silage on the premises.

In order to achieve optimum fly control, BEACON MINERAL ADE ROL should be used in conjunction with other good management and sanitation practices.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Storage:** Store in a dry place. **Pesticide Disposal:** Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures. **Container Disposal:** Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mixing equipment. Then dispose of bags in a sanitary landfill or by incineration, if allowed by State and Local authorities.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty including any other express or implied warranty of Fitness or of Merchantability and no agent of Seller is authorized to do so except in liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

— Distributed by —

BEACON FEEDS
THE BEACON MILLING CO., INC.
General Offices
Minneapolis, MN

46/4