

the surface with water, using soap freely, then cover with moist magnesia or baking soda.

**Internal** — Drink a teaspoonful or more of magnesia, chalk, whiting, or wall plaster, or small pieces of soap softened with water, in milk, mucilage, or raw egg white.

**CALL PHYSICIAN**

## KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED — AVOID CONTACT WITH SKIN, EYES, OR CLOTHING  
IN CASE OF SPILLAGE, FLUSH WITH PLENTY OF WATER. RINSE EMPTY CONTAINER  
REPEATEDLY BEFORE DISPOSAL. DO NOT RE-USE.

## DIRECTIONS

Pour Lavo-Kleen into plastic or china bowl, allowing 3 ounces for each urinal, 2 ounces for each toilet bowl. Apply with swab that is merely wet, not dripping.

### URINALS

1. Remove strainer.
2. Pour 2 ounces Lavo-Kleen into drain.
3. With swab, clean urinal surface including areas behind side edges and under top.
4. Swab inside of drain pipe.
5. Replace strainer. Flush urinal several times.

### TOILET BOWLS

1. Depress water level by pouring rapidly half a pail of water into bowl.
2. Swab out bowl and areas under flushing rim. Flush bowl.

### SINKS, BATHTUBS, DRINKING FOUNTAINS

1. Make up solution of 1 part Lavo-Kleen to 3 parts water.
2. Clean surface with swab. Rinse thoroughly with clear water.

**LAVOKLEEN does not affect operation of septic systems**

Manufactured for



USDA Reg.  
No. 1363-23

Form 9160

FOR OVER SEVENTY YEARS QUALITY ABOVE ALL  
ACCO GENERAL HEADQUARTERS: MILWAUKEE, WIS.  
Manufacturing Plants: Milwaukee, Wis. & Los Angeles, Calif.

Printed in U. S. A.

ACCEPTED

aug 26 1968

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND MITICIDE ACT  
FOR REGISTRATION REGISTER-  
1363-23 SUBJECT  
TO ALL THE PROVISIONS.