



NALCO

4WC-391

ALGAEICIDE

ACCEPTED
APR 26 1976
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under EPA Reg. No. 1706-115.

DIRECTIONS: For control of algae in industrial recirculating cooling water towers when the system is in jeopardy of becoming affected, add an initial dose of NALCO 4WC-391 of 1-2 gallons per 5000 gallons of system water (200-400 ppm 4WC-391). Repeat until desired level of control is achieved. Heavily contaminated systems must be pre-cleaned. Once control is achieved add maintenance doses of 1-3 quarts NALCO 4WC-391 per 5000 gallons of system water weekly or as needed to maintain control. Apply NALCO 4WC-391 to a point in the system where it will be uniformly mixed and distributed such as tower sump.

NOTE: NALCO 4WC-391 IS INTENDED FOR INDUSTRIAL USE ONLY. Do not apply to potable or domestic water systems. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Do not reuse this container. Return to drum reconitioner or destroy by perforating and burial in a safe place. Apply this product only as specified on this label.

This product is toxic to fish. Keep out of lakes, streams or ponds.

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. HARMFUL OR FATAL IF SWALLOWED. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Do not take internally. Avoid contamination of food stuffs.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothes before reuse. If swallowed, do not induce vomiting, give milk, egg whites, gelatin solution or if these are not readily available, give large amounts of water. Call physician.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be required.

ACTIVE INGREDIENTS:

n-alkyl (60% C₁₂, 30% C₁₄, 5% C₁₆, 5% C₁₈) dimethyl benzyl ammonium chlorides 5%

n-alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS: 90%
 Total 100%

EPA Registration No. 1706-115

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

EPA Est No. 1706 IL 1

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER