

CAUTION: SANITROL is a concentrated germicide, may cause skin irritation or damage to eyes. Harmful if swallowed. Avoid contact with skin and eyes. In case of contact, flush immediately with plenty water. For eyes, get medical attention. Do not take internally. Avoid contamination of food.

To clean and disinfect floors, walls, sick rooms, utensils, rest room fixtures, toilet seats, garbage cans, etc., wash with a standard solution which is 1½ ounces of SANITROL in a gallon of water. In case of heavy soil, use double the standard solution or wash a second time. Use a standard solution for daily general housekeeping throughout the entire building.

USDA Reg. No. 1364-3

**LEADER IN QUALITY FOR
OVER 60 YEARS**

SANITROL

FOR EXTERNAL USE ONLY
CLEANER - GERMICIDE
DEODORIZER - DISINFECTANT
PHENOL COEFFICIENT
S. TYPHOSA 15 S aureus 25
 Active Ingredients - - 13½%
 Methyl dodecyl benzyl trimethyl ammonium Chloride 8%
 Methyl dodecyl xylene bis (trimethyl ammonium chloride) 2% - - - - 10%
 Trisodium phosphate - 3%
 Inert Ingredients - - 87%
 Octyl Phenoxy Polyethoxy Ethanol 22% Water 65%

CAUTION: KEEP OUT OF REACH OF CHILDREN.
 See left panel for additional cautions.

From the Laboratories of
THE PARAWAX COMPANY
COUNCIL BLUFFS, IOWA

ing, halls, operating rooms, nurseries, cafeterias, etc. To disinfect sheets, linens soak 10 minutes in a standard solution.

IN FOOD OR MEAT PROCESSING PLANTS: Clean and rinse equipment, scrub with a standard solution. On hard to clean surfaces such as meat cutting boards, etc., use triple strength and flush with clear water and rinse before re-use. To sanitize floors and eliminate rancid odors, scrub with triple solution. Where large amounts of dirt are present, first remove the dirt then use a double strength solution. To help prevent the spread of athlete's foot fungi, use a standard solution.

Net contents:

ACCEPTED

MAY 26 1967

1364-3