

**FARM BIN SPRAY**

**Uses for Use**

**PREPARATIONS**

**Follow Directions**

**Grain Storage**

is made for use as a residual, coarse, wet spray to wet and areas surrounding farm buildings and areas of stored grain, and bin walls at least 24 inches from grain. Spray bin walls with grain. Spray bin walls with flying moth. DO NOT SPRAY GRAIN. When surfaces are treated with Farm Bin Spray, a toxic residue is left on the surface and in cracks and crevices to kill insects that enter. FACES, CRACKS, AND CREVICES TREATED UNTIL WET. Farm Bin Spray will usually cover 100 square feet of surface per gallon.

**Stables, Dairy and Poultry Barns**

Use as a wet, coarse spray on walls, ceilings, beams, etc. in places where flies, roaches, and other insects enter. Spray silos, manure sheds, and other places where a large number of flies enter. Use on animals while treating.

**FLY CONTROL** - Use as wet spray on all cracks and crevices, especially on baseboards and floors.

NET CONTENTS

**MILL AND FARM**

**Directions for Use**

**MILLS**

**For Best Results Follow**

**PRODUCT DESCRIPTION**

**MILL & FARM BIN SPRAY** is a quick killing and effective residual. It has been especially formulated for use on stored grain and feed products as a residual against all stages of insects common to grain elevators and cereal processing plants. Farm Bin Spray has been formulated with Methoxychlor and Pyrethrins to give a fast knockdown and a long residual.

**For Grain Elevators**

Use as a coarse, wet spray on cracks and crevices of bins to help prevent infestation of stored grain. Spray into cracks, crevices, and other places in elevator buildings, galleries, tunnels, etc. on all stored bins. Do NOT SPRAY DIRECTLY on grain. Do not spray treatment as a residual.


**For Cereal Processing**

Use as a wet residual spray on all surfaces and on walls. Spray into cracks, crevices, and other places where the insects are seen. In storage, walls, floors, and walls wherever a residual treatment is needed as a residual.

**FOR FOGGING:** May be used for fogging stored grain and stored product.

*May 13-1968*

*1381-32*



**FELCO**

# MILL and FARM BIN SPRAY

**READY TO USE**

**A NEW QUICK KILLING RESIDUAL SPRAY FOR USE ON FARM BUILDINGS, ELEVATORS, MILLS**

**Kills the Exposed Stages on Contact - Grain Weevil, Bran Bugs, Grain Moth, Flies, Roaches, Ants**

# MILL AND FARM BIN SPRAY

## Directions for Use

### FARMERS

For Best Results Follow Directions

#### For Farm Grain Storage

MILL & FARM BIN SPRAY is a fast-acting, long-lasting, residual spray for use on farm buildings, grain elevators, and mills. It is especially effective against flying insects and roaches. To help prevent infestation, treat empty bins, floors, and walls at least 24 hours before refilling with grain. When bins are wet with MILL & FARM BIN SPRAY, DIRECTLY INTO GRAIN. When surfaces are wet with MILL & FARM BIN SPRAY, it kills insects on contact. It is effective against grain weevils, bran bugs, grain moths, flies, roaches, and ants. CRACKS, CREVICES, AND OTHER CONCEALED AREAS SHOULD BE TREATED WITH MILL & FARM BIN SPRAY. For best results, use MILL & FARM BIN SPRAY on a regular basis.

#### For Milk Sheds, Dairy and Livestock Barns

##### FOR FLY CONTROL

MILL & FARM BIN SPRAY is a fast-acting, long-lasting, residual spray for use on farm buildings, grain elevators, and mills. It is especially effective against flying insects and roaches. To help prevent infestation, treat empty bins, floors, and walls at least 24 hours before refilling with grain. When bins are wet with MILL & FARM BIN SPRAY, DIRECTLY INTO GRAIN. When surfaces are wet with MILL & FARM BIN SPRAY, it kills insects on contact. It is effective against grain weevils, bran bugs, grain moths, flies, roaches, and ants. CRACKS, CREVICES, AND OTHER CONCEALED AREAS SHOULD BE TREATED WITH MILL & FARM BIN SPRAY. For best results, use MILL & FARM BIN SPRAY on a regular basis.

##### FOR ROACH AND ANT CONTROL

MILL & FARM BIN SPRAY is a fast-acting, long-lasting, residual spray for use on farm buildings, grain elevators, and mills. It is especially effective against flying insects and roaches. To help prevent infestation, treat empty bins, floors, and walls at least 24 hours before refilling with grain. When bins are wet with MILL & FARM BIN SPRAY, DIRECTLY INTO GRAIN. When surfaces are wet with MILL & FARM BIN SPRAY, it kills insects on contact. It is effective against grain weevils, bran bugs, grain moths, flies, roaches, and ants. CRACKS, CREVICES, AND OTHER CONCEALED AREAS SHOULD BE TREATED WITH MILL & FARM BIN SPRAY. For best results, use MILL & FARM BIN SPRAY on a regular basis.

### CAUTION

MILL & FARM BIN SPRAY is a fast-acting, long-lasting, residual spray for use on farm buildings, grain elevators, and mills. It is especially effective against flying insects and roaches. To help prevent infestation, treat empty bins, floors, and walls at least 24 hours before refilling with grain. When bins are wet with MILL & FARM BIN SPRAY, DIRECTLY INTO GRAIN. When surfaces are wet with MILL & FARM BIN SPRAY, it kills insects on contact. It is effective against grain weevils, bran bugs, grain moths, flies, roaches, and ants. CRACKS, CREVICES, AND OTHER CONCEALED AREAS SHOULD BE TREATED WITH MILL & FARM BIN SPRAY. For best results, use MILL & FARM BIN SPRAY on a regular basis.

Distributed By  
FARMERS REGIONAL COOPERATIVE  
Fort Dodge, Iowa

NET CONTENTS

# MILL AND FARM BIN

## Directions for Use

### MILLS

For Best Results Follow Directions

#### PRODUCT DESCRIPTION

MILL & FARM BIN SPRAY is a fast-acting, long-lasting, residual spray for use on farm buildings, grain elevators, and mills. It is especially effective against flying insects and roaches. To help prevent infestation, treat empty bins, floors, and walls at least 24 hours before refilling with grain. When bins are wet with MILL & FARM BIN SPRAY, DIRECTLY INTO GRAIN. When surfaces are wet with MILL & FARM BIN SPRAY, it kills insects on contact. It is effective against grain weevils, bran bugs, grain moths, flies, roaches, and ants. CRACKS, CREVICES, AND OTHER CONCEALED AREAS SHOULD BE TREATED WITH MILL & FARM BIN SPRAY. For best results, use MILL & FARM BIN SPRAY on a regular basis.

#### For Grain Elevators

Use as a wet, residual spray on all interior surfaces and around processing equipment. Spray into cracks, crevices, and other hidden areas where these insects are likely to be present. Do not spray directly into grain. For best results, use MILL & FARM BIN SPRAY on a regular basis.

#### For Cereal Processing

Use as a wet, residual spray on all interior surfaces and around processing equipment. Spray into cracks, crevices, and other hidden areas where these insects are likely to be present. Do not spray directly into grain. For best results, use MILL & FARM BIN SPRAY on a regular basis.

**FOR FOGGING:** May be used for fogging grain and stored product areas. Do not fog areas where the grain and product have not been moved. Do not fog areas where the grain and product have not been moved. Do not fog areas where the grain and product have not been moved. Do not fog areas where the grain and product have not been moved.

### NOTICE

Miller warrants that the product is a fast-acting, long-lasting, residual spray for use on farm buildings, grain elevators, and mills. It is especially effective against flying insects and roaches. To help prevent infestation, treat empty bins, floors, and walls at least 24 hours before refilling with grain. When bins are wet with MILL & FARM BIN SPRAY, DIRECTLY INTO GRAIN. When surfaces are wet with MILL & FARM BIN SPRAY, it kills insects on contact. It is effective against grain weevils, bran bugs, grain moths, flies, roaches, and ants. CRACKS, CREVICES, AND OTHER CONCEALED AREAS SHOULD BE TREATED WITH MILL & FARM BIN SPRAY. For best results, use MILL & FARM BIN SPRAY on a regular basis.



May 13-1968

1381-~~3~~

# FELCO

# MILL and FARM BIN SPRAY

## READY TO USE

### A NEW QUICK KILLING RESIDUAL SPRAY FOR USE ON FARM BUILDINGS, ELEVATORS, MILLS

#### Kills the Exposed Stages on Contact — Grain Weevil, Bran Bugs, Grain Moth, Flies, Roaches, Ants and Certain Other Common Insects

#### INGREDIENT STATEMENT

<b>ACTIVE INGREDIENTS</b>	
Tech. Piperonyl Butoxide	0.25%
Pyrethrins	0.25%
Technical Methoxychlor	2.500%
Aromatic Petroleum Hydrocarbons	97.225%
	100.000%
Consists of 2.2% 2,2-bis (2-methoxyphenyl) - 1,1,1-trichloroethane and 3% other isomers and related compounds	
Equivalent to 20% (butylcarbitol) (6-propylpiperonyl) ether and 0.5% related compounds	

**CAUTION:** KEEP OUT OF THE REACH OF CHILDREN  
SEE OTHER WARNINGS ON SIDE PANEL

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

# FARM BIN SPRAY

## Directions for Use

### FARMERS

Results Follow Directions

### Farm Grain Storage

Spray is made for use as a surface spray or as a coarse, wet spray for wet floors, and areas surrounding farm buildings to prevent infestation of stored grain. Spray bin bottoms and bin walls at least 24 hours before filling with grain. Spray bin walls to control flying moth. DO NOT SPRAY INTO GRAIN. When surfaces are sprayed with Farm Bin Spray, a toxic residue is left on the surface and in cracks and crevices to kill insects for at least 24 hours. SURFACES, CRACKS, AND CREVICES SHOULD BE TREATED UNTIL WET. Farm Bin Spray will usually cover up to 1000 square feet of surface area per gallon.

### Stables, Sheds, Dairy and Livestock Barns

Use as a wet coarse spray for wet walls, ceilings, beams, etc. in places where flies, roaches, ants, etc. are common. Spray barns, silos, manure sheds, and other buildings where flies, etc. enter. Use the number of flies entering the building to determine the number of dairy animals which are being treated.

Use as a wet coarse spray to treat all cracks and crevices in barns, stables, and other buildings.

### CAUTION

Do not spray directly on animals, feed, or manure. Cover floors before spraying. Do not spray on absorbent containers. Avoid contact with skin and clothing. Wash thoroughly and wash contaminated clothing. Avoid inhaling spray mists. Keep out of reach of children.

ST. LOUIS, MO. 63102

Distributed By  
REGIONAL COOPERATIVE  
Des Moines, Iowa

## NET CONTENTS



# FELCO

May 13-1968

1381-2E

# MILL and FARM BIN SPRAY

## READY TO USE

### A NEW QUICK KILLING RESIDUAL SPRAY FOR USE ON FARM BUILDINGS, ELEVATORS, MILLS

### Kills the Exposed Stages on Contact — Grain Weevil, Bran Bugs, Grain Moth, Flies, Roaches, Ants and Certain Other Common Insects

#### INGREDIENT STATEMENT

<b>ACTIVE INGREDIENTS</b>	
Tech. Piperonyl Butoxide	.25%
Pyrethrins	.025%
Technical Methoxychlor	2.500%
Aromatic Petroleum Hydrocarbons	97.225%
	100.000%
*Consists of 2.2% 2,2-bis (p-methoxyphenyl) - 1,1,1-trichloroethane and .3% other isomers and related compounds.	
Equivalent to .20% (butylcarbitol) (6-propylpiperonyl) ether and .05% related compounds.	

**CAUTION: KEEP OUT OF THE REACH OF CHILDREN**  
SEE OTHER WARNINGS ON SIDE PANEL

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

# MILL AND FARM BIN SPRAY

## Directions for Use

### MILLS

For Best Results Follow Directions

### PRODUCT DESCRIPTION

MILL & FARM BIN SPRAY is a ready to use quick killing and effective residual type spray. It has been especially formulated for use on and around feed products as a control for the exposed stages of insects commonly found on and in grain elevators and cereal processing plants. Mill & Farm Bin Spray has been fortified with both Methoxychlor and Pyrethrins to give a combination of a fast knockdown kill and effective residual results.

### For Grain Elevators

Use as a coarse, wet spray to treat all surfaces, cracks and crevices of infested areas until wet. To help prevent infestation of stored grain, treat empty bins at least 24 hours before refilling with grain. Spray into cracks, crevices and other insect hiding places in elevator areas such as headframes, galleries, tunnels, etc. Spray bin walls above loaded bins to control flying grain moth. DO NOT SPRAY DIRECTLY INTO GRAIN. Repeat spraying treatment as needed.

### For Cereal Processing Mills

Use as a wet residual spray on all infested building surfaces and cereal processing machinery. Spray into cracks, crevices and other hiding places in the drawing circuits of the elevators and spray surface areas where these insects are commonly seen. In storage warehouses, spray the floors and walls whenever stock is moved. Repeat treatment as often as necessary.

**FOR FOGGING:** Available in Fog Generator for fogging insects and to reduce the number of grain and feed product insects that might be present at the time of fogging. Apply only to the area where the grain and other feed products have been removed. Do not walk and other personnel should be kept away from the area after fogging for several days. Do not use in any way which might contaminate grain or feed products.

### NOTICE

Warranted that the product conforms to the general description and is reasonably fit for the purpose stated on the label when used in accordance with the directions on the label. This warranty does not extend to the use of the product contrary to the label instructions or under abnormal conditions or use and does not constitute an offer of insurance, and buyer assumes the risk of any such use.