

## BEEF CATTLE OIL

### Directions for Use

#### (FOR BEEF CATTLE)

**USE IN BACKRUBBERS:** To be used undiluted. Use in cable-type backrubbers to protect beef animals from horn flies, mosquitoes and gnats and as an aid in the control of lice and face flies. Fly control with backrubbers is directly proportional to the coverage obtained. The construction and location of the backrubber determines whether animals will receive adequate coverage with the insecticide formulation. The backrubber should be constructed with one end anchored close to ground level and the other end at a height of approximately five feet. The cattle can then treat the underline shoulders and legs. Locate the backrubber where the animals usually congregate such as near a water trough or salt lick so that it will be used frequently.

Check mechanical equipment before filling to be sure it is operating properly. Reservoirs should be clean; faulty or dirty valves and mechanisms should be cleaned or replaced. Pour solution into oil reservoir or apply to burlap or canvas covering until saturated. Replenish the unit with suitable amounts of the solution as necessary.

#### CAUTION

Backrubbers may be used on beef animals to within 2 weeks of slaughter, on dry dairy cows to within 3 weeks of freshening. Not for use on lactating dairy cows. Do not spray on animals.

#### CAUTION

Harmful if swallowed. Avoid contamination of feed food and water. Avoid prolonged or repeated skin contact. Wash thoroughly after using. Keep out of the reach of children. Destroy empty container by crushing and perforating and bury in a safe place.

**Note to Physician:** Ronnel is a cholinesterase inhibitor. Atropine is an antidote. Treat symptomatically.

#### NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA Reg. No. 1381-39

K-8128A-K

Distributed By  
**LAND O'LAKES, INC.**  
Fort Dodge, Iowa 50501

NET CONTENTS

# LAND O LAKES



## FELCO

# BEEF CATTLE OIL

## READY TO USE

FOR HORN FLIES, MOSQUITOES AND GNATS. AIDS IN THE CONTROL OF LICE AND FACE FLIES

#### INGREDIENT STATEMENT

<b>ACTIVE INGREDIENTS:</b>	
Ronnel [O,O-Dimethyl O-(2,4,5-trichlorophenyl) phosphorothioate]	1.0%
Mineral Oil	98.5%
<b>INERT INGREDIENTS</b>	0.5%

Contains KORLAN® — trademark of the Dow Chemical Company

**CAUTION**  
**KEEP OUT OF THE REACH OF CHILDREN**  
See Other Cautions on Side Panel

**COMBUSTIBLE LIQUID!**  
**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME**

## BEEF CATTLE OIL

### Directions for Use

#### (FOR BEEF CATTLE)

**USE IN BACKRUBBERS:** To be used undiluted. Use in cable-type backrubbers to protect beef animals from horn flies, mosquitoes and gnats and as an aid in the control of lice and face flies. Fly control with backrubbers is directly proportional to the coverage obtained. The construction and location of the backrubber determines whether animals will receive adequate coverage with the insecticide formulation. The backrubber should be constructed with one end anchored close to ground level and the other end at a height of approximately five feet. The cattle can then treat the underline shoulders and legs. Locate the backrubber where the animals usually congregate such as near a water trough or salt lick so that it will be used frequently.

Check mechanical equipment before filling to be sure it is operating properly. Reservoirs should be clean; faulty or dirty valves and mechanisms should be cleaned or replaced. Pour solution into oil reservoir or apply to burlap or canvas covering until saturated. Replenish the unit with suitable amounts of the solution as necessary.

#### CAUTION

Backrubbers may be used on beef animals to within 2 weeks of slaughter, on dry dairy cows to within 3 weeks of freshening. Not for use on lactating dairy cows. Do not spray on animals.

#### CAUTION

Harmful if swallowed. Avoid contamination of feed, food and water. Avoid prolonged or repeated skin contact. Wash thoroughly after using. Keep out of the reach of children. Destroy empty container by crushing and perforating and bury in a safe place.

**Note to Physician:** Ronnel is a cholinesterase inhibitor. Atropine is an antidote. Treat symptomatically.

#### NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Distributed By  
**LAND O'LAKES, INC.**  
Fort Dodge, Iowa 50501

