

ACCEPTED
 11/15/71
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 1381-51

DIRECTIONS FOR USE

HOUSEHOLD PESTS: For control of Roaches, Ants, Silverfish, Waterbugs, Crickets, spiders, Centipedes and Boxelder Bugs mix 3 to 4 tablespoons to 1 quart of water. Thoroughly spray infested cracks and crevices, baseboards, behind shelving and bookcases for Silverfish, storage area and water drains in basements. For Ants spray ant trails. For Ants and Boxelder Bugs treat window frames, door sills, openings around water pipes, electrical outlets and other places where they may enter. For Flies, Mosquitoes and Wasps mix at same rate and spray screens, doors, door sills, window frames and areas frequented by these pests such as porches, and refuse disposal area. Repeat application as needed for control of any insect listed.

Do not contaminate food stuffs and food containers.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

LAWN INSECTS: For the following listed insects add the designated number of tablespoons to 2 gallons of water or whatever amount is necessary to thoroughly cover 1,000 square feet. For Ants, Armyworms, Crickets, Grasshoppers and Spiders, use 1 1/2 tablespoons. Spray lawn area and ornamentals as needed. For Ants treat hills and trails. For Chiggers, Earwigs and Ticks use 2 tablespoons and thoroughly treat turf and ornamentals. For Chinch Bugs and Webworms use 4 1/2 tablespoons and treat as for Chiggers. For White Grubs and Wireworms use 8 tablespoons. Wash into soil immediately after application. Keep children and pets off lawn until watered in and dry.

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water.

Avoid contamination of feed and foodstuffs. Toxic to fish and wildlife. Do not contaminate ornamental fish ponds. Note: Birds feeding in treated areas may be killed. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not use in any manner not specified on this label. Do not reuse container. Destroy when empty.

Distributed by
LAND O'LAKES, INC.
 FORT DODGE, IOWA

NET CONTENTS

LAND O'LAKES

CHLORDANE
EMULSIFIABLE CONCENTRATE

Contains 4 Pounds Technical Chlordane Per Gallon
 For Lawn, Garden & Household Uses

INGREDIENT STATEMENT

ACTIVE INGREDIENTS:	
Technical Chlordane*	42.00%
Heavy Aromatic Naphtha	53.00%
INERT INGREDIENTS:	5.00%
	100.00%

*Equivalent to 25.2% Octachloro-4,7-methano-tetrahydroindane and 16.8% related compounds.

WARNING

KEEP OUT OF REACH OF CHILDREN
 See other warnings on side panel.
KEEP AWAY FROM HEAT AND OPEN FLAME

DIRECTIONS FOR USE

VEGETABLE GARDENS: For control of Wireworms, White Grubs, Cutworms and White Fringed Beetle larvae in beans, cabbage, potatoes, onions, lettuce, peppers, beets and okra, add 2 to 3 1/2 ounces of Chlordane EC to 2 gallons of water and spray to cover 1,000 square feet as a preplant soil treatment. Immediately incorporate into soil.

GRASSHOPPERS: Do not spray edible vegetables. Do not allow spray mist to drift onto garden area. To protect gardens spray waste vegetation adjacent to garden, using 3 tablespoons to 2 gallons of water to cover 1,000 square feet. Spray directly affected flowering plants and ornamentals.

TERMITES: Add 1 quart to 12 gallons water. For termite control, make a trench 30 inches deep for buildings with deep foundations. Apply a dosage of 1 gallon of mixture per linear foot for trenches over 18 inches deep but not over 30 inches deep. Apply 2 gallons per 5 linear feet in trenches not deeper than 18 inches around the foundation. Apply 1 gallon per 10 square feet as an overall treatment under the slab and under attached porches.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA Reg. No. 1381-51

K-8645A-J

Distributed by
LAND O'LAKES, INC.
 FORT DODGE, IOWA



Chlordane W40

WETTABLE POWDER

ACTIVE INGREDIENTS:	
*Technical Chlordane	40.00
INERT INGREDIENTS	60.00
TOTAL	100.00

(*Equivalent to 24% Octachloro-4,7-methanotetrahydroindane and 16% related compounds.)

Caution: Keep out of reach of children!

See side panel for additional ^{cautions.} warnings.

CAUTION:

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. Avoid contamination of feed and food stuffs. Do not apply to dairy animals, dairy barns, forage crops to be fed to dairy animals or animals being finished for slaughter.

CAUTION: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTE: Do not reuse empty container. Destroy by breaking or perforating and burying in non-crop lands away from water supplies.

NOTICE: Buyer assumes all risk of use, storage or handling of this product when not used in strict accordance with directions given herewith.

USDA REG. NO. 1348-215

NET CONTENTS 1 POUND

Agricultural Chemicals

8-10-71
1348-215

Webworms, and Webworms water for uni- if needed. For efficient water not allow chil- grass into soil

illions of water foundations of t as necessary.

me of planting pps. Broccoli, cfs. Potatoes, of 100 gallons For wireworms to 2 1/2 gals. of top 2-3 inches