

SANIMINT germicide and disinfectant has a pleasing mint odor. Can be used where clean and sanitary quarters are desired. Is very adaptable for use in public and private institutions.

**CAUTION:** For external use only. Harmful if swallowed. If swallowed give the following antidotes; milk, raw egg, mucilage and follow with an emetic (tablespoonful of mustard in a glass of warm water). Call a physician. Avoid inhalation of fumes as well as contact with skin. In case of contact, wash with large quantity of water.

**DIRECTIONS:** Place the SANIMINT in the container for the solution first, then add the water. Mix well.

TOILET ROOMS, TOILETS, URINALS, LAVATORIES, ETC.,

USDA Reg. No.

## LEADER IN QUALITY FOR OVER 60 YEARS

SANIMINT

Non-Selective

Bactericide

Cleaner - Deodorant

Active Ingredients - - - 39%

Isopropyl Alcohol

Vegetable Oil Soaps

o-Benzyl p-Chlorophenol

Methyl Salicylate

Essential Oils

Inert Ingredients

Water - - - - - 61%

Phenol Coef. A.O.A.C. Method

Salmonella typhosa 7.5

Staphylococcus aureus 9.5

Use Dilution, A.O.A.C. Method

Salmonella cholerasuis

1 to 150

Staphylococcus aureus

1 to 150

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

See label panel for additional cautions.

From the Laboratories of

**THE PARAWAX COMPANY**

**COUNCIL BLUFFS, IOWA**

Wash the receptacles, seats and floors regularly with a solution of 3 oz. SANIMINT to a gal. of water. Leave the solution in the bowls where convenient. Pour down the drains to help cleanse and deodorize.

**FLOORS:** When mopping or scrubbing, use 3 oz. of SANIMINT to a gal. of water.

**GENERAL DISINFECTING:** Clean to remove all dirt and film from the area or premises, then disinfect with a solution of 3 oz. of SANIMINT to a gal. of water.

Use a cupful of SANIMINT to 2 gal. of water for mopping scrubbing, sprinkling or cleaning purposes. SANIMINT can be used effectively in sanitariums, factories, schools, offices, theatres etc., in toilet rooms, lockers, shower rooms, etc., where clean and sanitary premises are desirable.

Net Contents:

ACCEPTED WITH COMMENTS

# 99 BUILDING DISINFECTANT

## Directions for Use

### DISINFECTION

#### BUILDINGS

Felco 99 Building Disinfectant is recommended for use in disinfecting stables, hog houses, farrowing equipment, barns, kennels, and livestock trucks. Keep your premises and equipment clean, and disinfect with Felco 99 as a preventive measure against the possible transmission of potential disease causing organisms on contaminated surfaces. For premise disinfection use 1 part of Felco 99 to 100 parts of water, or use 1 ¼ fluid ounces to one gallon of water, and apply it to floors, walls, ceilings, and livestock equipment until thoroughly wet. Application may be made by mopping, scrubbing, immersion, or by spraying.

#### WATERCLOSETS, SINKS, AND URINALS

Wash the closet and urinal bowls regularly with Felco 99 Building Disinfectant at the rate of ½ cup to 1 gallon of water. Scrub the floors frequently.

#### GARBAGE

To deodorize thoroughly moisten the garbage with ½ cup of Felco 99 Building Disinfectant in 10 quarts of water. Rinse the empty can with some of the solution and leave the wash in the can. This helps to prevent the breeding of flies.

#### WARNING

Felco 99 may be fatal if swallowed or absorbed through skin! May produce severe burns. Do not get into eyes, on skin or on clothing. Wash thoroughly after handling. Avoid breathing vapor fumes or spray mist. Keep away from children or domestic animals. Avoid contamination of food. If swallowed give white of egg, mucilage or starch paste as an antidote. Use 1 tablespoon of mustard in a glass of warm water as an emetic.

Do not store near fire or flame. Do not reuse container. Destroy when empty.

Do not use in milking stalls, milking parlors or milk houses. Remove all animals, and feeds from premises, cars, boats, trucks, coops, and crates. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering ap-

NET CONTENTS

LAND O LAKES®



FELCO®

99

BUILDING  
DISINFECTANT

**GARBAGE**  
To deodorize thoroughly moisten the garbage with 1/2 cup of Felco 99 Building Disinfectant in 10 quarts of water. Rinse the empty can with some of the solution and leave the wash in the can. This helps to prevent the breeding of flies.

**WARNING**

Felco 99 may be fatal if swallowed or absorbed through skin! May produce severe burns. Do not get into eyes, on skin or on clothing. Wash thoroughly after handling. Avoid breathing vapor fumes or spray mist. Keep away from children or domestic animals. Avoid contamination of food. If swallowed give white of egg, mucilage or starch paste as an antidote. Use 1 tablespoon of mustard in a glass of warm water as an emetic.

Do not store near fire or flame. Do not reuse container. Destroy when empty.

Do not use in milking stalls, milking parlors or milk houses. Remove all animals, and feeds from premises, cars, boats, trucks, coops, and crates. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Saturate all surfaces with accepted disinfecting solution. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers. Ventilate buildings, cars, boats, coops, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

**NOTICE**

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Phenol Coefficient at Least 5 by A.O.A.C. Method.

Distributed By  
**LAND O'LAKES, INC.**  
Fort Dodge, Iowa

**ACCEPTED**

*Aug 30 1977*

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 1381-74 SUBJECT  
TO ATTACHED COMMENTS.

**99**  
**BUILDING  
DISINFECTANT**

**ACTIVE INGREDIENTS — 90%**

Coal Tar Neutral Oils .....	63.0%
Soap .....	17.0%
Coal Tar Phenols .....	10.0%

**INERT INGREDIENTS — 10%**

Water .....	10.0%
<b>Total .....</b>	<b>100.0%</b>

**WARNING**  
**KEEP OUT OF THE REACH OF CHILDREN**  
See Other Warnings on Side Panel

NET CONTENTS

LAND O LAKES<sup>®</sup>



**99**  
**BUILDING**  
**DISINFECTANT**

**99 BUILDING DISINFECTANT**

**Directions for Use**

**DISINFECTION**

**BUILDINGS**

Felco 99 Building Disinfectant is recommended for use in disinfecting stables, hog houses, farrowing equipment, barns, kennels, and livestock trucks. Keep your premises and equipment clean, and disinfect with Felco 99 as a preventive measure against the possible transmission of potential disease causing organisms on contaminated surfaces. For premise disinfection use 1 part of Felco 99 to 100 parts of water, or use 1 1/4 fluid ounces to one gallon of water, and apply it to floors, walls, ceilings, and livestock equipment until thoroughly wet. Application may be made by mopping, scrubbing, immersion, or by spraying.

**WATERCLOSETS, SINKS, AND URINALS**

Wash the closet and urinal bowls regularly with Felco 99 Building Disinfectant at the rate of 1/2 cup to 1 gallon of water. Scrub the floors frequently.

**GARBAGE**

To deodorize thoroughly moisten the garbage with 1/2 cup of Felco 99 Building Disinfectant in 10 quarts of water. Rinse the empty can with some of the solution and leave the wash in the can. This helps to prevent the breeding of flies.

**WARNING**

Felco 99 may be fatal if swallowed or absorbed through skin! May produce severe burns. Do not get into eyes, on skin or on clothing. Wash thoroughly after handling. Avoid breathing vapor fumes or spray mist. Keep away from children or domestic animals. Avoid contamination of food. If swallowed give white of egg, mucilage or starch paste as an antidote. Use 1 tablespoon of mustard in a glass of warm water as an emetic.

Do not store near fire or flame. Do not reuse container. Destroy when empty.

Do not use in milking stalls, milking parlors or milk houses. Remove all animals, and feeds from premises, cars, boats, trucks, coops, and crates. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Saturate all surfaces with accepted disinfecting solution. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers. Ventilate buildings, cars, boats, coops, and other closed

# 99 BUILDING DISINFECTANT

## ACTIVE INGREDIENTS — 90%

Coal Tar Neutral Oil	63.0%
Soap	17.0%
Coal Tar Phenols	10.0%

## INERT INGREDIENTS — 10%

Water	10.0%
-------	-------

Total 100.0%

## WARNING

**KEEP OUT OF THE REACH OF CHILDREN**

See Other Warnings on Side Panel

## URINALS

Wash the closet and urinal bowls regularly with Felco 99 Building Disinfectant at the rate of 1/2 cup to 1 gallon of water. Scrub the floors frequently.

## GARBAGE

To deodorize thoroughly moisten the garbage with 1/2 cup of Felco 99 Building Disinfectant in 10 quarts of water. Rinse the empty can with some of the solution and leave the wash in the can. This helps to prevent the breeding of flies.

## WARNING

Felco 99 may be fatal if swallowed or absorbed through skin! May produce severe burns. Do not get into eyes, on skin or on clothing. Wash thoroughly after handling. Avoid breathing vapor fumes or spray mist. Keep away from children or domestic animals. Avoid contamination of food. If swallowed give white of egg, mucilage or starch paste as an antidote. Use 1 tablespoon of mustard in a glass of warm water as an emetic.

Do not store near fire or flame. Do not reuse container. Destroy when empty.

Do not use in milking stalls, milking parlors or milk houses. Remove all animals, and feeds from premises, cars, boats, trucks, coops, and crates. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Saturate all surfaces with accepted disinfecting solution. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers. Ventilate buildings, cars, boats, coops, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

## NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Phenol Coefficient at Least 5 by A.O.A.C. Method.  
EPA Reg. No. 1381-74 L-10161A-F

Distributed By  
**LAND O'LAKES, INC.**  
Fort Dodge, Iowa

NET CONTENTS

**DISINFECTANT**

**For Use**

**ON**

**S**  
is recommended for use in houses, farrowing pens, and livestock trucks. It is a fast-acting disinfectant that cleans, and disinfects, and is a preventive measure against bacterial disease causative organisms. For premise disinfection, use 99 to 100 parts of disinfectant to one gallon of water, and apply to walls, ceilings, and livestock. Application may be made by spraying, immersion, or

**TRUCKS, AND**

Wash regularly with disinfectant at the rate of 1/2 cup per gallon of water on floors frequently.

Disinfect the garbage with disinfectant in 10 to 20 parts per quart. You can use some of the disinfectant in the can. This helps to keep out flies.

**S**  
Allowed or absorbed disinfectant may cause burns. Do not get disinfectant on your face. Wash thoroughly with water after exposure to fumes or spray. Do not use on domestic animals. Burns caused by disinfectant may be treated with milk. Swallowed disinfectant gives white stools. Use milk as an antidote. Use a glass of warm water.

Do not reuse containers.

Do not use disinfectant in milking parlors or milk cans. Remove all manure from premises, crates, and other facilities and equipment. Empty all troughs and watering apparatus. Wash with disinfectant all floors, ropes and other

**LAND O LAKES®**



**FELCO**

**99**

**BUILDING  
DISINFECTANT**

**99 BU**

Felco 99 is used for disinfecting equipment. Keep your equipment clean and disinfect with Felco 99 to prevent the possibility of bacterial disease-causing organisms. For premise disinfection, use 99 to 100 parts of disinfectant to one gallon of water, or use as directed and apply to walls, ceilings, and livestock equipment. Application may be made by spraying.

**WA**

Wash the equipment with Felco 99 at the rate of 1/2 cup to 1 gallon of water.

To deodorize, use 1/2 cup of disinfectant per quart of water. The solution helps to keep out flies.

Felco 99 is used for disinfecting equipment. Keep your equipment clean and disinfect with Felco 99 to prevent the possibility of bacterial disease-causing organisms. For premise disinfection, use 99 to 100 parts of disinfectant to one gallon of water, or use as directed and apply to walls, ceilings, and livestock equipment. Application may be made by spraying.

Do not use disinfectant in milking parlors or milk cans. Remove all manure from premises, crates, and other facilities and equipment. Empty all troughs and watering apparatus. Wash with disinfectant all floors, ropes and other