

1381-182

9/26/2008

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SEP 26 2008

Alice Walker, Ph.D.
Agent for Winfield Solutions
3094 Country Club Road
Senatobia, MS 38668

Subject: Label Notifications for Pesticide Registration Notices 2007-4 and 98-10
(Revised Disclaimer Language)

Dear Dr. Walker:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 98-10 dated August 28, 2008 for:

EPA Registration 1381-182
EPA Registration 9779-363
EPA Registration 9779-357

Magic Carpet Fertilizer w/Barricade 0.21%
Magic Carpet Fertilizer w/Barricade 0.28%
Magic Carpet Fertilizer w/Barricade 0.38%

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 2007-4 and 98-10 and finds that the label changes requested falls within the scope of PR Notice 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1381-182	2. EPA Product Manager Joanne Miller	3. Proposed Classification ☒ None ☐ Restricted
4. Company/Product (Name) Magic Carpet Fertilizer with Barricade 0.21%	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Winfield Solutions, LLC, c/o Alice Walker 3094 Country Club Road Senatobia, MS 38668 ☐ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

NOTIFICATION

SEP 26 2008

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated _____
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application.
☒ Notification - Explain below.	☐ Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of new container disposal language per PRN 07-4. We have also revised the disclaimer which has been previously approved. This notification is consistent with the provisions of PR Notices 98-10 and 07-4 and EPA regulations at 40 CFR 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 98-10 and 07-4 and 40 CFR 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging ☐ Yes ☒ No	Unit Packaging ☐ Yes ☒ No	Water Soluble Packaging ☐ Yes ☒ No		☒ Metal	
				☒ Plastic	
				☒ Glass	
				☒ Paper	
				☐ Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information ☒ Label ☐ Container		4. Size(s) Retail Container 50 lbs.		5. Location of Label Directions ☒ On label	
6. Manner in Which Label is Affixed to Product ☐ Lithograph ☐ Paper glued ☐ Stenciled				☒ Other Flexography	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Alice Walker, Ph.D.		Title Registration Specialist		Telephone No. (Include Area Code) 662-562-5995	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Registration Specialist			
4. Typed Name Alice Walker, Ph.D.		5. Date 8-28-08			

3/13

WINFIELD™ SOLUTIONS

August 28, 2008

Document Processing Desk (Notif)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: Notification of Revised Container Disposal Language and Disclaimer per PRN 1998-10 and 2007-4

Magic Carpet Fertilizer with Barricade 0.21%, EPA Reg. No. 1381-182

Magic Carpet Fertilizer with Barricade 0.28%, EPA Reg. No. 9779-363


Magic Carpet Fertilizer with Barricade 0.38%, EPA Reg. No. 9779-357

This correspondence will constitute notification from Winfield Solutions, LLC of new container disposal language as required by PRN 2007-4. We have also revised the disclaimer under PRN 98-10. This disclaimer has been previously approved by the Agency.

These notifications are consistent with the guidance in PR Notices 1998-10 and 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for these products. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Thank you for adding these notifications to the registration records for these products.


Sincerely,



Alice Walker, Ph.D.
Registration Specialist
3094 Country Club Rd.
Senatobia, MS 38668
662-562-5995

Enclosures
cc: Annelle Finstad

winfieldsolutionsllc.com
mail: P.O. Box 64589 | MS 5705 | St. Paul, MN 55164-0589
ship: 1080 County Road F West | Shoreview, MN 55126-2910
p: 800-861-8810
Winfield Solutions, LLC | A Land O'Lakes Company



ProSource One

Magic Carpet™ FERTILIZER WITH BARRICADE® 0.21%

ACTIVE INGREDIENT:

Prodiamine¹..... 0.21%

OTHER INGREDIENTS: 99.79%

TOTAL..... 100.00%

¹CAS No. 29091-21-2

This product is a preemergence herbicide that provides residual control of many grass and broadleaf weeds in:

- Established turf grasses (excluding golf course putting greens) and lawns
- Landscape ornamentals
- Established perennials & wildflower plantings

NOTIFICATION

SEP 26 2008

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

If Swallowed	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-424-7452 for emergency medical treatment information. You may also contact 1-877-424-7452 for emergency medical treatment information.	

EPA Reg. No. 1381-182

EPA Est. No. _____

Distributed By:

Winfield Solutions, LLC

P.O. Box 64589, St. Paul, MN 55164-0589

NET WEIGHT _____

0/0828/8

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

If material is spilled: Contain and sweep up material of spill for disposal as per label instructions. Wash cleanup equipment to prevent contamination elsewhere. Excess quantities above normal application rates could result in damage to plants subject to spill. Water-in remainder, disc under, cover with layer of soil, or leave exposed to sunlight, as deemed appropriate to the situation.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE

Store in original container away from other fertilizer, feed, or foodstuffs and separated from other pesticides.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Paper and plastic bags: Nonrefillable Container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

This product is a preemergence herbicide that provides residual control of many grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns, landscape ornamentals, and established perennials & wildflower plantings.

This product controls susceptible weeds by inhibiting weed seed germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days following application.

Failure to follow the directions for use and precautions on this label may result in poor weed control, crop injury, or illegal residues.

APPLICATION DIRECTIONS

This product must be applied prior to crabgrass seed germination and prior to germination of seed of the other weeds listed on this label. Apply uniformly through suitable, calibrated application equipment.


ESTABLISHED TURF

This product is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grasses and lawns. The maximum amount of this product that may be applied per year is given for each turf grass species in Table 1. Maximum Annual Rates on this label.

Most effective weed control in turf grasses will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabgrass seed germination dates.

CRABGRASS GERMINATION DATES

Approximate Date



May 30



May 10



April 20



March 20



Jan 1 to March 20

USE PRECAUTIONS

The following precautions apply to the use of this product in turf grasses and lawns:

1. Do not graze or feed livestock forage cut from areas treated with this product.
2. Do not use on food producing plants.
3. Do not apply this product through any type of irrigation system.
4. Do not apply aerially.
5. Do not apply to golf course putting greens.
6. Application of this product may thin emerged annual bluegrass and newly overseeded grasses.
7. Do not apply to over seeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.
8. Do not cut (harvest) treated sod before 120 days after application. Do not apply to newly set sod until the following year.
9. Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.
10. Disturbing the herbicide barrier with cultural practices, such as diking may result in reduced weed control.
11. Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass, or annual bentgrass (*Poa annua*) are desirable species.
12. Keep this product off sidewalks, patios, driveways, etc. This product contains materials which will stain concrete and painted surfaces. If it comes in contact with a concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter product beyond lawn edge and onto concrete.

RATES OF APPLICATION

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds. Do not exceed the Maximum Annual Rate per calendar year (See Table 1.)

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

MAXIMUM ANNUAL RATES

This product is recommended for use on the turf grass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table:

Table 1. Maximum Application Rates ¹		
Turf Species:	Lbs. Product/A	Lbs. a.i./A
Bermudagrass ² Bahia grass Centipedegrass Seashore Paspalum St. Augustinegrass Tall Fescue (including turf-type) Zoysia	715 ³	1.5
Buffalograss Kentucky Bluegrass Perennial Ryegrass	475	1.0
Creeping Red Fescue	355	0.75
Creeping Bentgrass	310	0.65

¹ These are the maximum rates per calendar year by species limitations.

² May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 248 lbs./A. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Foxtail, Goosegrass, and Rescuegrass due to reduced product rates used in sprigging situations.

³ Do not apply more than 715 lbs./A (1.5 lb. a.i./A) of this product per calendar year.

- Use higher rates of this product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the maximum application rates specified in Table 1. Maximum Application Rates.

WEEDS CONTROLLED

When used in accordance with this label this product will provide control of the following weeds:

Barnyardgrass
Bluegrass, Annual (*Poa annua*)
Crabgrass (large, smooth)
Crowfootgrass
Cupgrass, Woolly
Foxtails, Annual
Goosegrass¹
Itchgrass
Johnsongrass (from seed)
Junglerice
Lovegrass
Panicum (Texas, Fall, Browntop)
Rescuegrass³

Carpetweed
Chickweed, Common
Chickweed, Mouseear (from seed)
Henbit
Knotweed
Kochia
Lambsquarter, Common
Pigweed
Purslane, Common
Pusley, Florida
Shepherd's purse²
Speedwell, Persian
Spurge, Prostrate

Signalgrass, Broadleaf
Sprangletop

Witchgrass
Woodsorrel, Yellow (from seed)

¹In many areas a single application of 310 to 715 lbs./A of this product will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained by making an initial application of 310 to 475 lbs./A followed after 40 to 60 days by a second application at doses that would not exceed those given in Table 1. **Maximum Application Rates.** Do not exceed the maximum rate for turf grass species listed in Table 1. **Maximum Application Rates.**

²Applications for Shepherd's purse should be made in late summer, fall, or winter prior to germination.

³Suppression only on rescuegrass.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of the weed seeds.

WHEN TO OVERSEED AFTER APPLICATION

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

TABLE 2. Months After Application Before Overseeding.

Rate Lbs. Product/A	North	Transition	South
240	4	4	4
310	5	4	4
355	6	5	5
380	---	6	6
475	---	7	7
540	---	---	9
620	---	---	10
715	---	---	12

LANDSCAPE ORNAMENTALS

(including Established Perennials and Wildflower Plantings)

This product may be applied for residual preemergence weed control in ornamentals.

USE RATES

Apply this product at 310 to 715 lbs./A (7 lbs. to 16 lbs. per 1,000 sq. ft.) of landscape plants in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 715 lbs./A.

APPLICATION TIMING AND INFORMATION

This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation, or with shallow (1 to 2 inches) mechanical incorporation, prior to weed seed germination and within 14 days following application.

Apply uniformly to the surface of the soil in ornamental planting beds with a granular applicator. Calibrate granular applicator per manufacturer's instructions to assure appropriate dosage. To assure that the product is applied at the proper rates, apply at a rate of 4 lbs. per 1,000 sq. ft. or for flowerbeds, use 6.4 oz. per 100 sq. ft.

Best weed control is obtained when this product is applied to soil free of clods, weeds, and debris such as leaves. Prior to application of this product, control existing vegetation by hand weeding, cultivation, or the use of an appropriate postemergence herbicide.

ESTABLISHED LANDSCAPE ORNAMENTALS

This product may be applied to established ornamentals as a broadcast, over the top, or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil.

NEWLY TRANSPLANTED LANDSCAPE ORNAMENTALS

This product may be applied to newly transplanted ornamentals as a broadcast, over the top, or directed application. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union.

TOLERANT ORNAMENTAL SPECIES

This product will not harm most trees, shrubs, vines, and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species.

When plants are under stress (such as heat, drought, or frost damage) some cultivars of listed plants may be sensitive to this product.

Scientific name

Abies spp.
Abelia grandiflora
Acer palmatum
A. platanoides
Achillea spp.
Actinidia chinensis
Agapanthus africanus
Agapanthus orientalis
Akebia quintata
Allium cernuum
Anemone hybrida
Aquilegia spp.
Arctostaphylos densiflora
Arctotheca calendula
Artemisia spp.
Aster spp.
Aster X Frikartii
Athrium Filiz-femina
Aucuba japonica
Begonia spp.
Berberis gladwynensis
B. julianae
B. mentorensis
B. thunbergii
B. verruculosa
Bergenia cordifolia
Boltonia asteroides
Bougainvillea spp.
Buddleia davidii
Buxus microphylla
Callistemon viminalis
Calluna vulgaris
Campanula carpatia
Campis X Tagliabuana

Carpobrotus edulis
Cassia artemisoides
Ceanothus rigidus

Common name

Fir species** (Balsam, Fraser, Noble, etc.)
 Abelia: Sherwood
 Japanese Maple
 Norway Maple
 Yarrow: King Edward
 Kiwi*
 Lily-of-the-Nile (African Lily)

 Five-Leaf or Chocolate Vine
 Lady's Leek, Nodding Onion
 Japanese Anemone
 Aquilegia: Red and Gold
 Vine Hill Manzanita
 Cape Weed
 Wormwood: Silver Mound, Castle
 Aster: Bonny Blue, Purple Dome

 Lady Fern: Fern Lady
 Japanese Aucuba
 Fibrous Begonia: Hardy Grandis
 Barberry
 Wintergreen Barberry
 Mentor Barberry
 Japanese Barberry
 Warty Barberry

 Snowbank
 Bougainvillea
 Butterfly-Bush (Dwarf Blue): Royal Red
 Japanese Boxwood
 Weeping Bottlebrush
 Scotch Heather
 Tussock Bellflower, (White Clips)
 Trumpet Creeper, Trumpet Flower
 Madame Galen
 Hottentot Fig (Ice Plant)
 Feathery Cassia
 Wild Lilac

Ceratostigma plumbagonoides
Chamaecyparis pisifera
Chrysanthemum nipponicum
Cleyera japonica
Citrus spp.
Coreopsis spp.
Cornus florida
C. stolonifera
Cortaderia selloana
Cotoneaster apiculatus
C. buxifolius
C. dammeri
C. microphyllus
Cretaeus spp.
Crocasmia spp.
Cupressus sempervirens
Delosperma alba
Delosperma spp.
Delphinium spp.
Dianthus deltoides
D. gratianopolitanus
Dodonea viscosa
Echinacea purpurea
Elaeagnus pungens
Euonymus fortunei
E. japonica
E. kiautschovica
Fatsia japonica
Forsythia intermedia
F. suspensa
F. viridissima
Gaillardia spp.
Gardenia jasminoides
Gaura spp.
Gentiana dahurica
Geranium cinereum
Gladiolus spp.
Gypsophila repens
Hedera helix
Hellanthemum spp.
Heimerocallis spp.
Hibiscus
Hibiscus spp.
Hibiscus rosa-sinensis
Hosta plantaginea
H. Sieboldiana
Houttuynia cordata var. *variegata*
Hydrangea macrophylla
Ilex cornuta
I. crenata
I. opaca
I. perryi
I. vomitoria
Inula ensifolia
Iris ensata
Iris siberica
Iris spp.
Jasminum nudiflorum

False Cypress

Cleyera
Citrus species*
Coreopsis (*Calliopsis*): Early Sunrise, Moonbeam
Flowering Dogwood
American Dogwood
Pampas Grass
Cranberry Cotoneaster
Cotoneaster
Bearberry Cotoneaster
Rockspray Cotoneaster
Hawthorn
Lucifer
Italian Cypress
White Trailing Ice Plant
Cooperi Pink
Larkspur: Blue Elf
Dianthus: Maiden Pinks "Zing"
Cheddar Pink
Hop Bush
Coneflower, Purple, Magnus
Silverberry
Wintercreeper
Japanese Spindle Tree (Evergreen *Euonymus*)
Spreading *Euonymus*
Japanese Aralia
Border Forsythia
Weeping Forsythia
Greenstem Forsythia
Gaillardia: Blanket Flower, "Goblin"
Gardenia, Cape-Jasmine, *Radicans*

Gentian
Cranesbill
Gladiolus species**
Baby's Breath
English Ivy
Sunrose
Daylily: Aztec Gold, Stella de Oro, Tender Love
Rose of Sharon**
Mallow: Disco Belle White
Chinese Hibiscus
Hosta, Plantain Lily (Fragrant)
Hosta, "Searsucker"

Bigleaf Hydrangea
Chinese Holly
Japanese Holly: Helleri
American Holly
Holly
Yaupon Holly: Schillings

Sword-Leaved *Iris*: Jodlesong
Siberian *Iris*: Cabernet
Iris species**
Winter Jasmine

Juniperus chinensis
J. conferta
J. horizontalis
Juglans spp.
Justicia brandegeana
Lagerstromia indica
Lagerstromia indica X *Fauriei*
Lantana montevidensis
Lavender spp.
Leontopodium alpinum
Ligustrum sinense
Ligustrum amurense
L. japonicum
L. lucidum
Lilium spp.
Liriope muscari

Liriope Muscari var. *variegata*
Liriope spicata
Lobelia Cardinalis
Lonicera japonica
L. tatarica
Loropetalum chinense
Lythrum spp.
Magnolia spp.
Maleophora luteola
Malus spp.
Miscanthus sinensis
Nandina domestica
Narcissus spp.
Nerium oleander
Olea europaea
Ophiopogon japonicus
Osmanthus heterophyllus
Osteospermum fruticosum
Oxydendrum arboreum
Paeonia suffruticosa
Pennisetum setaceum
Perovskia atriplicifolia
Persea americana
Photinia fraseri
Physotegia Virginiana
Picea spp.
Pieris japonica
Pinus brutia
P. canariensis
P. elliotii
P. halepensis
P. nigra
P. palustris
P. radiata
P. thunbergiana
P. strobus
P. sylvestris
P. taeda
P. virginiana
Pistachio spp.
Pittosporum rhombifolium

Chinese Juniper: Nick's Compact, Parsonnii
 Shore Juniper: Blue Pacific
 Creeping Juniper
 Walnut*
 Shrimp Plant
 Crape Myrtle
 Crape Myrtle: Tuscarora
 Weeping Lantana
 Lavender: Munstead
 Edelweiss
 Chinese Privet: Variegata
 Amur Privet
 Japanese Privet
 Glossy Privet (Waxleaf)
 Lily; Jazz
 Big Blue Lily; Turf: Silver Mound: Evergreen
 Giant
 Liriope, Variegated
 Liriope, Creeping
 Cardinal Flower, Indian Pink
 Japanese Honeysuckle
 Tatarian Honeysuckle
 Burgundy
 Loosestrife: Modern Pink
 Magnolia species**
 Ice Plant
 Crabapple*
 Yaku Jima, Silberfeder
 Heavenly Bamboo
 Narcissus species**
 Oleander
 Olive*
 Mondo Grass
 Osmanthus (False Holly): Gulf Tide
 Trailing African Daisy
 Sourwood
 Tree Peony
 Fountain Grass (Dwarf)

Avocado*
 Frasier's Photinia (Redtip)
 Dragonhead, False: Vivid
 Spruce species** (Colorado Blue, Norway, etc.)
 Lily-of-the-Valley Bush
 Calabrian Pine
 Canary Island Pine
 Slash Pine
 Aleppo Pine
 Austrian Pine
 Longleaf Pine
 Monterey Pine
 Japanese Black Pine
 Eastern White Pine
 Scotch Pine
 Loblolly Pine
 Virginia Pine
 Pistachio*
 Queensland Pittosporum


P. tobira
Podocarpus macrophyllus
Prunus laurocerasus
Prunus spp.

Pseudotsuga menziesii
Pyracantha coccinea
P. fortuneana
P. koidzumii
Pyrus spp.
Quercus Shumardii
Quercus spp.
Raphiolepis indica
Raphiolepis umbellata
Rhododendron
(including Azalea)

Rosmarinus officinalis
Rudbeckia spp.
Santolina virens
Saxifraga spp.
Scabiosa spp.
Sedum album
Sedum caudicicola
Sedum dasyphyllum
Sedum spurium
Spiraea Bumalda
Syzygium paniculatum
Taxus cuspidata
T. media
Teucrium spp.
Thalictrum dipterocarpum
Thuja occidentalis
Trachelospermum asiaticum
Tsuga canadensis
Tulipa spp.
Veronica spp.
Viburnum japonicum
V. odoratissimum
V. plicatum
V. rigidum
V. suspensum
V. tinus
V. trilobium
V. wrightii
Vinca major
Vinca minor
Vitis spp.
Weigela florida
Yucca aloifolia
Y. filamentosa

Japanese Pittosporum
Japanese Yew
English Laurel
Almond, Apricot, Nectarine,
Peach, Plum and Prune*
Douglas Fir**
Firethorn (Scarlet)
Firethorn
Firethorn
Bradford Pear sp.
Oak, Shumard's Red
Oak species
Indian Hawthorn
Yedda Hawthorn
Coral Bells, Delaware Valley White, Flame
Creeper, Formosa, George L. Tabor, Girard
Crimson, Hino-crimson, PJM, Roseum Elegans,
Wakeiebisu, White Gumpo
Rosemary*
Black-Eyed Susan, Goldstrum
Santolina
Saxifrage: Purple Dome
Pincushion Flower
Stonecrop
Stonecrop: Lidakense
Stonecrop
Stonecrop: Dragon's Blood
Spirea: Anthony Waterer
Australian Brushcherry
Japanese Yew
Yew
Germander
Meadow Rue
American Arborvitae
Star Jasmine
Canada Hemlock
Tulip species
Veronica, Speedwell: Sunny Border
Japanese Viburnum
Sweet Viburnum
Japanese Snowball
Canary Island Viburnum
Arrowood Viburnum
Laurustinus
Cranberry Bush
Leatherleaf Viburnum
Greater Periwinkle, Vinca
Common Periwinkle, Vinca
Grape*
Old Fashioned Weigela
Spanish Bayonet, Yucca
Adam's Needle, Yucca

*Do not use on food-producing trees, vines, or plants.
**Not for use on container-grown plants.



WARRANTY DISCLAIMER

Winfield Solutions, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

The directions for use of this product must be followed carefully. EXCEPT AS PROVIDED ABOVE AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Barricade® is a registered trademark of Syngenta.

Magic Carpet™ is a trademark of Winfield Solutions, LLC.

GUARANTEED FERTILIZER ANALYSIS: (To be attached to final printed labeling)

X-X-X *	
Total Nitrogen (N)	X.XX%
Available Phosphate (P ₂ O ₅)	X.XX%
Soluble Potash (K ₂ O)	X.XX%
Chlorine not more than X.X%	
Derived from xxxxxxxxxxxxxxx.	

* [Editor's Note: all information will vary depending on grade used]