



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
1381-198

Date of Issuance:
APR 3 2006

NOTICE OF PESTICIDE:
 x Registration

 Reregistration

(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product:
Execute S-P Insecticide

Name and Address of Registrant (include ZIP Code):

Agriliance, LLC
c/o Alice Walker Consulting
Country Club Drive
Senatobia, MS 38668

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Revise the EPA Registration Number to read, "EPA Reg. No. 1381-198".

Signature of Approving Official

Joanne S. Edwards

Joanne Edwards
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date

APR 3 2006

2 8 10

2. The plant residue study submitted to SRRD on July 8, 2003 and the 21-day dermal toxicity study submitted to SRRD on December 12, 2002 have not yet been reviewed. Your label directions for use which (a) do not require closed systems as was required in the IRED for containers of 64 oz or less and (2) allow treated seed to be planted are conditionally registered pending review and evaluation of these studies.

3. The label must bear the spanish text "PELIGRO" "Si usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)"

4. Submit two (2) copies of your final printed labeling before you release the product for shipment.

Registration Support Branch
Registration Division (7505C)
Office of Pesticide Programs
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue NW,
Washington, DC 20460-0001

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 308-6249.

Enclosure : stamped label

3 7 10
ACCEPTED
with COMMENTS
In EPA Letter Dated:
APR 3 2006



Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1381-198

EXECUTE S-P™ INSECTICIDE

**FOR CONTROL OF INSECTS IN STORED CORN (FIELD, SEED, AND POP)
 AND GRAIN SORGHUM
 (Including Bulk or Bagged Seed)**

EXECUTE S-P is a broad-spectrum insecticide that utilizes two active ingredients for dual mode-of-action insect control. This twin-chambered bottle contains 28 fl. oz. of Actellic 5E (pirimiphos-methyl insecticide) and 18 fl. oz. of SpinTor 2SC (spinosad insecticide) and will treat 5,000 bushels (140 tons) of grain. Do not use either component separately. This product is only to be mixed together for use on stored corn and grain sorghum.

ACTIVE INGREDIENT:

Spinosad (a mixture of spinosyn A and spinosyn D) 22.8%

OTHER INGREDIENTS: 77.2%

TOTAL..... 100.0%

Contains 2 pounds active ingredient per gallon.
 U.S. Patent Nos. 5,362,634 and 5,496,931

ACTIVE INGREDIENT:

Pirimiphos-methyl
 0-(2-(diethylamino)-6-methyl-4-pyrimidinyl)0,0-dimethyl phosphorothioate 57.0%

OTHER INGREDIENTS: 43.0%

TOTAL..... 100.0%

Contains 5 pounds active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

FIRST AID FOR PIRIMIPHOS-METHYL (Organophosphate)

If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

4 8 10

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **HOTLINE NUMBER:** In case of emergency involving pirimiphos-methyl, call toll-free 1-877-424-7452. In case of emergency involving spinosad, call 1-800-992-5994. For information, visit the website at dowagro.com.

NOTE TO PHYSICIAN: This insecticide contains an organophosphate (pirimiphos-methyl) and a mixture of macrocyclic lactones (spinosad). Pirimiphos-methyl is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Give 2 mg. of atropine intramuscularly or subcutaneously and repeat if symptoms of poisoning reappear. Pralidoxime (2 PAM) may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

Actellic 5E contains petroleum distillate. Vomiting may cause aspiration pneumonia.

See side panel for additional precautionary statements.

EPA Reg. No. 1381-

EPA Est No. _____

Distributed By:
Agriliance, LLC
P.O. Box 64089
St. Paul, MN 55164-0089
Web: www.agriliance.com

Net Contents
_____ Gals.
0/C24/6

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

Danger

Corrosive. Causes irreversible eye damage. Do not get in eyes. Wear goggles or face shield when handling. Harmful if swallowed. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminate or viton. If you want more options, follow the instructions for category G on an EPA chemical-resistant category selection chart.

Mixers, loaders, and other handlers supporting admixture seed and/or grain treatments must wear:

- Long sleeve shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves
- Protective eyewear

See engineering controls for additional requirements.

All other mixers, loaders, applicators and other handlers must wear:

- Coveralls over long sleeve shirt and long pants
- Chemical-resistant footwear plus socks
- Chemical-resistant gloves
- Protective eyewear

In addition, mixers and loaders must wear:

- Chemical-resistant apron

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticides get inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwater or rinsate.

In case of a significant spill, call CHEMTREC (800) 424-9300.

Physical or Chemical Hazards

Do not use or store near heat or open flame. Shake well before use. Avoid freezing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not enter treated areas or have contact with treated grain or seed until sprays have dried.

6 8 10

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not make more than one application per crop. Only treat corn or sorghum which has not previously been treated with any pirimiphos-methyl containing product.

Do not allow this product to drift.

APPLICATION DIRECTIONS

EXECUTE S-P Insecticide contains 28 fl. oz. of pirimiphos-methyl insecticide and 18 fl. oz. of spinosad insecticide packaged in a divided container for the control of damaging insects in stored corn and sorghum. The two products must be mixed with water and applied to corn and sorghum as grain enters storage or export containers. The products must be used together. This container will treat 5,000 bushels or 140 tons of grain.

Thoroughly clean and treat grain storage areas prior to storage of grain with a protectant with a different mode of action.

ADMIXTURE TREATMENT

The best practice to protect stored corn and grain sorghum from insect infestation is to use an admixture treatment of EXECUTE S-P Insecticide. Treatment can only be used if the corn or grain sorghum has not previously received an application of EXECUTE S-P Insecticide, pirimiphos-methyl insecticide, or spinosad insecticide.

Apply spray solution uniformly with suitable application equipment as grain enters storage or export containers. Select nozzle size and operating pressure to adjust the application rate with flow of grain. Prepare desired dilution of EXECUTE S-P Insecticide in spray tank and mix well. Make sure spray solution stays mixed, especially in large holding tanks. Apply the spray solution as a coarse, uniform low pressure spray in order to minimize drift. Shield nozzle if necessary. Apply the specified amount of EXECUTE S-P Insecticide in 5 gallons of water or 3-5 gallons of at least twice-refined soybean oil to each 28 tons (56,000 pounds) of grain according to the following rates.

	Fluid Ounces		ppm Concentration	
	Actellic® 5E	SpinTor® 2SC	Actellic® 5E	SpinTor® 2SC
Shelled Corn (field corn, seed corn, popcorn)	5.6	3.6	3.65	1
Grain Sorghum	5.6	3.6	3.65	1
	No. of Bushels Approximately Equal to 28 Tons of Grain			
Shelled Corn (field corn, seed corn, popcorn)	1,000			
Grain Sorghum	1,000			

INSECTS CONTROLLED WITH EXECUTE S-P INSECTICIDE

COLEOPTERA		LEPIDOPTERA
Cigarette beetle	Maize weevil	Almond moth
Confused flour beetle	Merchant grain beetle	Angoumois grain moth
Corn sap beetle	Red flour beetle	Indian meal moth
Flat grain beetle	Rice weevil	Rice moth
Granary weevil	Rusty grain beetle	
Hairy fungus beetle	Sawtoothed beetle	
Lesser grain borer		

REMARKS AND RESTRICTIONS

- Grains treated with EXECUTE S-P Insecticide at rates indicated on this label may be used immediately for any food, feed, or oil purpose.
- Always start with clean storage bins.
- Do not treat grain more than once.

- When drying grain, apply EXECUTE S-P after the grain has cooled.
- Do not use as a top dressing treatment.
- Maintain accurate records, especially if commodity is destined for export.
- Calibrate spray equipment and periodically check in order to ensure proper spray rates.
- Do not store diluted EXECUTE S-P Insecticide in spray tank more than 48 hours before use.
- Avoid severely dusty application sites.
- Applications of EXECUTE S-P Insecticide include stored bulk or bagged seed corn and sorghum grain.
- EXECUTE S-P is only to be used as grain enters storage or export containers. It is not meant to be used as a seed treatment for control of soil insects.
- International tolerances and residue limits for crops and commodities treated with this product may not yet be established in one or more countries outside the United States. For this reason, this product should be used only on crops and commodities intended for consumption in the United States or on crops and commodities that will be imported to a country(ies) where you have confirmed the specific import residue policies and applicable residue limits permit such import.
- For further information, contact your local Agrilience dealer or representative.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Store in a cool place and protect from freezing. If accidentally frozen, reconstitute by gently warming to room temperature and thoroughly mixing contents. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT INFORMATION READ BEFORE USING PRODUCT

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. The Directions for Use of this product reflect the opinion of experts based on field use and tests. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Agrilience, LLC or Seller. Handling, storage, and use of the product by Buyer or User are beyond the control of Agrilience, LLC and Seller. To the extent allowed by law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Agrilience, LLC and Seller harmless for any claims relating to such factors.

Agrilience, LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the

control of Seller or Agriliance, LLC, and Buyer and User assume the risk of any such use. TO THE EXTENT ALLOWED BY LAW, AGRILIANCE LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent allowed by law, Agriliance, LLC or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF AGRILIANCE LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE, AT THE ELECTION OF AGRILIANCE LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT, OR COMPENSATION LIMITED TO DAMAGES NOT EXCEEDING THE FAIR MARKET PURCHASE PRICE, AND SHALL NOT INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES.**

Agriliance, LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by the duly authorized representative of Agriliance, LLC.

Actellic® is a registered trademark of a Syngenta Group Company.

AgriSolutions™ and EXECUTE S-P™ are trademarks of Agriliance, LLC.

Spintor® is a registered trademark of Dow AgroSciences.

9 8 10

**This larger compartment contains
Actellic 5E Insecticide (straw- colored liquid)**

ACTIVE INGREDIENT:

Pirimiphos-methyl
0-(2-(diethylamino)-6-methyl-4-pyrimidinyl)0,0-dimethyl phosphorothioate.....57.0%

INERT INGREDIENTS:.....43.0%

TOTAL.....100.0%

Contains 5 pounds active ingredient per gallon.

EPA Reg. No. 1381-170

**KEEP OUT OF REACH OF CHILDREN
DANGER/PELIGRO**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes. Wear goggles or face shield when handling. Harmful if swallowed. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

See pamphlet for additional precautionary information and for full directions for use.

Net Contents 28 fl. oz.

10.8.10

**This smaller compartment contains
SpinTor® 2SC (off-white color liquid)**

ACTIVE INGREDIENT:

Spinosad (a mixture of spinosyn A and spinosyn D).....22.8%

INERT INGREDIENTS:.....77.2%

TOTAL.....100.0%

Contains 2 pounds active ingredient per gallon.
U.S. Patent Nos. 5,362,634 and 5,496,931

EPA Reg. No. 62719-294

KEEP OUT OF REACH OF CHILDREN

See pamphlet for additional precautionary information and for full directions for use.

Net Contents 18 fl. oz.