



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

_ 1 APR 2008

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Glenda Haage Winfield Solutions P.O. Box 64589 St. Paul, MN 55164-0589

Dear Ms. Haage:

Subject:

Supplemental Labeling - Adding New Uses

Section 2 EC Herbicide

EPA Registration No. 1381-204

Your Submission Dated March 18, 2008

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
- 2. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Within 18 months of the date of this acceptance letter, incorporate the new uses on this supplemental labeling on to the Master Label for this product.

The revised basic formula submitted with the subject submission dated March 18, 2008 and alternate formulas A & B dated February 2, 2006 are acceptable and have been included in the files for this product. They supersede all previously accepted ones.

If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,

Joanne I. Miller

Product Manager (23)

Herbicide Branch

Registration Division (7505P)

vanne J. Miller

Enclosure

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR THIS PRODUCT BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABEL

When using this product as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

ACCEPTED

_1 APR 2008

Section 2EC Herbicide

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Rog. No. EPA Reg. No. 1381-204

KEEP OUT OF REACH OF CHILDREN.

1381-204

CAUTION

In case of an emergency involving this product, Call CHEMTREC toll free at 1-800-424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This label must be in the possession of the user at the time of application.

CROPS	MINIMUM TIME FROM APPLICATION TO HARVEST (phi)	USE RATES PER ACRE	CROP OIL CONCENTRATE RATES PER ACRE	SPECIAL USE INSTRUCTIONS
Legume Vegetables, Edible Podded, including: Bean (Phaseolus spp.) Runner Snap Wax Bean (Vigna spp.) Asparagus Chinese Longbean Moth Yardlong Jackbean Pea (Pisum spp.) Dwarf Edible-pod Snow Sugar Snap Pigeon Sword Bean	21 days	6-8 fl. oz.	1% v/v in the finished spray volume	Do not apply more than 8 fl. oz./A in a single application. Do not apply more than one (1) application per acre per season. For peas apply before bloom but no later than 21 days before harvest. Adding AMS has shown improved grass control for difficult to control species, including: quackgrass, red rice, rhizome Johnsongrass, volunteer cereals, volunteer corn and wild oats.
Lentils	30 days	6-16 fl. oz.	1 qt. by ground or 1% v/v, but not less than 1 pt./A, by air	Do not apply more than 16 fl. oz/A in a single application. A minimum 14-day interval required for repeat applications.

CROPS	MINIMUM TIME FROM APPLICATION TO HARVEST (phi)	USE RATES PER ACRE	CROP OIL CONCENTRATE RATES PER ACRE	SPECIAL USE INSTRUCTIONS
Bean, Succulent, including: Bean (Phaseolus spp.) Broad Bean (succulent) Lima (dry) Bean (Vigna spp.) Black-eyed Pea Cowpea Southern Pea	21 days	6-8 fl. oz.	1 qt. by ground or 1% v/v, but not less than 1 pt./A. by air	For reduced rate recommendations for the control of small annual grasses, refer to the appropriate Table. Do not apply more than one (1) application per acre per season. Adding AMS has shown improved grass control for difficult to control species, including: quackgrass, red rice, rhizome Johnsongrass, volunteer cereals, volunteer corn and wild oats.
Pea, Dry Shelled, including: Pea (<i>Pisum</i> spp.) Field Pigeon	30 days	6-8 fl. oz.	1 qt. by ground or 1% v/v, but not less than 1 pt./A by air	Do not apply more than 8 fl. oz./A. in a single application. Do not apply more than one (1) application per acre per season. For peas apply before bloom, but no later than 30 days before harvest. Adding AMS has shown improved grass control for difficult to control species, including: quackgrass, red rice, rhizome Johnsongrass, volunteer cereals, volunteer corn and wild oats.
Pea, Succulent, including: Pea (Pisum spp.) English Pea Garden Pea Green Pea Pigeon Pea	21 days	6-8 fl. oz.	1 qt. by ground or 1% v/v,, but not less than 1 pt./A. by air	Do not apply more than 8 fl. oz./A in a single application. Do not apply more than one (1) application per acre per season. For peas apply before bloom, but no later than 30 days before harvest. For reduced rate recommendations for the control of small annual grasses, refer to the appropriate Table. Adding AMS has shown improved grass control for difficult to control species, including: quackgrass, red rice, rhizome Johnsongrass, volunteer cereals, volunteer corn and wild oats.

Manufactured for: Winfield Solutions , LLC P.O. Box 64589 St. Paul, MN 55164-0589

PROP 1-17-08