

UNICO Sodium Arsenite Weed Killer Solution

DIRECTIONS FOR USE


DO NOT USE OR STORE THIS PRODUCT IN OR AROUND THE HOME. DO NOT USE IN AREAS ADJACENT TO OR NEAR RESIDENCES OR OTHER BUILDINGS OCCUPIED BY HUMANS OR BENEFICIAL ANIMALS. DO NOT ALLOW DOMESTIC ANIMALS TO GRAZE TREATED AREAS OR OTHERWISE TO HAVE ACCESS TO TREATED AREAS. USE ONLY WHERE THE SOIL CAN BE POISONED AND NO PLANT GROWTH IS WANTED FOR A PERIOD OF SEVERAL MONTHS TO A YEAR OR LONGER. KILLS VEGETATION GENERALLY. DO NOT USE ON OR NEAR DESIRABLE PLANTS.


For industrial sites such as lumber yards and tank farms, firelanes, fence rows, and similar non-productive areas on non-crop land from which children and domestic animals are or will be completely excluded:

TO POISON SOIL AND PREVENT PLANT GROWTH FOR 1 TO 2 YEARS-Dilute I part of product with 10 parts of water (1 quart in 2½ gailons of water) and apply at t. . rate of 2% gallons of the diluted mixture per 50 square feet of soil surface. Apply with a fine-spray sprinkling can to drench the soil surface. Apply when weed growth is just starting, or the soil should be hold bare of weeds prior to application. If the soil is dry, it should be sprinkled thoroughly before application. When soil is properly treated, growth of most vegetation will be prevented for 1 to several years, except established deep-rooted perennials such as wild morning glory, Bermuda grass, and Johnson gross which may require repeated treatments.

TO KILL ANNUAL WEEDS AND TOP GROWTH OF PERENNIAL WEEDS-Dilute 1 part of product with 40 parts of water (1 quart in 10 gallons of water) and apply at the rate of 10 gallons of the diluted mix: re to 100 to 125 square feet of area. Apply with a garden sprayer (coarse nozzle) or fine-spray sprinkling can to wet thoroughly all leaves, stems, and root crowns. Apply when unwanted plant growth is young, although application may be made any time during the growing season if the weeds are thoroughly wet with the solution. Tall thick weeds and grass should be cut and removed before treatment. Repeat if new growth occurs during the season.

TO KILL TREES AND STUMPS—Cut deep gashes into the bark and wood so as to nearly encircle the tree, and pour undiluted product into the cavities. For stumps, apply the undiluted weed killer liberally over freshly cut surfaces. Repeat if new growth occurs after two or three weeks.





INGREDIENTS

ACTIVE INGREDIENTS: Sodium arsenite INERT INGREDIENTS	
Total	100.0%
Total arsenic expressed as metallic, all in water-soluble form	24.5%
CONTAINS 4 POUNDS ARSENIC TRIOXIDE PER G	



DANGER - POISON



Keep Out of Reach of Children

See ANTIDOTE Statement and Other Required Warning Statements on Side Panel LSDA Reg. No. 1386-136

Net Volume

5 U.S. Gallons Liquid

FC-9228-5-68

PROD. 126

DISTRIBUTED BY

UNITED CO-OPERATIVES, INC. · ALLIANCE, OHIO