

PM 18

1386-222

1 of 3

1% Rotenone Dust

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
See Remainder of CAUTION Statement On Back Panel

ACTIVE INGREDIENTS:

Rotenone .....	1%
Other associated resins .....	2%

INERT INGREDIENTS .....	<u>97%</u>
-------------------------	------------

Total .....	100%
-------------	------

Net Weight: 5 Pounds

**ACCEPTED**

JUL 15 1961

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended  
this pesticide registration number  
EPA Reg. No. 1386-222

EPA Reg. No. 1386-222  
EPA Est. No. 1386-OH-1



PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION

May be harmful if swallowed. May cause irritation of nose and throat of some individuals. Avoid inhalation of dust. Do not contaminate feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: call a physician or Poison Control Center immediately. Give victim one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If Inhaled: remove victim to fresh air. Apply respiration if indicated. If on Skin: wash with soap and water. If in Eyes: flush with water for at least 15 minutes. Contact a physician.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not apply to crops or areas other than those for which directions are stated in this label. Do not apply when weather conditions favor drift of dust from area treated. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must inform workers of areas or fields that may not be entered without wearing specific protective clothing until dusts have settled and of appropriate actions to take in case of accidental exposure (refer to Statement of Practical Treatment). When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: "CAUTION. Area treated with Rotenone on (insert date of application). Do not enter without appropriate protective clothing until dusts have settled. In case of accidental exposure, follow these procedures: (insert information found under Statement of

**BEST AVAILABLE COPY**

Practical Treatment)."

3 of 3

To control the insects on the crops listed below, apply 25 to 35 pounds of dust per acre.

BEANS - Mexican bean beetle, bean leaf beetle.

PEAS - Pea aphid.

CABBAGE, CAULIFLOWER, AND BROCCOLI - Imported cabbage worm, flea beetles.

ASPARAGUS - Asparagus beetle.

RASPBERRIES - Raspberry fruit worm.

Begin applications when the insects first appear, or before damage is noticeable, and repeat at 5 to 10-day intervals as necessary through growing season. Apply the dust thoroughly and uniformly to upper and lower surfaces of all foliage.

BLUEBERRY MAGGOT - Apply 25 to 35 pounds of dust per acre. The first application should be made within a few days of the emergence of the first flies, which is usually about the time blueberries begin to ripen, and applications should be repeated at 5 to 7-day intervals until three or more applications have been made in accordance with local conditions.

DO NOT APPLY TO ANY OF THE ABOVE NAMED CROPS WITHIN 1 DAY OF HARVEST.

#### STORAGE AND DISPOSAL

STORAGE: Store product in original container and in a locked storage area. Do not store with or near feed or food products.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

**BEST AVAILABLE COPY**